## **Declaration of Performance**



## **Centrament Proof CL 1**

Reference number of the Declaration of Performance: 1577000

| 1. | Unique ID code of the product type | Centrament Proof CL 1  |
|----|------------------------------------|--|
| 2. | Application(s)                     | Concrete plasticisers for the production of concrete – EN 934-2: T2                          |
| 3. | Manufacturer                       | MC-Bauchemie Müller GmbH & Co. KG<br>Am Kruppwald 1-8<br>46238 Bottrop / Germany             |
| 4. | Authorized representative          | -  |
| 5. | System of AVCP                     | System 2+ (for uses in buildings and civil engineering works)                                |
| 6. | Harmonised standard                | EN 934-2: 2009+A1: 2012  |
| 7. | Notified body                      | Institut für Massivbau und Baustofftechnologie<br>Universität Karlsruhe (TH)<br>ID code 0754 |
|    |                                    | EN 934-2 T2  |
|    |                                    |  |

## Declared performances

| Essential characteristic          | Performance  | harmonised technical specification |  |
|-----------------------------------|--|------------------------------------|--|
| Chloride content                  | max. 0.10% by mass   |                                    |  |
| Alkaline content                  | max. 15.0 % by mass  | EN 934-1                           |  |
| Corrosion behaviour               | Contains components only from EN 934-1 : 2008, Annex A.1         |                                    |  |
| Compressive strength              | after 7 and 28 days: Test mixture ≥ 110 % of the control mixture |                                    |  |
| Corrosion behaviour               | Only contains substances per EN 934-1: 2008 Annex A.1 and A.2    |                                    |  |
| Air content of the fresh concrete | Test mixture ≤ 2 % by volume above the control mixture           | EN 934-2: 2009 + A1: 2012          |  |
| Air void characteristics          | Distance factor in the test mixture ≤ 0.200 mm                   |                                    |  |
| Reduction in water requirement    | with test mixture ≥ 5 % in comparison with control mixture       |                                    |  |
| Water secretion (bleeding)        | Test mixture ≤ 50 % of the control mixture                       |                                    |  |
| Hazardous substances              | Regulation (EC) No. 1907/2006, see safety data sheet             | EGVO                               |  |

The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued in accordance with Regulation (EU) No 305/2011 (amended by Commissions delegated Regulation (EU) No 574/2014), under the soleresponsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

John van Diemen Head of Research & Development and Quality



Bottrop, 13.10.2023 (place and date of issue)

Annex

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006(REACH), Annex II is attached to this Declaration of Performance.