

## MC-Estrifan IH

Reference number of the Declaration of Performance: CI 5200001

1. Unique ID code of the product type	MC-Estrifan IH
2. Application(s)	Concrete injection for force transmitting filling of cracks, voids and interstices (F), U (F1) W (2) (1/2) (8/35) (1)
3. Manufacturer	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 46238 Bottrop / Germany
4. Authorized representative	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 46238 Bottrop / Germany
5. System of AVCP	System 2+ (for uses in buildings and civil engineering works)
6. Harmonised standard	EN 1504-5: 2004
7. Notified body	Institut für Massivbau und Baustofftechnologie Universität Karlsruhe (TH) ID code 0754

8. Declared performances


Essential characteristic	Performance	AVCP	harmonised technical specification
Volumetric shrinkage	NPD	System 2+	EN 1504-5: 2004
Injectability with dry medium	class 2 (0.2 mm)		
Injectability with non-dry medium	class 2 (0.2 mm)		
Durability: Sensitivity to wet/dry cycling	passed		
Adhesion through adhesive tensile strength	> 3 N/mm <sup>2</sup>		
Hazardous substances	EN 1504-3, pt. 5.4		

The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued in accordance with Regulation (EU) No 305/2011 (amended by Commissions delegated Regulation (EU) No 574/2014), under the soleresponsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

John van Diemen  
Head of Research & Development and Quality

Bottrop, 27.01.2024  
(place and date of issue)



(signature)

The image shows a blue ink signature over a circular stamp. The stamp contains the text 'LEISTUNGSERKLÄRUNG' at the top, 'CE' in the center, and 'DECLARATION OF PERFORMANCE' at the bottom. The 'MC' logo is also visible on the right side of the stamp.

Annex

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006(REACH), Annex II is attached to this Declaration of Performance.