

# Declaration of Performance



## Reparoxyd Primer

Reference number of the Declaration of Performance: CI5600001

1. Unique ID code of the product type	Reparoxyd Primer
2. Application(s)	
3. Manufacturer	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 46238 Bottrop / Germany
4. Authorized representative	-
5. System of AVCP	System 2+ (for uses in buildings and civil engineering works) System 4
6. Harmonised standard	EN 1504-2: 2004 EN 13813: 2002
7. Notified body	Institut für Massivbau und Baustofftechnologie Universität Karlsruhe (TH) ID code 0754

8. Declared performances

Essential characteristic	Performance	AVCP	harmonised technical specification
Linear shrinkage	≤ 0,3%	System 2+	EN 1504-2: 2004
Coefficient of thermal expansion	Rigid systems for outdoor use: $\alpha T \leq 30 \times 106 \text{ K}^{-1}$		
Wear resistance	< 3000 mg		
Cross-cut test to determine adhesive strength	≤ GT2		
CO2 permeability	sD > 50 m		
Water vapour permeability	Class I sD < 5 m Class II 5 m ≤ sD ≤ 50 m Class III sD > 50 m		
Capillary water absorption	< 0,1 kg/m <sup>2</sup> h-0,5		
Freeze-thaw cycling with de-icing salt attack	No blisters, no cracks, no spalling		
Ageing: 7 days at 70 °C	Rigid systems without traffic load: ≥ 1.0 (0.7)		
Resistance to thermal shock	Rigid systems with traffic load: ≥ 2.0 (1.5)		
Resistance to chemicals	No visible defects		
Resistance to strong chemical attack	Reduction in hardness of less than 50%		
Impact strength	Class I: ≥ 4 Nm Class II: ≥ 10 Nm Class III: ≥ 20 Nm		
Fire behaviour	A1 <sub>fl</sub> to F <sub>fl</sub>	System 4	EN 13813: 2017-03
Compressive strength	≥ C5		
Flexural strength	≥ F1		
Impact strength	≥ IR4		
Tensile strength	≥ B1,5		
Wear resistance	≤ AR6 ≤ RWA300		


---

The performance of the product identified above is in conformity with the set of declared performance/s. This Declaration of Performance is issued in accordance with Regulation (EU) No 305/2011 (amended by Commissions delegated Regulation (EU) No 574/2014), under the soleresponsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

van Diemen  
Head of research and development and quality control

Bottrop, 28.05.2021  
(place and date of issue)



(Unterschrift)

---

Annex

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006(REACH), Annex II is attached to this Declaration of Performance.