

Page 1/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name Centrament Stabi 520

· Article number: 498

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Concrete/Mortar admixtures

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

msds@mc-bauchemie.de

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

· Additional information: EUH208 Contains 2-Octyl-2H-isothiazol-3-on. May produce an

allergic reaction.

EUH210 Safety data sheet available on request. Contains biocidal products: 2-Octyl-2H-isothiazol-3-on

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 2)



Page 2/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 1)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Designation: Void

7732-18-5 water, distilled, conductivity or of similarpurity

· Identification number(s):

· EC number: Void

231-791-2

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

*≥*0.00025-<0.0015%

EINECS: 247-761-7

Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens.

1A, H317, EUH071

ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l

Specific concentration limit:

Skin Sens. 1A; H317: C ≥0.0015 %

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information For every first aid measure: Pay attention to self-protection.

After inhalation Take the person out into the fresh air.
After skin contact Clean with plenty of soap and water.

Remove heavily soiled clothing.

· After eye contact Rinse for 10 minutes under running water with the eyelids open or

use eye rinsing solution. Always consult an ophthalmologist!

• After swallowing Drink plenty of water in small sips.

Do not induce vomiting.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Void

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

(Contd. on page 3)



Page 3/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Dilute with much water.

· 6.4 Reference to other

sections No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Avoid splashing.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by

storerooms and containers: Store containers tightly closed in a well-ventilated and well-lit room.

Access only for authorised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes,

passageways, thoroughfares and confined spaces.

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2;

7

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 4.3; 5.1C

· Further information about

storage conditions: None.
Storage class 12

GB



Page 4/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters · Components with critical values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

work area!

Avoid contact with eyes and skin!

Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing!

· Breathing equipment: If the limit value is exceeded:

Combination filter A-P2 (brown/white).

· Hand protection Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

Material of gloves

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection

Safety glasses

see "Hand protection"

· Body protection:

Protective work clothing.

Skin protection Use gr

Use greasy skin protection ointment for all uncovered parts of the

body!

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Colourless · Smell: Characteristic

· Melting point/freezing point: 0 °C

· Boiling point or initial boiling point and

boiling range 100 °C
Flash point: Not applicable

· pH at 20 °C

(Contd. on page 5)



Page 5/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 4)

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

·Solubility

• Water: Fully miscible • Steam pressure at 20 °C: 23.388 hPa

· Density and/or relative density

· Density at 20 °C 1 g/cm³

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

Explosive properties: Product is not explosive.

· Molecular weight 18.02 g/mol

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water Void

flammable gases in contact with water

· Oxidising liquids

· Oxidising solids

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Page 6/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 5)

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

0.6 mg/l (rat)

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

Oral LD50 125 mg/kg (ATE) 500 mg/kg (rat) 311 mg/kg (ATE) LD50 Dermal >2000 mg/kg (rat) Inhalative LC50/4 h 0.27 mg/l (ATE)

· Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin

Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

EC50/48h | 0.42 mg/l (Daphnien)

· 12.2 Persistence and

No further relevant information available. degradability

· 12.3 Bioaccumulative

No further relevant information available. potential · 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment · PBT: Not applicable.

(Contd. on page 7)



Page 7/9

(Contd. of page 6)

Safety data sheet according to UK REACH

Version number 39 (replaces version 38) Revision: 12.04.2025 Printing date 12.04.2025

Trade name Centrament Stabi 520

· vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Recommended cleaning

Water, if necessary with cleaning agent. agent:

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

(Contd. on page 8)



Page 8/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 7)

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Department issuing data

specification sheet: Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3

(Contd. on page 9)



Page 9/9

Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 39 (replaces version 38) Revision: 12.04.2025

Trade name Centrament Stabi 520

(Contd. of page 8)

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard –

Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 1

· * Data compared to the previous version altered.

GB