



BE SURE. BUILD SURE.

Page 1/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Centripor Kombi 120-1

· **Article number:** 1181

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Concrete/Mortar admixtures

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to**

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard-determining**

components of labelling:

2-Octyl-2H-isothiazol-3-on

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 1)

- **Hazard statements**
 - H319 Causes serious eye irritation.
 - H317 May cause an allergic skin reaction.
 - H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P273 Avoid release to the environment.
 - P280 Wear protective gloves / eye protection / face protection.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P337+P313 If eye irritation persists: Get medical advice/attention.
- **Additional information:** Contains biocidal products: 2-Octyl-2H-isothiazol-3-on
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 57-50-1 EINECS: 200-334-9	sucrose, pure substance with a Community workplace exposure limit	10-30%
CAS: 68891-38-3	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1;H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	<2.5%

(Contd. on page 3)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 2)

<p>CAS: 68439-57-6 EINECS: 270-407-8 Reg.nr.: 01-2119513401-0001</p>	<p>Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315:C \geq 5 % Eye Dam. 1; H318: C \geq 38 % Eye Irrit. 2; H319: 5 % \leq C < 38 %</p>	<p><1.5%</p>
<p>EC number: 931-292-6</p>	<p>Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315</p>	<p>\geq1-<1.5%</p>
<p>CAS: 26530-20-1 EINECS: 247-761-7</p>	<p>2-Octyl-2H-isothiazol-3-on Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C \geq 0.0015 %</p>	<p>\geq0.0025-<0.025%</p>

· **Additional information**

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information** For all first aid measures: observe self-protection and consult a doctor!
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Remove contaminated clothing immediately.
Hold affected areas under cold running water for at least 15 minutes.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
- **After swallowing** Drink plenty of water in small sips.
Do not induce vomiting.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Void
- **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name **Centripor Kombi 120-1**

(Contd. of page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous materials are released.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Avoid splashing.
 - Avoid dust development with powder products.
 - Limit the storage quantity at the workplace to one shift requirement.
 - Do not leave containers open.
 - Provide washing facilities in the work area.
 - Provide an eye shower or eyewash bottle.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
 - Avoid splashing.
 - Avoid dust development with powder products.
 - Limit the storage quantity at the workplace to one shift requirement.
 - Do not leave containers open.
 - Provide washing facilities in the work area.
 - Provide an eye shower or eyewash bottle.
- **Information about storage in one common storage facility:**
 - Combined storage bans apply from a total storage quantity of 200 kg.
 - Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7
 - Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
- **Further information about storage conditions:** None.

(Contd. on page 5)

GB



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name **Centripor Kombi 120-1**

· Storage class

12

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 57-50-1 sucrose, pure

WEL	Short-term value: 20 mg/m ³
	Long-term value: 10 mg/m ³

· DNELs

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate

Oral	DNEL	15 mg/kg bw/Tag (ArL)
Dermal	DNEL	2750 mg/kg bw/day (ArL)
Inhalative	DNEL	175 mg/m ³ (ArL)

CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts

Oral	DNEL	12.95 mg/kg bw/Tag (ArL)
Dermal	DNEL	2158.33 mg/kg bw/day (ArL)
Inhalative	DNEL	152.22 mg/m ³ (ArL)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls**

No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
Avoid contact with eyes, skin and clothing!
Clean hands thoroughly after work and before cleaning!
Use skin care products after work (moisturising cream).
Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!

· **Breathing equipment:**

If the limit value is exceeded:
Combination filter A-P2 (brown/white).

· **Hand protection**

Gloves made of: Natural latex, polychloroprene, nitrile rubber.
(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).
When wearing protective gloves, cotton undergloves are recommended.

· **Material of gloves**

see "Hand protection"

· **Penetration time of glove material**

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

· **Eye/face protection**

Gauze goggles

· **Body protection:**

Alkali-resistant protective clothing

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name **Centripor Kombi 120-1**

(Contd. of page 5)

· **Skin protection**

Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

- **Colour:** Dark brown
- **Smell:** Characteristic
- **Melting point/freezing point:** Not determined
Not applicable
- **Boiling point or initial boiling point and boiling range** 100 °C
- **Flash point:** Not applicable
- **pH** Not determined.
- **Viscosity:**
- **Kinematic viscosity at 20 °C** 14 s (DIN 53211/4)
- **dynamic:** Not determined.
- **Solubility**
- **Water:** Fully miscible
- **Steam pressure at 20 °C:** 23 hPa
- **Density and/or relative density**
- **Density at 20 °C** 1.1 g/cm³

· **9.2 Other information**

- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void

(Contd. on page 7)



BE SURE. BUILD SURE.

**Safety data sheet
according to UK REACH**

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 6)

· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known*

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

· **LD/LC50 values that are relevant for classification:**

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	6300 mg/kg (rabbit)
Inhalative	LC50/4 h	52 mg/l (rat)

Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid

Oral	LD50	3432 mg/kg (rat)
------	------	------------------

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

Oral	LD50	125 mg/kg (ATE) 500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE) >2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE) 0.6 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*

(Contd. on page 8)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 7)

- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate

LC50/96h	7.1 mg/l (Brachydanio rerio)
EC50/48h	7.2 mg/l (Daphnia magna)
NOEC	0.95 mg/l (Scenedesmus subspicatus)
ErC50/72h	27.7 mg/l (Scenedesmus subspicatus)

CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts

IC50/72h	230 mg/l (BEL)
LC50/96h	4.2 mg/l (Danio rerio) 1-10 mg/l (Brachydanio rerio)
EC50/48h	4.5 mg/l (Ceriodaphnia dubia)
NOEC	3.2 mg/l (Ske) 6.7 mg/l (Daphnia magna)
ErC50/72h	5.2 mg/l (Ske)

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 9)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 8)

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Waste disposal key number:**

59402

Bez.: Tenside

Entsorgungshinweise:

Sonderabfallverbrennung

· **Uncleaned packagings:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· **Recommended cleaning agent:**

Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **14.4 Packing group**

· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

(Contd. on page 10)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 9)

- **Transport/Additional information:** *Not dangerous according to the above specifications.*
- **UN "Model Regulation":** *Void*

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** *No further relevant information available.*
- **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H301 *Toxic if swallowed.*
 - H302 *Harmful if swallowed.*
 - H311 *Toxic in contact with skin.*
 - H314 *Causes severe skin burns and eye damage.*
 - H315 *Causes skin irritation.*
 - H317 *May cause an allergic skin reaction.*
 - H318 *Causes serious eye damage.*
 - H319 *Causes serious eye irritation.*
 - H330 *Fatal if inhaled.*
 - H400 *Very toxic to aquatic life.*
 - H410 *Very toxic to aquatic life with long lasting effects.*
 - H411 *Toxic to aquatic life with long lasting effects.*
 - H412 *Harmful to aquatic life with long lasting effects.*
 - EUH071 *Corrosive to the respiratory tract.*

· **Department issuing data specification sheet:**

Environment protection department.

(Contd. on page 11)



BE SURE. BUILD SURE.

Page 11/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 32 (replaces version 31)

Revision: 13.04.2025

Trade name Centripor Kombi 120-1

(Contd. of page 10)

- Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1: Skin corrosion/irritation – Category 1
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- * Data compared to the previous version altered.**

GB