

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Page 1/11

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Centripor SK 120
• Article number: • 1.2 Relevant identified uses of the substance or mixture and uses advised against	997 No further relevant information available.
 Application of the substance / the mixture 	Concrete/Mortar admixtures
• 1.3 Details of the supplier of the supplier of the supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	ntification
Eye Dam. 1 H318 Causes	
· 2.2 Label elements	

- Labelling according to
Regulation (EC) No 122

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS05

Danger

· Signal word

(Contd. on page 2)

- GB



Page 2/11

Safety data sheet according to UK REACH

Printing date 13.04.2025 Version number 33 (replaces version 32) Revis

Revision: 13.04.2025

Trade name Centripor SK 120

(Contd.	of page	1)
---------	---------	----

GB

	-c14 (even numbered), ethoxylated < 2.5 EO,
	4 (even numbered)-alkyldimethyl, N-oxides
H315 Causes s	kin irritation.
H318 Causes s	erious eye damage.
H412 Harmful t	o aquatic life with long lasting effects.
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for
	several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it
	before reuse.
EUH208 Conta	ins Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-
	nd 2-methyl-2H-isothiazol-3-one (3:1). May produce
	ergic reaction.
	idal products: Mixture of: 5-chloro-2-methyl-2H-
	e and 2-methyl-2H-isothiazol-3-one (3:1)
13011110201-3-0116	e and 2-methyl-211-isothia201-3-one (3.1)
Not applicable.	
	sulphates, sodi Amines, C12-14 H315 Causes s H318 Causes s H412 Harmful t P273 P280 P305+P351+P3 P310 P321 P362+P364 EUH208 Conta one ai an alle Contains bioc

SECTION 3: Composition/information on ingredients

Description:	Mixture consisting of the following components.	
Dangerous components:		
CAS: 68439-57-6 EINECS: 270-407-8 Reg.nr.: 01-2119513401-0001	Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2;H315: $C \ge 5$ % Eye Dam. 1; H318: $C \ge 38$ % Eye Irrit. 2; H319: 5 % $\le C < 38$ %	10-30%
CAS: 68891-38-3	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1;H318: $C \ge 10$ % Eye Irrit. 2; H319: 5 % $\le C < 10$ %	<i>≥</i> 10-<25%



Page 3/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Centripor SK 120

		(Contd. of page 2)
EC number: 931-292-6	Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid	≥3-<10%
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 55965-84-9 EC number: 911-418-6	<i>Mixture of: 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)</i>	<i>≥</i> 0.00025-<0.0015%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314;	
	Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);	
	Skin Sens. 1A, H317, EUH071 Specific concentration limits:	
	Skin Corr. 1C;H314: C ≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	
· Additional information	For the wording of the listed hazard phrases	refer to section 16.

SECTION 4: First aid measures

[.] General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Take the person out into the fresh air.
[.] After skin contact	Remove contaminated clothing immediately.
	Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
After swallowing	Drink plenty of water in small sips. Do not induce vomiting.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising
- from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- **Protective equipment:** No special measures required.

(Contd. on page 4)

GB



Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Centripor SK 120

(Contd. of page 3)

Page 4/11

6.1 Personal precautions, protective equipment and	
emergency procedures 6.2 Environmental	Not required.
precautions:	Prevent material from reaching sewage system, holes and cellars Dilute with much water.
6.3 Methods and material fo	r
containment and cleaning u	p: Absorb with liquid-binding material (sand, diatomite, acid binder universal binders, sawdust).
6.4 Reference to other	· · · · · · · · · · · · · · · · · · ·
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling	Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
	e, including any incompatibilities
Storage	
Requirements to be met by	
storerooms and containers:	Avoid splashing.
	Avoid dust development with powder products.
	Limit the storage quantity at the workplace to one shift
	requirement.
	Do not leave containers open. Brouide weeking facilities in the work gree
	Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
Information about storage in	Fronde an eye shower or eyewash bollie.
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200
one common storage racinty.	kg.
	Do not store together with substances of the following LGK: 1;
	5.1A; 5.2; 6.2; 7
	Storage with substances of the following LGK is only possible
	under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
• Further information about	• • • • • •
storage conditions:	None.
-	(Contd. on page 5)



Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

(Contd. of page 4)

Page 5/11

Trade name Centripor SK 120

[.] Storage o	class		(Contd. of page 4)
SECTIO	VN 8: E	xposure co	ontrols/personal protection
8.1 Contr Compone values th	ents wit at requi	h critical ire	_
monitorir	ng at the	e workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· DNELs			
CAS: 684	39-57-6	Sulphonic ad	cids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts
Oral	DNEL	12.95 mg/kg l	bw/Tag (ArL)
Dermal	DNEL	2158.33 mg/k	g bw/day (ArL)
Inhalative		152.22 mg/m ³	
		Alcohols, c	12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates,
	DNE	sodium salts	
Oral		15 mg/kg bw/	
Dermal		2750 mg/kg b	
Inhalative	DNEL	175 mg/m³ (A	rL)
· Additiona	al inforn	nation:	The lists that were valid during the compilation were used as basis.
· 8.2 Expos	sure co	ntrols	
Appropria			
controls		U	No further data; see section 7.
· Individua · General p			es, such as personal protective equipment
hygienic			Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
			Avoid contact with eyes, skin and clothing!
			Clean hands thoroughly after work and before cleaning!
			Use skin care products after work (moisturising cream).
			Change wet/uncleaned clothing immediately, place in water and
· Breathing	n equin	mont:	only use again after cleaning! If the limit value is exceeded:
Dicatillity	gequipi	inent.	Combination filter A-P2 (brown/white).
· Hand pro	tection		Gloves made of: Natural latex, polychloroprene, nitrile rubber.
•			(Category 3 chemical protective gloves, recognisable by the CE
			mark with four-digit test number).
			When wearing protective gloves, cotton undergloves are
•• • • •			recommended.
· Material c			see "Hand protection"
· Penetrati material	on ume	or giove	The exact breakthrough time must be obtained from the protective
material			glove manufacturer and must be observed.
· Eye/face	protect	ion	Gauze goggles
· Body pro			Alkali-resistant protective clothing
			(Contd. on page 6)

GB



Page 6/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Centripor SK 120

[.] Skin protection

(Contd. of page 5) Use greasy skin protection ointment for all uncovered parts of the body!

9.1 Information on basic physical and che	emical properties	
General Information Colour:	Yellow	
Smell:	Weak, characteristic	
Melting point/freezing point:	Not determined	
	Not applicable	
Boiling point or initial boiling point and		
boiling range	100 °C (CAS: 7732-18-5 Water)	
Flash point:	Not applicable	
рН .	Not determined.	
, Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)	
Density and/or relative density		
Density at 20 °C	1.02 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of he	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures Substances and mixtures, which emit	Void	
	Void	
flammable gases in contact with water	Void	

GB



Printing date 13.04.2025

Version number 33 (replaces version 32)

Void

Void

Void

Void

Revision: 13.04.2025

(Contd. of page 6)

Page 7/11

Trade name Centripor SK 120

- · Oxidising solids
- · Organic peroxides
- · Corrosive to metals
- · Desensitised explosives

Thermal decomposition / conditions to be avoided:

· 10.4 Conditions to avoid

· 10.5 Incompatible materials:

SECTION 10: Stability and reactivity

· 10.1 Reactivity 10.2 Chemical stability

reactions

No further relevant information available.

No decomposition if used according to specifications. · 10.3 Possibility of hazardous

- No dangerous reactions known
- No further relevant information available.
- No further relevant information available.
- · 10.6 Hazardous decomposition products:

No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

LD/LOOU	ruides tild		
CAS: 684	CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts		
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	6300 mg/kg (rabbit)	
Inhalative	LC50/4 h	52 mg/l (rat)	
CAS: 688	CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate		
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Amine, C	Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid		
Oral	LD50	3432 mg/kg (rat)	
CAS: 559	CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)		
Oral	LD50	49.6-75 mg/kg (rat)	
Dermal	LD50	87.12 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.171 mg/l (rat)	
 Primary in Skin correst Serious e Germ celle Carcinog 	osion/irrita ye damag I mutagen	ation Causes skin irritation. Ie/irritation Causes serious eye damage.	



Page 8/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Centripor SK 120

· Reproductive toxicity

(Contd. of page 7)

- · STOT-single exposure · STOT-repeated exposure
- Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
- · Aspiration hazard
- · 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:	· Aquatic toxicity:		
CAS: 68439-57-6 S	Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts		
IC50/72h 230 mg	230 mg/l (BEL)		
LC50/96h 4.2 mg	4.2 mg/l (Danio rerio)		
1-10 m	g/l (Brachydanio rerio)		
EC50/48h 4.5 mg	/l (Ceriodaphnia dubia)		
NOEC 3.2 mg	/l (Ske)		
6.7 mg	/l (Daphnia magna)		
ErC50/72h 5.2 mg	/l (Ske)		
	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate		
LC50/96h 7.1 mg	/l (Brachydanio rerio)		
EC50/48h 7.2 mg	7.2 mg/l (Daphnia magna)		
NOEC 0.95 m	0.95 mg/l (Scenedesmus subspicatus)		
ErC50/72h 27.7 m	ErC50/72h 27.7 mg/l (Scenedesmus subspicatus)		
	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)		
LC50/24h 0.19 m	g/l (fish)		
EC50/72h 0.027 r	ng/l (Pseudokirchneriella subcapitata)		
LC50/96h 0.19 m	0.19 mg/l (Oncorhynchus mykiss)		
LC50/48h 0.28 m	0.28 mg/l (fish)		
EC50/48h 0.16 m	0.16 mg/l (Daphnia magna)		
NOEC 0.02 m	0.02 mg/l (Oncorhynchus mykiss)		
0.0004	0.00049 mg/l (Ske)		
0.1 mg	0.1 mg/l (Daphnia magna)		
12.2 Persistence a			
degradability	No further relevant information available.		
 12.3 Bioaccumula potential 	tive No further relevant information available.		
· 12.4 Mobility in so			
·	(Contd. on page 9)		



Page 9/11

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Centripor SK 120

vPvB assessment
Not applicable.
Not applicable.
q
The product does not contain substances with endocrine disruptin properties.
's
ormation:
Danger to drinking water if even extremely small quantities lea into soil.

SECTION 13: Disposal considerations

• 13.1 Waste treatment metho • Recommendation	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable.	
· UN "Model Regulation":	Void	
		G

(Contd. on page 10)



Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Centripor SK 120

(Contd. of page 9)

Page 10/11

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precurs	ors
None of the ingredients is listed.	
Regulated poisons	
None of the ingredients is listed.	
Reportable explosives precurs	sors
None of the ingredients is listed.	
Reportable poisons	
None of the ingredients is listed.	

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

	· Relevant phrases	H301 H302	Toxic if swallowed. Harmful if swallowed.
		H310	Fatal in contact with skin.
		H314	Causes severe skin burns and eye damage.
		H315	Causes skin irritation.
		H317	May cause an allergic skin reaction.
		H318	Causes serious eye damage.
		H319	Causes serious eye irritation.
		H330	Fatal if inhaled.
		H400	Very toxic to aquatic life.
		H410	Very toxic to aquatic life with long lasting effects.
		H411	Toxic to aquatic life with long lasting effects.
		H412	Harmful to aquatic life with long lasting effects.
		EUH071	Corrosive to the respiratory tract.
	· Department issuing data		
	specification sheet:	Environn	nent protection department.
Abbreviations and acronyms:	dangereu	lement international concernant le transport des marchandises ses par chemin de fer (Regulations Concerning the International of Dangerous Goods by Rail)	
			rnational Civil Aviation Organisation
		ord relatif au transport international des marchandises dangereuses par opean Agreement Concerning the International Carriage of Dangerous	
	Goods by I		
		ernational Maritime Code for Dangerous Goods	
		IATA: Inter	national Air Transport Association
			(Contd. on page 11)



Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Page 11/11

Trade name Centripor SK 120

	(Contd. of page 1)
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (UK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 4: Acute toxicity – Category 4
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1C: Skin corrosion/irritation – Category 1C
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquat hazard – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquat hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquat hazard – Category 3
* Data compared to the	······································
previous version altered.	