

Page 1/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name Donnitil Rust Ex

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

Cleaning material/ Detergent / the mixture

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

> Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510

Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms





· Signal word Danger

· Hazard-determining

components of labelling: 2-mercaptopropionic acid

· Hazard statements H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

#### Trade name Donnitil Rust Ex

(Contd. of page 1)

10-30%

• Precautionary statements P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label).

P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it

before reuse.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:

CAS: 79-42-5 2-mercaptopropionic acid

EINECS: 201-206-5 Met. Corr. 1, H290; Skin Corr. 1A, H314; Acute Tox. 4, H302; Skin

Sens. 1B, H317

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• General information Immediately remove any clothing contaminated with the product.

After inhalation
 After skin contact
 After eye contact
 Supply fresh air; consult doctor in case of symptoms.
 Instantly wash with water and soap and rinse thoroughly.
 Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

Trade name Donnitil Rust Ex

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental

precautions:

Wear protective equipment. Keep unprotected persons away.

Prevent material from reaching sewage system, holes and cellars.

Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

**storage conditions:** Keep container tightly sealed.

· Storage class 8B

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

#### Trade name Donnitil Rust Ex

(Contd. of page 3)

• Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls
Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: In case of brief exposure or low pollution or when application is

performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

Not determined

· Eye/face protection

Not required.

Body protection:

· Material of gloves

Protective work clothing.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Yellow

· Smell: Like rotten eggs (mercaptans)

Melting point/freezing point:

Boiling point or initial boiling point and

boiling range 94 °C

· Flash point: Not applicable

· pH at 20 °C 2.2

· Viscosity:

· Kinematic viscosity Not determined. · dynamic: Not determined.

(Contd. on page 5)



Page 5/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 20.04.2024 Printing date 23.05.2024 Version number 13 (replaces version 12)

#### Trade name Donnitil Rust Ex

(Contd. of page 4)

· Solubility

· Water: Fully miscible · Steam pressure at 20 °C: 23 hPa

· Density and/or relative density

· Density at 20 °C 1.02 g/cm3

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Product is not explosive. Explosive properties:

· Information with regard to physical hazard

classes

Void · Explosives Void · Flammable gases · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit

Void flammable gases in contact with water · Oxidising liquids Void Oxidising solids Void · Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

No dangerous reactions known reactions

No further relevant information available. · 10.4 Conditions to avoid · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Page 6/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

Trade name Donnitil Rust Ex

(Contd. of page 5)

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 79-42-5 2-mercaptopropionic acid

LD50 730 mg/kg (rat)

NOAEL 150 mg/kg (rat)

Inhalative LCL0 840 mg/l (rat)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

Oral

**sensitisation** May cause an allergic skin reaction.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 79-42-5 2-mercaptopropionic acid

EC50/72h | 150 mg/l (Desmodesmus subspicatus) LC50/96h | >100 mg/l (Oncorhynchus mykiss)

EC50/48h >100 mg/l (Daphnia magna)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

(Contd. on page 7)



Page 7/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

#### Trade name Donnitil Rust Ex

(Contd. of page 6)

· 12.6 Endocrine disrupting

properties

The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation M

Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

14.1 UN number or ID number ADR, IMDG, IATA	UN3265
14.2 UN proper shipping name ADR, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N. (THIOLACTIC ACID)
14.3 Transport hazard class(es)	
ADR Class Label	8 (C3) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids B



Page 8/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 23.05.2024 Version number 13 (replaces version 12) Revision: 20.04.2024

#### Trade name Donnitil Rust Ex

(Contd. of page 7)

Stowage Code
 Segregation Code
 SW2 Clear of living quarters.
 SG36 Stow "separated from" SGG18-alkalis.

SG49 Stow "separated from" SGG6-cyanides

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· Transport category 2 · Tunnel restriction code E

- Turmer restriction cou

· IMDG

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 3265 CORROSIVE LIQUID, ACIDIC,

ORGANIC, N.O.S. (THIOLACTIC ACID), 8, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

**substance or mixture** No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

GB



Page 9/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 20.04.2024 Printing date 23.05.2024 Version number 13 (replaces version 12)

Trade name Donnitil Rust Ex

(Contd. of page 8)

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

· Department issuing data

specification sheet: Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B

\* \* Data compared to the previous version altered.