

Page 1/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Version number 22 (replaces version 21)

Revision: 01.09.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
<ul> <li>Trade name</li> <li>1.2 Relevant identified uses of the substance or mixture</li> </ul>	Emcefix Spachtel F lang
and uses advised against • Application of the substance	No further relevant information available.
/ the mixture	Repair mortar
<sup>.</sup> 1.3 Details of the supplier of t	he safety data sheet
· Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +48612864565

### **SECTION 2: Hazards identification**

### <sup>.</sup> 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

#### <sup>•</sup> 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:

Portland cement calcium oxide Flugasche Portlandzement

GB



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023 Version r

Version number 22 (replaces version 21)

Revision: 01.09.2023

Trade name Emcefix Spachtel F lang

	(Contd. of page 1)
H315 Causes skin	irritation.
H318 Causes seri	ous eve damage.
	Avoid breathing dust/fume/gas/mist/vapours/
1 201	
P305+P351+P338	spray. IF IN EYES: Rinse cautiously with water for
1 000 1 001 1 000	several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
D210	
	Immediately call a POISON CENTER/doctor.
	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it
	before reuse.
P403+P233	Store in a well-ventilated place. Keep container
	tightly closed.
sessment	
	P310 P321 P362+P364

· PBT:Not applicable.· vPvB:Not applicable.

3.2 Mixtures Description:	<i>Mixture consisting of the following components. (sand)</i>	
Dangerous compor	nents:	
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	<i>≥</i> 20-≤30%
CAS: 1317-65-3	Calcium carbonate substance with a Community workplace exposure limit	<5%
CAS: 1305-78-8 EINECS: 215-138-9	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%
CAS: 68475-76-3	Flugasche Portlandzement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<1.5%

## SECTION 4: First aid measures

• 4.1 Description of first aid measures

<ul> <li>After inhalation</li> <li>After skin contact</li> <li>After eye contact</li> </ul>	Supply fresh air. Instantly wash with water and soap and rinse thoroughly. Rinse opened eye for several minutes under running water. If
· After swallowing	symptoms persist, consult doctor. Rinse out mouth and then drink plenty of water. Seek medical treatment.
	(Contd. on page 3) GB



Page 3/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Version number 22 (replaces version 21)

Revision: 01.09.2023

#### Trade name Emcefix Spachtel F lang

(Contd. of page 2)

 4.2 Most important symptoms and effects, both acute and delayed
 No

No further relevant information available.

 4.3 Indication of any immediate medical attention

and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for firefighters
   Protective equipment:

No further relevant information available.

No special measures required.

#### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures Not required.
 6.2 Environmental precautions: No special measures required.
 6.3 Methods and material for containment and cleaning up: Collect mechanically.
 6.4 Reference to other sections See Section 7 for information on

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### SECTION 7: Handling and storage

<ul> <li>7.1 Precautions for safe handling</li> <li>Information about protection against explosions and fires:</li> </ul>	Prevent formation of dust. No special measures required.
<ul> <li>7.2 Conditions for safe storag</li> <li>Storage</li> <li>Requirements to be met by storerooms and containers:</li> <li>Information about storage in</li> </ul>	e, including any incompatibilities No special requirements.
one common storage facility: • Further information about storage conditions: • Storage class	Not required. Keep container tightly sealed. 13

(Contd. on page 4)

GB



Page 4/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Version number 22 (replaces version 21)

Revision: 01.09.2023

#### Trade name Emcefix Spachtel F lang

7.3 Specific end use(s)

No further relevant information available.

(Contd. of page 3)

GB

# SECTION 8: Exposure controls/personal protection

e:
on were used as basis.
food. f the work. n protection.
t f



Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023Version number 22 (replaces version 21)Revision: 01.09.2023

#### Trade name Emcefix Spachtel F lang

(Contd. of page 4)         Breathing equipment:       In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparatus. In case of intensive or longer exposure use breathing apparator.         • Material of gloves       Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.         • Material of gloves       The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         • Penetration time of glove       Breakthrough time: > = 480 min The exact break trough time has to be ob		
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics. Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.Penetration time of glove materialBreakthrough time: > = 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Safety glasses Tightly sealed safety glasses.	· Breathing equipment:	In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.         • Penetration time of glove material       Breakthrough time: > = 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.         • Eye/face protection       Safety glasses Tightly sealed safety glasses.	· Hand protection	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
materialBreakthrough time: > = 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.• Eye/face protectionSafety glasses Tightly sealed safety glasses.	· Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the
• Eye/face protection       The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.         • Eye/face protection       Safety glasses         • The exact break trough time has to be observed.         • Eye/face protection       Safety glasses         • Tightly sealed safety glasses.	<ul> <li>Penetration time of glove</li> </ul>	
Tightly sealed safety glasses.	material	The exact break trough time has to be found out by the
Body protection: Protective work clothing.	· Eye/face protection	
	· Body protection:	Protective work clothing.

**SECTION 9: Physical and chemical properties** 

General Information	
Colour:	According to product specification
Smell:	Odourless
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	2230 °C (14808-60-7 Quartz (SiO2))
Flash point:	Not applicable
pH at 20 °C	11
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Unsoluble
Steam pressure at 1732 °C:	13.5 hPa (14808-60-7 Quartz (SiO2))
Density and/or relative density	
Density at 20 °C	2.8 g/cm³



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Version number 22 (replaces version 21)

Revision: 01.09.2023

Page 6/9

## Trade name Emcefix Spachtel F lang

		(Contd. of page
<sup>.</sup> 9.2 Other information		
· Appearance:		
Form:	Powder	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
- Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
<sup>.</sup> Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity		
<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available.	
conditions to be avoided: • 10.3 Possibility of hazardous	No decomposition if used according to specifications.	
reactions	No dangerous reactions known	
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.	
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.	
decomposition products:	No dangerous decomposition products known	
		GB

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Version number 22 (replaces version 21)

Revision: 01.09.2023

Trade name Emcefix Spachtel F lang

(Contd. of page 6)

Page 7/9

## SECTION 11: Toxicological information

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values tha	t are releva	nt for classification:		
65997-15-	1 Portland	l cement			
Dermal	LD50	2000 mg/kg	2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	5 mg/l (rat)			
1317-65-3	Calcium	carbonate			
Oral	LD50	LD50 >2000 mg/kg (rat)			
Dermal	LD50	LD50 >2000 mg/kg (rat)			
1305-78-8	1305-78-8 calcium oxide				
Oral	LD50	>2000 mg/kg (rat)			
Dermal	LD50	50 >2500 mg/kg (rabbit)			
Germ cell Carcinogo Reproduc STOT-sin STOT-rep Aspiration 11.2 Infor	ye damag I mutagen enicity tive toxic gle expos eated exp n hazard mation on	e/irritation icity ity ure osure other haza			
	-	ng propertie	S		
None of th	e ingredie	nts is listed.			

## **SECTION 12: Ecological information**

Aquatic to	oxicity:	
1317-65-3	Calcium carbonate	
EC50/72h	>14 mg/l (Desmodesmus subspicatus)	
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)	
LC50/48h	>1000 mg/l (Daphnia magna)	
EC50/48h	>1000 mg/l (Daphnia magna)	
1305-78-8	calcium oxide	
EC50/72h	184.57 mg/l (algae)	
LC50/96h	50.6 mg/l (Fis)	
	158 mg/l (Mew)	
EC50/48h	49.1 mg/l (Suw)	
NOEC	32 mg/l (Mew)	
		(Contd. on page



Page 8/9

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Version number 22 (replaces version 21)

Revision: 01.09.2023

### Trade name Emcefix Spachtel F lang

	(Contd. of page 7)
48 mg/l (algae)	
12.2 Persistence and	
degradability	No further relevant information available.
· 12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
· 12.5 Results of PBT and vPv	/B assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
<sup>·</sup> 12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	
· Additional ecological inform	nation:
General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

<ul> <li>13.1 Waste treatment metho</li> </ul>	ds
· Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
<ul> <li>Uncleaned packagings:</li> <li>Recommendation:</li> </ul>	Non contaminated packagings can be used for recycling.

### **SECTION 14: Transport information**

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	i <b>ng to</b> Not applicable.	
		(Contd. on page 9



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2023

Г

Version number 22 (replaces version 21)

Revision: 01.09.2023

(Contd. of page 8)

Page 9/9

Trade name Emcefix Spachtel F lang

UN "Model Regulation":

Void

SECTION 15: Regulatory	Information
<ul> <li>15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</li> <li>15.2 Chemical safety assessment:</li> </ul>	No further relevant information available. A Chemical Safety Assessment has not been carried out.
SECTION 16: Other infor	mation
	esent knowledge. However, they shall not constitute a guarante d shall not establish a legally valid contractual relationship.
· Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
<ul> <li>Department issuing data specification sheet:</li> </ul>	Environment protection department.
Abbreviations and acronyms:	