

Printing date 13.04.2025

Version number 41 (replaces version 40)

Revision: 13.04.2025

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier			
· Trade name	Emcekrete 60 F		
• Article number: • 1.2 Relevant identified uses of the substance or mixture	1015		
and uses advised against Application of the substance	No further relevant information available.		
/ the mixture	dry mortar		
• 1.3 Details of the supplier of t	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510		
 Informing department: 1.4 Emergency telephone number: 	Fax : +44-7400533 msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)		
SECTION 2: Hazards ide	ntification		
2.1 Classification of the subst	· 2.1 Classification of the substance or mixture		

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

- · Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



Danger

Signal word

(Contd. on page 2)

- GB



Page 2/9

Printing date 13.04.2025

Version number 41 (replaces version 40)

Revision: 13.04.2025

Trade name Emcekrete 60 F

		(Contd. of page 1)
Hazard-determining		
components of labelling:		t (low chromate)
	Flue dust, portla	and cement
Hazard statements	H315 Causes sl	kin irritation.
	H318 Causes se	erious eye damage.
	H335 May caus	e respiratory irritation.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/
-		spray.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
		before reuse.
	P403+P233	Store in a well-ventilated place. Keep container
		tightly closed.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

• 3.2 Mixtures • Description:

Mixture consisting of the following components.

· Dangerous compor	nents:	
	Portland cement (low chromate)	30-60%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
	Flue dust, portland cement	≥1-<2.5%
EINECS: 270-659-9	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1317-65-3	Calcium carbonate	<1.5%
EINECS: 207-439-9	substance with a Community workplace exposure limit	
 Additional informat 	ion For the wording of the listed hazard phrases refer to see	ction 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
	(Contd. on page 3)



Printing date 13.04.2025

Version number 41 (replaces version 40)

Revision: 13.04.2025

Page 3/9

Trade name Emcekrete 60 F

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters

No further relevant information available.

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
 6.3 Methods and material for 	
containment and cleaning up	Collect mechanically.
• 6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

 Requirements to be met by storerooms and containers: Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passageways and confined spaces.
 (Canted en mere 4)

(Contd. on page 4)

GB



Page 4/9

Safety data sheet according to UK REACH

Printing date 13.04.2025 Version number 41 (replaces version 40)

Revision: 13.04.2025

Trade name Emcekrete 60 F

. Information about starsas in	(Contd. of page 3)
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200
	<i>kg.</i> Do not store together with substances of the following LGK: 1; 6.2;
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
Further information about	
storage conditions: Storage class	Store in a dry and frost-free place. 13

SECTION 8: Exposure controls/personal protection

8.1 Contro	ol parameters
------------	---------------

• Components with critical val	lues that require monitoring at the workplace:
CAS: 65997-15-1 Portland ce	ment (low chromate)
WEL Long-term value: 10* 4*	
*inhalable dust **respira	
CAS: 1317-65-3 Calcium carl	
WEL Long-term value: 10* 4*	
*inhalable dust; **respira	aDie
· DNELs	
CAS: 65997-15-1 Portland ce	
Inhalative DNEL 1 mg/m³ (Ar	·
CAS: 1317-65-3 Calcium car	
Oral DNEL 6.1 mg/kg b	
Inhalative DNEL 10 mg/m³ (A	rL)
· PNECs	
CAS: 1317-65-3 Calcium car	bonate
PNEC 100 mg/l (Sewage Trea	atment Plant)
Additional information:	The lists that were valid during the compilation were used as basis.
· 8.2 Exposure controls	
· Appropriate engineering	
controls	No further data; see section 7.
	res, such as personal protective equipment
 General protective and hygienic measures 	Do not store food, eat, drink, sniff or smoke in the work area!
nygienie measures	Avoid contact with eyes and skin!
	Clean hands thoroughly at the end of work and before breaks!
	Use skin care products after work (moisturising cream).
	Change and clean heavily soiled clothing!
	Change clothes at the end of work!
	Apply greasy skin protection ointment before starting work and after every break.
· Breathing equipment:	For work with higher dust loads particle filter class P2
	(Contd. on page 5) Geographic Geographics (Contd. Contd. Cont



Page 5/9

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 41 (replaces version 40)

Revision: 13.04.2025

Trade name Emcekrete 60 F

(Contd. of page 4) Check protective gloves prior to each use for their proper condition. Nitrile impregnated cotton gloves.
The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
Safety glasses
Protective work clothing.
Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chem	nical properties
· General Information	
· Colour:	Grey
· Smell:	Odourless
 Melting point/freezing point: 	Not determined
• Boiling point or initial boiling point and	
boiling range	2230 °C (CAS: 14808-60-7 Quartz sand)
· Flash point:	Not applicable
pH at 20 °C	11
· Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
· Solubility	
· Water:	Partly miscible
· Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz sand)
 Density and/or relative density 	
· Density at 20 °C	2.77 g/cm ³
9.2 Other information	-
· Appearance:	
· Form:	Powder
· Important information on protection of heal	
and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
· · ·	· ·
Information with regard to physical haza	rd
classes	
Explosives	Void
· Flammable gases	Void
· Aerosols	Void
• Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
• Self-reactive substances and mixtures	Void
	(Contd. on page 6)



Printing date 13.04.2025

Version number 41 (replaces version 40)

Revision: 13.04.2025

Trade name Emcekrete 60 F

		(Contd. of page 5)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
[·] Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability 	No further relevant information available.
 Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous 	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values tha	t are releva	ant for classification:	
CAS: 659	97-15-1 Pc	ortland cen	nent (low chromate)	
Dermal	LD50	2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	5 mg/l (rat)		
CAS: 131	7-65-3 Cal	cium carbo	onate	
Oral	LD50	>2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
Primary irritant effect: Skin corrosion/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard		ation e/irritation icity ity ure	Causes skin irritation. Causes serious eye damage. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. May cause respiratory irritation. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Contd. on page 7)	

Page 6/9



Version number 41 (replaces version 40)

Revision: 13.04.2025

(Contd. of page 6)

Page 7/9

Trade name Emcekrete 60 F

Printing date 13.04.2025

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecol	ogical information
	ogical information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus)

LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna)

EC50/48h >1000 mg/l (Daphnia magna)

12.2 Persistence and	
degradability	No further relevant information available.
 12.3 Bioaccumulative 	
potential	No further relevant information available.
 12.4 Mobility in soil 	No further relevant information available.
 12.5 Results of PBT and vPvI 	B assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
 12.6 Endocrine disrupting 	
properties	The product does not contain substances with endocrine disrupting properties.
 12.7 Other adverse effects 	
· Additional ecological informa	ation:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment method	ls
· Recommendation	Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings: Recommendation:

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)



Printing date 13.04.2025 Version nu

Version number 41 (replaces version 40)

Revision: 13.04.2025

Page 8/9

Trade name Emcekrete 60 F

		(Contd. of page 7
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.	
Regulated explosives precurs	sors	
None of the ingredients is listed.		
· Regulated poisons		
None of the ingredients is listed.		
Reportable explosives precur	sors	
CAS: 7429-90-5 aluminium		Listed
· Reportable poisons		
None of the ingredients is listed.		
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.	

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

(Contd. on page 9)

GB



Printing date 13.04.2025

Version number 41 (replaces version 40)

Revision: 13.04.2025

Page 9/9

Trade name Emcekrete 60 F

Department issuing data specification sheet:	Environment protection department.
Abbreviations and acronyms:	 RID: Règlement international concernant le transport des marchand dangereuses par chemin de fer (Regulations Concerning the Internati Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Dange Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemical. EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
	PNEC: Predicted No-Effect Concentration (UK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3