

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Intaktin 72

· **Article number:** 758

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Coating  
Machine care produkt

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07 GHS08

· **Signal word**

Danger

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 1)

- **Hazard-determining components of labelling:** Hydrocarbons C14-C18, n-alkanes, iso-alkanes, cyclic compounds, aromatics (2-30%)  
Octene, hydroformylation products, high-boiling  
White mineral oil (petroleum)  
ethoxylierter Fettalkohol  
1-[N,N-Bis(2-ethylhexyl)aminomethyl]methylbenzotriazole
- **Hazard statements** H317 May cause an allergic skin reaction.  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P321 Specific treatment (see on this label).  
P331 Do NOT induce vomiting.  
P362+P364 Take off contaminated clothing and wash it before reuse.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.  
Mineraloil, emulsifiers

· **Dangerous components:**

EC number: 920-360-0	Hydrocarbons C14-C18, n-alkanes, iso-alkanes, cyclic compounds, aromatics (2-30%) Asp. Tox. 1, H304	30-60%
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil (petroleum) Asp. Tox. 1, H304	30-60%
CAS: 68526-89-6	Octene, hydroformylation products, high-boiling Skin Sens. 1B, H317	10-30%
CAS: 68920-66-1	ethoxylierter Fettalkohol Skin Irrit. 2, H315; Skin Sens. 1B, H317	≥1-<1.5%
CAS: 39464-69-2	Poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl omega-hydroxy-, (Z)-, phosphate Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥0.25-<1%

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

CAS: 128-37-0	2,6-Di-tert-butyl-p-cresol	(Contd. of page 2) ≥0.025-<0.25%
EINECS: 200-334-9	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
EC number: 939-700-4	1-[N,N-Bis(2-ethylhexyl)aminomethyl]methylbenzotriazole	≥0.1-<0.25%
	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	

**Additional information**

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**

- **General information** Immediately remove any clothing contaminated with the product.
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Remove contaminated clothing immediately. Clean with plenty of soap and water. Do not use thinner or similar.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
- **After swallowing** If swallowed, there is a risk of serious lung damage: hospitalisation necessary!
- **Information for doctor** Do not induce vomiting, do not give anything to drink.  
Risk of pulmonary oedema or pneumonitis in case of aspiration

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

Trade name Intaktin 72

(Contd. of page 3)

### 6.4 Reference to other sections

No dangerous materials are released.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures required.  
No special precautions necessary if used correctly.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

#### Requirements to be met by storerooms and containers:

Store containers tightly closed in a well-ventilated and well-lit room.  
Access only for authorised personnel.  
Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passageways, thoroughfares and confined spaces.

#### Information about storage in one common storage facility:

Combined storage bans apply from a total storage quantity of 200 kg.

#### Further information about storage conditions:

None.

#### Storage class

10

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Components with critical values that require monitoring at the workplace:

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

WEL Long-term value: 10 mg/m<sup>3</sup>

#### DNELs

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

Dermal DNEL 8.3 mg/kg bw/day (ArL)

Inhalative DNEL 5.8 mg/m<sup>3</sup> (ArL)

#### PNECs

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

PNEC aqua 0.4 µg/l (Mew)

4 µg/l (Freshwater)

PNEC 100 mg/l (Sewage Treatment Plant)

PNEC 1.04 mg/kg dwt (Bod)

1.29 mg/kg dwt (Sediment)

#### Additional information:

The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 4)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!  
Avoid contact with eyes, skin and clothing!  
Clean hands thoroughly after work and before cleaning!  
Use skin care products after work (moisturising cream).  
Do not put oil-soaked cleaning cloths in the pockets of work clothes!  
Change and clean heavily soiled clothing!
- **Breathing equipment:** Particle filters A1/P2 or A2/P2 are recommended for use in the spraying process (with heavy aerosol formation). If the limit value is exceeded, e.g. on a full face mask: combination filter A2/P2 (brown/white)
- **Hand protection** Gloves made of: Nitrile rubber.  
(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).  
When wearing protective gloves, cotton undergloves are recommended.
- **Material of gloves** Nitrile rubber, NBR
- **Penetration time of glove material** The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
- **Eye/face protection** Closed safety goggles. For spray applications: Protective shield
- **Body protection:** Wear a plastic apron when spraying.
- **Skin protection** Use fat-free or low-fat (oil-in-water emulsion) skin protection ointment for all uncovered parts of the body!

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** Light yellow
- **Smell:** Product specific
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** Not determined
- **Flash point:** >100 °C
- **pH** Not determined.
- **Viscosity:**
- **Kinematic viscosity at 20 °C** 15 s (DIN 53211/4)
- **dynamic:** Not determined.

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 5)

<ul style="list-style-type: none"> <li>· <b>Solubility</b></li> <li>· <b>Water:</b></li> <li>· <b>Steam pressure at 20 °C:</b></li> <li>· <b>Density and/or relative density</b></li> <li>· <b>Density at 20 °C</b></li> </ul>		<p><i>Emulsifiable</i></p> <p><i>≤0.1 hPa (CAS: 8042-47-5 White mineral oil (petroleum))</i></p> <p><i>0.85 g/cm<sup>3</sup></i></p>
<ul style="list-style-type: none"> <li>· <b>9.2 Other information</b></li> <li>· <b>Appearance:</b></li> <li>· <b>Form:</b></li> <li>· <b>Important information on protection of health and environment, and on safety.</b></li> <li>· <b>Self-inflammability:</b></li> <li>· <b>Explosive properties:</b></li> </ul>		<p><i>Fluid</i></p> <p><i>Product is not selfigniting.</i></p> <p><i>Product is not explosive.</i></p>
<ul style="list-style-type: none"> <li>· <b>Information with regard to physical hazard classes</b></li> <li>· <b>Explosives</b></li> <li>· <b>Flammable gases</b></li> <li>· <b>Aerosols</b></li> <li>· <b>Oxidising gases</b></li> <li>· <b>Gases under pressure</b></li> <li>· <b>Flammable liquids</b></li> <li>· <b>Flammable solids</b></li> <li>· <b>Self-reactive substances and mixtures</b></li> <li>· <b>Pyrophoric liquids</b></li> <li>· <b>Pyrophoric solids</b></li> <li>· <b>Self-heating substances and mixtures</b></li> <li>· <b>Substances and mixtures, which emit flammable gases in contact with water</b></li> <li>· <b>Oxidising liquids</b></li> <li>· <b>Oxidising solids</b></li> <li>· <b>Organic peroxides</b></li> <li>· <b>Corrosive to metals</b></li> <li>· <b>Desensitised explosives</b></li> </ul>		<p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p> <p><i>Void</i></p>

### SECTION 10: Stability and reactivity

· <b>10.1 Reactivity</b>	<i>No further relevant information available.</i>
· <b>10.2 Chemical stability</b>	
· <b>Thermal decomposition / conditions to be avoided:</b>	<i>No decomposition if used according to specifications.</i>
· <b>10.3 Possibility of hazardous reactions</b>	<i>No dangerous reactions known</i>
· <b>10.4 Conditions to avoid</b>	<i>No further relevant information available.</i>
· <b>10.5 Incompatible materials:</b>	<i>No further relevant information available.</i>

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 6)

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**  
 · **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

#### Hydrocarbons C14-C18, n-alkanes, iso-alkanes, cyclic compounds, aromatics (2-30%)

Oral	LD50	>4150 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50/4 h	>5.28 mg/l (rat) (Staub/Nebel)

#### CAS: 68526-89-6 Octene, hydroformylation products, high-boiling

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

#### CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

Oral	LD50	>2930 mg/kg (rat)
	NOAEL	100 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
		>2000 mg/kg (rat)

- **Primary irritant effect:**  
 · **Skin corrosion/irritation** Based on available data, the classification criteria are not met.  
 · **Respiratory or skin sensitisation** May cause an allergic skin reaction.  
 · **Germ cell mutagenicity** Based on available data, the classification criteria are not met.  
 · **Carcinogenicity** Based on available data, the classification criteria are not met.  
 · **Reproductive toxicity** Based on available data, the classification criteria are not met.  
 · **STOT-single exposure** Based on available data, the classification criteria are not met.  
 · **STOT-repeated exposure** Based on available data, the classification criteria are not met.  
 · **Aspiration hazard** May be fatal if swallowed and enters airways.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

#### CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

EC50/72h	0.5 mg/l (Desmodesmus subspicatus)
EC50	>10000 mg/l (BEL)

(Contd. on page 8)



## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 7)

LC50/48h	0.61 mg/l (Daphnia magna)
NOEC	0.07 mg/l (Daphnia magna)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

### SECTION 14: Transport information

- |   |
|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b> <span style="float: right;">Void</span></li> </ul>                             |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b> <span style="float: right;">Void</span></li> </ul>                            |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR, ADN, IMDG, IATA</b></li> <li>· <b>Class</b> <span style="float: right;">Void</span></li> </ul> |
| <ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b> <span style="float: right;">Void</span></li> </ul>   |
| <ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b> <span style="float: right;">No</span></li> </ul>                                  |
| <ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b> <span style="float: right;">Not applicable.</span></li> </ul>   |

(Contd. on page 9)



## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 8)

- |   |                        |
|---|------------------------|
| <ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul> | <p>Not applicable.</p> |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>                                       | <p>Void</p>            |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
  - **Poisons Act**
- No further relevant information available.

· **Regulated explosives precursors**

CAS: 7664-38-2 phosphoric acid	30%
--------------------------------	-----

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H304 May be fatal if swallowed and enters airways.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H318 Causes serious eye damage.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - H411 Toxic to aquatic life with long lasting effects.
  - H412 Harmful to aquatic life with long lasting effects.

· **Department issuing data specification sheet:**

Environment protection department.

- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)



BE SURE. BUILD SURE.

Page 10/10

## Safety data sheet according to UK REACH

Printing date 30.05.2025

Version number 37 (replaces version 36)

Revision: 30.05.2025

**Trade name Intaktin 72**

(Contd. of page 9)

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (UK REACH)*

*PNEC: Predicted No-Effect Concentration (UK REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1B: Skin sensitisation – Category 1B*

*Asp. Tox. 1: Aspiration hazard – Category 1*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

**\* Data compared to the  
previous version altered.**

GB