



BE SURE. BUILD SURE.

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Konudur 250 OM-PL Sommerharz - Komponente A**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

1.3 Application of the substance / the mixture

Synthetic resin

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533

Informing department:

msds@mc-bauchemie.de

1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word

Danger

Hazard-determining components of labelling:

Silicic acid, sodium salt

Hazard statements

H315 Causes skin irritation.

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 1)

- **Precautionary statements**
 - H318 Causes serious eye damage.
 - H335 May cause respiratory irritation.
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P310 Immediately call a POISON CENTER/doctor.
 - P321 Specific treatment (see on this label).
 - P362+P364 Take off contaminated clothing and wash it before reuse.
 - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 1344-09-8	Silicic acid, sodium salt	30-60%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	ethane-1,2-diol	<10%
	STOT RE 2, H373; Acute Tox. 4, H302	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation** Supply fresh air.
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
Instantly rinse with water.
- **After eye contact** Call a doctor immediately.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing** Rinse out mouth and then drink plenty of water.
Seek medical treatment.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name **Konudur 250 OM-PL Sommerharz - Komponente A**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Dispose of the material collected according to regulations. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.

(Contd. on page 4)

GB



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 3)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 10
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

107-21-1 ethane-1,2-diol

WEL	Short-term value: 104** mg/m ³ , 40** ppm
	Long-term value: 10* 52** mg/m ³ , 20** ppm
	Sk *particulate **vapour

DNELs

1344-09-8 Silicic acid, sodium salt

Oral	DNEL	0.8 mg/kg bw/Tag (ArL)
Dermal	DNEL	1.59 mg/kg bw/day (ArL)
Inhalative	DNEL	5.61 mg/m ³ (ArL)

107-21-1 ethane-1,2-diol

Dermal	DNEL	106 mg/kg bw/day (ArL)
Inhalative	DNEL	35 mg/m ³ (ArL)

PNECs

1344-09-8 Silicic acid, sodium salt

PNEC	348 mg/l (Kla)
	1 mg/l (Mew)
	7.5 mg/l (Suw)

· **Additional information:** The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls

No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 4)

- **Hand protection** *Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.*
- **Material of gloves** *Butyl rubber, BR
Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- **Penetration time of glove material** *The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye/face protection** *Safety glasses
Tightly sealed safety glasses.*
- **Body protection:** *Protective work clothing.*

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** *Whitish*
- **Smell:** *Weak, characteristic*
- **Melting point/freezing point:** *Not determined*
- **Boiling point or initial boiling point and boiling range** *100 °C (7732-18-5 water, distilled, conductivity or of similar purity)*
- **Flash point:** *111 °C*
- **pH** *Not determined.*
- **Viscosity:**
- **Kinematic viscosity** *Not determined.*
- **dynamic:** *Not determined.*
- **Solubility**
- **Water:** *Fully miscible*
- **Steam pressure at 20 °C:** *23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)*
- **Density and/or relative density**
- **Density at 20 °C** *1.5 g/cm³*
- **9.2 Other information**
- **Appearance:**
- **Form:** *Fluid*
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** *Product is not selfigniting.*

(Contd. on page 6)



BE SURE. BUILD SURE.

Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name **Konudur 250 OM-PL Sommerharz - Komponente A**

(Contd. of page 5)

· **Explosive properties:** *Product is not explosive.*

· **Information with regard to physical hazard classes**

· **Explosives** *Void*

· **Flammable gases** *Void*

· **Aerosols** *Void*

· **Oxidising gases** *Void*

· **Gases under pressure** *Void*

· **Flammable liquids** *Void*

· **Flammable solids** *Void*

· **Self-reactive substances and mixtures**

Void

· **Pyrophoric liquids** *Void*

· **Pyrophoric solids** *Void*

· **Self-heating substances and mixtures**

Void

· **Substances and mixtures, which emit flammable gases in contact with water**

Void

· **Oxidising liquids** *Void*

· **Oxidising solids** *Void*

· **Organic peroxides** *Void*

· **Corrosive to metals** *Void*

· **Desensitised explosives** *Void*

SECTION 10: Stability and reactivity

· **10.1 Reactivity** *No further relevant information available.*

· **10.2 Chemical stability**

· **Thermal decomposition /**

conditions to be avoided: *No decomposition if used according to specifications.*

· **10.3 Possibility of hazardous**

reactions

No dangerous reactions known

· **10.4 Conditions to avoid**

No further relevant information available.

· **10.5 Incompatible materials:**

No further relevant information available.

· **10.6 Hazardous**

decomposition products:

No dangerous decomposition products known

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity**

Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB



BE SURE. BUILD SURE.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 6)

· **LD/LC50 values that are relevant for classification:**

1344-09-8 Silicic acid, sodium salt

Oral	LD50	3400 mg/kg (rat)
Dermal	LD50	4640 mg/kg (rabbit)
		>5000 mg/kg (rat)

107-21-1 ethane-1,2-diol

Oral	LD50	4000 mg/kg (rat)
	LDL0	1600 mg/kg (Workers)
Dermal	LD50	>3500 mg/kg (mouse)
		10600 mg/kg (rbt)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

1344-09-8 Silicic acid, sodium salt

EC50/72h	>345.4 mg/l (Desmodesmus subspicatus)
LC50/96h	1108 mg/l (Danio rerio)
	260 mg/l (Oncorhynchus mykiss)
EC50	>100 mg/l (fish)
	>100 mg/l (Bak)
	>100 mg/l (algae)
	>100 mg/l (Daphnien)
	>100 mg/l (Daphnia magna)
EC50/48h	1700 mg/l (Daphnia magna)

107-21-1 ethane-1,2-diol

LC50/96h	72860 mg/l (Pimephales promelas)
EC50/48h	>100 mg/l (Daphnia magna)
EC50/96h	6500-13000 mg/l (Selenastrum capricornutum)

(Contd. on page 8)



BE SURE. BUILD SURE.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 7)

NOEC	8590 mg/l (<i>Ceriodaphnia dubia</i>) 15380 mg/l (<i>Pimephales promelas</i>)
------	--

- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Endocrine disrupting properties** *The product does not contain substances with endocrine disrupting properties.*
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** *Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	<i>Void</i>
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	<i>Void</i>
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	<i>Void</i>
· 14.4 Packing group · ADR, IMDG, IATA	<i>Void</i>
· 14.5 Environmental hazards: · Marine pollutant:	<i>No</i>

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 8)

- | | |
|---|-----------------|
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H302 Harmful if swallowed.
 - H315 Causes skin irritation.
 - H318 Causes serious eye damage.
 - H335 May cause respiratory irritation.
 - H373 May cause damage to organs through prolonged or repeated exposure.
- **Department issuing data specification sheet:** Environment protection department.
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 10)

GB



BE SURE. BUILD SURE.

Page 10/10

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.03.2023

Version number 16 (replaces version 15)

Revision: 03.03.2023

Trade name Konudur 250 OM-PL Sommerharz - Komponente A

(Contd. of page 9)

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· * **Data compared to the
previous version altered.**

GB