

Page 1/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name MC-CarboSolid 1280 - Komponente A

· Article number: 4505

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Epoxy coating

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

1.4 Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT RE 2 H373 May cause damage to the lung through prolonged or repeated exposure.

Route of exposure: Inhalation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07 GHS08



Page 2/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 02.03.2024 Printing date 02.03.2024 Version number 19 (replaces version 18)

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 1)

· Signal word

Warning

· Hazard-determining

components of labelling:

Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]

dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl) oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]

crystalline silica epoxide derivates

Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane

· Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H373 May cause damage to the lung through prolonged or

repeated exposure. Route of exposure: Inhalation.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/ P260

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical P333+P313

advice/attention.

If eye irritation persists: Get medical advice/ P337+P313

attention.

· Additional information: EUH211 Warning! Hazardous respirable droplets may be formed

when sprayed. Do not breathe spray or mist.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture consisting of the following components.

Dangerous components:

≥10-<25% CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1-EC number: 701-263-0 phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-

ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-

[methylenebis(2,1-phenyleneoxymethylene)]dioxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1,

H317

(Contd. on page 3)



Page 3/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

#### Trade name MC-CarboSolid 1280 - Komponente A

	(0	Contd. of page 2)
CAS: 1675-54-3	epoxide derivates	≥2.5-<10%
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205	
CAS: 933999-84-9	Reaction products of hexane-1,6-diol with 2-(chloromethyl) oxirane (1:2)	<i>≥</i> 2.5-<5%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 13463-67-7	titanium dioxide	≥1-<3%
EINECS: 236-675-5	Carc. 2, H351	
CAS: 14808-60-7	crystalline silica	<3%
	STOT RE 1, H372	
CAS: 2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	≥1-<2.5%
EINECS: 219-784-2	Eye Dam. 1, H318	1

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• After inhalation Supply fresh air.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. If

symptoms persist, consult doctor.

• After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Collect mechanically.

(Contd. on page 4)



Page 4/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 3)

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by

**storerooms and containers:** No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

· Storage class 10

### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls
Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

**hygienic measures** Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of (Contd. on page 5)

GB



Page 5/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 02.03.2024 Printing date 02.03.2024 Version number 19 (replaces version 18)

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 4)

several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Not required.

Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection

· Body protection: Protective work clothing.

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour:

· Smell: Characteristic · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range >200 °C (CAS: 9003-36-5 2.2'-[methylenebis(p-

phenyleneoxymethylene)]bisoxirane polymers

and homologues, molecular weight < 700)

· Flash point: 151 °C

· Auto-ignition temperature: 460 °C (CAS: 9003-36-5 2,2'-[methylenebis(p-

phenyleneoxymethylene)]bisoxirane polymers

and homologues, molecular weight < 700)

· pH Not determined.

· Viscosity:

· Kinematic viscosity

Not determined. · dynamic: Not determined.

· Solubility

· Water: Unsoluble

· Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))

· Density and/or relative density

· Density at 20 °C 1.85 g/cm3

· 9.2 Other information

· Appearance:

· Form: Pastv

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties:

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void

(Contd. on page 6)



Page 6/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 5)

· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions

No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

[meanyionesis(2,1 phonyionesxymeanyiones)]alexinane					
	Oral	LD50	>2000 mg/kg (rat)		
	Dermal	LD50	>2000 mg/kg (rabbit)		
	CAS: 1675-54-3 epoxide derivates				
	Dermal	LD50	23000 mg/kg (rabbit)		
CAS: 13463-67-7 titanium dioxide					
	Oral	LD50	>10000 mg/kg (rat)		
	Dermal	LD50	>10000 mg/kg (rabbit)		
			(Contd. on page 7		

on page 1



Page 7/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 6)

List II

 Inhalative
 LC50/4 h
 >6.8 mg/l (rat)

 CAS: 2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane

 Oral
 LD50
 8030 mg/kg (rat)

 Dermal
 LD50
 4248 mg/kg (rabbit)

Skin corrosion/irritation
 Serious eye damage/irritation
 Causes skin irritation.
 Causes serious eye irritation.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 May cause damage to the lung through prolonged or repeated

exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 9003-36-5 Reaction mass of 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]dioxirane and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane and 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]dioxirane

LC50/96h >100 mg/l (Daphnia magna) EC50/96h >100 mg/l (Leucidus idus)

CAS: 1675-54-3 epoxide derivates

IC50 >42.6 mg/l (Bak)

LC50/96h 2 mg/l (Oncorhynchus mykiss) EC50/48h 1.8 mg/l (Daphnia magna)

ErC50/72h 11 mg/l (Selenastrum capricornutum)

CAS: 2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane

LC50/96h | 55 mg/l (Cyp)

EC50/48h 473 mg/l (Daphnia magna)

ErC50/72h | 255 mg/l (Scenedesmus subspicatus)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

• 12.5 Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 8)



Page 8/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 7)

· **vPvB**: Not applicable.

12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

General notes: Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

IN proper shipping name ADN, IMDG, IATA Void Transport hazard class(es)
• , ,
ADN, IMDG, IATA Void
Packing group IMDG, IATA Void
invironmental hazards: e pollutant: No
pecial precautions for user Not applicable.
e pollutant: No

### **SECTION 15: Regulatory information**

(Contd. on page 9)



Page 9/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 8)

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture

No further relevant information available.

· Poisons Act

#### Regulated explosives precursors

None of the ingredients is listed.

#### Regulated poisons

None of the ingredients is listed.

#### Reportable explosives precursors

None of the ingredients is listed.

#### Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315	Causes skin irritation.

May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H319 Causes serious eye irritation. H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated

exposure.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic

reaction.

· Department issuing data

specification sheet:

#### Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 10)



Page 10/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024 Version number 19 (replaces version 18) Revision: 02.03.2024

#### Trade name MC-CarboSolid 1280 - Komponente A

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

· \* Data compared to the previous version altered.