

Page 1/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name MC-Color Flair pro

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Surface protection

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining

components of labelling: 2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

(3:1)

(Contd. on page 2)





Safety data sheet according to UK REACH

Revision: 10.12.2024 Printing date 10.12.2024 Version number 30 (replaces version 29)

Trade name MC-Color Flair pro

(Contd. of page 1)

2-octyl-2H-isothiazol-3-one

4,5-dichloro-2-octyl-2H-isothiazol-3-one

· Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information: EUH211 Warning! Hazardous respirable droplets may be formed

when sprayed. Do not breathe spray or mist.

Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2methyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), 2-octyl-2H-isothiazol-3-one, 4,5-

dichloro-2-octyl-2H-isothiazol-3-one

· 2.3 Other hazards

Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components.

| EINECS: 220-239-6 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 | Dangerous compoi | nents: | |
|---|-------------------|---|-----------------|
| EINECS: 236-675-5 | CAS: 1317-65-3 | | 10-30% |
| EINECS: 236-671-3 | | L - 1' 1 1' 1-1 | 10-30% |
| 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 % CAS: 2682-20-4 EINECS: 220-239-6 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 | | L | <0.025% |
| EINECS: 220-239-6 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 | LINECS. 230-071-3 | 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ | |
| H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 | | L | ≥0.0015-<0.025% |
| Specific concentration limit: Skin Sens 11. H317: C > | | H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 | |
| 0.0015 % | | Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % | |



Page 3/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

| CAS: 55965-84-9 | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one | (Contd. of page |
|--------------------------------------|---|-------------------|
| CAS. 55965-64-9 | [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 20.00025-\0.0015% |
| | Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 | |
| | (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: | |
| | Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % | |
| | Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % | |
| CAS: 26530-20-1 | 2-octyl-2H-isothiazol-3-one | ≥0.00025-<0.0015% |
| EINECS: 247-761-7 | Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 | |
| | ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg | |
| | LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % | |
| CAS: 64359-81-5 EINECS: 264-843-8 | 4,5-dichloro-2-octyl-2H-isothiazol-3-one Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Acute Tox. 4, H302; Skin Sens. 1A, H317; STOT SE 3, H335 | ≥0.00025-<0.0015% |
| | ATE: LD50 oral: 567 mg/kg LC50/4 h inhalative: 0.16 mg/l | |
| | Specific concentration limits: Skin Irrit. 2; H315: C ≥0.025 % | |
| | Eye Irrit. 2; H319: C ≥ 0.025 % | |

Chalk Water

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information For all first aid measures: observe self-protection and consult a

doctor!

After inhalation
 After skin contact
 Take the person out into the fresh air.
 Remove heavily soiled clothing.

Clean with plenty of water.

Do not use thinner or similar.

(Contd. on page 4)



Page 4/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 3)

· After eye contact Rinse for 10 minutes under running water with the eyelids open or

use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Do not induce vomiting.

Drink plenty of water in small sips.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

 5.2 Special hazards arising from the substance or

mixture
5.2 Advises for firefighters

No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

No special precautions necessary if used correctly.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Protect containers from frost!

Only store in the original container or in containers recommended

by the manufacturer.

After decanting, label containers as original containers.

Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes,

passages, passageways and confined spaces.

· Further information about

storage conditions: None.

(Contd. on page 5)



Page 5/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 4)

· Storage class

12

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 1317-65-3 Calcium carbonate

WEL Long-term value: 10* 4** mg/m³
*inhalable dust; **respirable

· DNELs

CAS: 1317-65-3 Calcium carbonate

Oral DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m³ (ArL)

PNECs

CAS: 1317-65-3 Calcium carbonate

PNEC 100 mg/l (Sewage Treatment Plant)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

work area!

Avoid contact with eyes and skin!

Preventively apply skin protection ointment to facilitate skin

cleansing.

Remove product residues from the skin!

Clean hands thoroughly at the end of work and before cleaning! Remove product residues from the skin with a suitable cleaning

agent - never use solvents or thinners to clean the skin! Use skin care products after work (moisturising cream).

· Breathing equipment: For spraying processes:

Particle filter P2 (white)

· Hand protection Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

· Material of gloves

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

Natural latex, polychloroprene, nitrile rubber.

· Eye/face protection

Frame glasses

Body protection:

Protective work clothing.

(Contd. on page 6)



Page 6/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 5)

Skin protection Use greasy skin protection ointment for all uncovered parts of the

body!

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: According to product specification

· Smell: Characteristic

· Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flash point: Not applicable

· pH at 20 °C 8.5

· Viscosity:

• Kinematic viscosity Not determined. • dynamic at 20 °C: 30000 mPas

· Solubility

· Water: Fully miscible

• Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Density and/or relative density

• Density at 20 °C 1.43 g/cm³ • Relative density Not determined.

· 9.2 Other information

· Appearance:

· Form: Pasty

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

(Contd. on page 7)





Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 6)

| · Substances and mixtures, which emit | |
|---------------------------------------|------|
| flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| · Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| · Acute toxicity | | Based on available data, the classification criteria are not met. |
|--|-------------|---|
| · LD/LC50 values that are relevant for classification: | | |
| CAS: 1317 | 7-65-3 Cal | cium carbonate |
| Oral | LD50 | >2000 mg/kg (rat) |
| Dermal | LD50 | >2000 mg/kg (rat) |
| CAS: 134 | 63-67-7 Ti | tanium Dioxide |
| Oral | LD50 | >5000 mg/kg (rat) |
| Dermal | LD50 | >10000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >6.8 mg/l (rat) |
| CAS: 2634 | 4-33-5 1,2- | benzisothiazol-3(2H)-one |
| Oral | LD50 | 1020 mg/kg (rat) |
| Dermal | LD50 | >2000 mg/kg (rat) |
| CAS: 2682 | 2-20-4 2-m | nethyl-2H-isothiazol-3-one |
| Oral | LD50 | 50-300 mg/kg (rat) |
| Inhalative | LC50/4 h | 0.11 mg/l (rat) |
| CAS: 559 | | action mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500 and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) |
| Oral | LD50 | 49.6-75 mg/kg (rat) |

(Contd. on page 8)





Safety data sheet according to UK REACH

Revision: 10.12.2024 Printing date 10.12.2024 Version number 30 (replaces version 29)

Trade name MC-Color Flair pro

| | | | (Contd. of page 7) |
|--|------------|---------------------------|--------------------|
| Dermal | LD50 | 87.12 mg/kg (rabbit) | |
| Inhalative | LC50/4 h | 0.171 mg/l (rat) | |
| CAS: 265 | 30-20-1 2- | octyl-2H-isothiazol-3-one | |
| Oral | LD50 | 125 mg/kg (ATE) | |
| | | 500 mg/kg (rat) | |
| Dermal | LD50 | 311 mg/kg (ATE) | |
| | | >2000 mg/kg (rat) | |
| Inhalative | LC50/4 h | 0.27 mg/l (ATE) | |
| | | 0.6 mg/l (rat) | |
| CAS: 64359-81-5 4,5-dichloro-2-octyl-2H-isothiazol-3-one | | | |
| Oral | LD50 | 567 mg/kg (ATE) | |
| Inhalative | LC50/4 h | 0.16 mg/l (ATE) | |

Primary irritant effect:

Based on available data, the classification criteria are not met. · Skin corrosion/irritation

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

| | Acustic | tovioituu |
|---|---------|-----------|
| • | Aquatic | toxicity: |

CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus) LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna) EC50/48h >1000 mg/l (Daphnia magna)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/72h 0.067 mg/l (Pseudokirchneriella subcapitata)

0.11 mg/l (Selenastrum capricornutum)

LC50/96h | 1.6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.1 mg/l (Daphnia magna)

(Contd. on page 9)



Page 9/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 8)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/72h | 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h | 6 mg/l (Oncorhynchus mykiss)

EC50/48h | 1.68 mg/l (Daphnies)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/24h 0.19 mg/l (fish)

EC50/72h 0.027 mg/l (Pseudokirchneriella subcapitata)

LC50/96h | 0.19 mg/l (Oncorhynchus mykiss)

LC50/48h | 0.28 mg/l (fish)

EC50/48h 0.16 mg/l (Daphnia magna)

NOEC 0.02 mg/l (Oncorhynchus mykiss)

0.00049 mg/l (Ske)

0.1 mg/l (Daphnia magna)

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h 0.42 mg/l (Daphnien)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

• 12.5 Results of PBT and vPvB assessment
• PBT:
• vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

(Contd. on page 10)



Page 10/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 9)

Recommended cleaning

agent: Water, if necessary with cleaning agent.

| SECTION 14: Transport information | on |
|---|--|
| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA · Class | Void |
| · 14.4 Packing group · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according IMO instruments | g to Not applicable. |
| · Transport/Additional information: | Not dangerous according to the abo specifications. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 11)



Page 11/12

Safety data sheet according to UK REACH

Printing date 10.12.2024 Version number 30 (replaces version 29) Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 10)

 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

| Relevant phrases | H301 | Toxic if swallowed. |
|------------------|------|--|
| • | H302 | Harmful if swallowed. |
| | H310 | Fatal in contact with skin. |
| | H311 | Toxic in contact with skin. |
| | H314 | Causes severe skin burns and eye damage. |
| | H315 | Causes skin irritation. |

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Department issuing data specification sheet:

Environment protection department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

(Contd. on page 12)



Page 12/12

Safety data sheet according to UK REACH

Printing date 10.12.2024

Version number 30 (replaces version 29)

Revision: 10.12.2024

Trade name MC-Color Flair pro

(Contd. of page 11)

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard –

Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 1

· * Data compared to the previous version altered.

GB