



BE SURE. BUILD SURE.

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **MC-DUR 1900 - Komponente A**

Article number: 182

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Coating  
Epoxy coating

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

Informing department: msds@mc-bauchemie.de

#### 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

##### Hazard pictograms



GHS07 GHS09

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 1)

- **Signal word** Warning
- **Hazard-determining components of labelling:** 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700  
epoxide derivates  
Polyol epoxy hybrid  
1,6-hexene-diglycidylether  
oxirane, 2-(chloromethyl)-, polymer with  $\alpha$ -hydro- $\omega$ -hydroxypoly[oxy(methyl-1,2-ethanediyl)]  
oxirane, mono[(C12-14-alkyloxy)methyl] derivs  
Epoxyfunktionelles Polymer
- **Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Additional information:** Contains epoxy constituents. May produce an allergic reaction.  
Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Resin mixture with colouring agents.  
Mixture consisting of the following components.

· **Dangerous components:**

|                                  |  |          |
|----------------------------------|--|----------|
| CAS: 9003-36-5<br>NLP: 500-006-8 | 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700<br>Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205 | ≥10-<25% |
|----------------------------------|--|----------|

(Contd. on page 3)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 2)

|  |   |             |
|--|---|-------------|
| CAS: 1675-54-3<br>EINECS: 216-823-5                                    | epoxide derivates<br>Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317   | ≥10-<25%    |
|  | Polyol epoxy hybrid<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH205   | ≥10-<25%    |
| CAS: 16096-31-4<br>EINECS: 240-260-4                                   | 1,6-hexene-diglycidylether<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412, EUH205  | ≥2.5-<10%   |
| CAS: 13463-67-7<br>EINECS: 236-675-5                                   | titanium dioxide<br>Carc. 2, H351   | ≥0.1-<5%    |
| CAS: 9072-62-2   | oxirane, 2-(chloromethyl)-, polymer with α-hydro-ω-hydroxypoly[oxy(methyl-1,2-ethanediyl)]<br>Eye Irrit. 2, H319; Skin Sens. 1B, H317; STOT SE 3, H335; Aquatic Chronic 3, H412 | ≥2.5-<5%    |
| CAS: 68609-97-2<br>EINECS: 271-846-8                                   | oxirane, mono[(C12-14-alkyloxy)methyl] derivs<br>Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205  | ≥1-<2.5%    |
| CAS: 38640-62-9<br>EINECS: 254-052-6<br>Reg.nr.: 01-2119565150-48-0000 | Diisopropyl-naphthalin-Isomere<br>Asp. Tox. 1, H304; Aquatic Chronic 2, H411  | ≥0.25-<1.5% |
| EC number: 953-811-5   | Epoxyfunktionelles Polymer<br>Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412  | ≥0.1-<0.5%  |

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

- **After inhalation** Supply fresh air.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Seek medical treatment.
- **After swallowing** Rinse out mouth and then drink plenty of water. Seek medical treatment.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

GB

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

Trade name MC-DUR 1900 - Komponente A

(Contd. of page 3)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
  - See Section 7 for information on safe handling
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed containers. Open and handle container with care.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

Trade name MC-DUR 1900 - Komponente A

(Contd. of page 4)

#### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:** *The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*

· **DNELs**

**16096-31-4 1,6-hexene-diglycidylether**

|            |      |                             |
|------------|------|-----------------------------|
| Dermal     | DNEL | 2.8 mg/kg bw/day (ArL)      |
| Inhalative | DNEL | 4.9 mg/m <sup>3</sup> (ArL) |

**68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs**

|            |      |                              |
|------------|------|------------------------------|
| Oral       | DNEL | 1 mg/kg bw/Tag (ArL)         |
| Dermal     | DNEL | 1.7 mg/kg bw/day (ArL)       |
| Inhalative | DNEL | 0.98 mg/m <sup>3</sup> (ArL) |

· **PNECs**

**16096-31-4 1,6-hexene-diglycidylether**

|      |  |
|------|--|
| PNEC | 0.0115 mg/l (Fresh water)              |
|      | 0.00115 mg/l (Mew)                     |
| PNEC | 0.223 mg/kg dwt (Bod)                  |
|      | 0.0283 mg/kg dwt (Sediment)            |
|      | 0.283 mg/kg dwt (Fresh water sediment) |

**68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs**

|      |  |
|------|--|
| PNEC | 0.00072 mg/l (Mew)                     |
|      | 0.0072 mg/l (Suw)                      |
| PNEC | 80.12 mg/kg dwt (Bod)                  |
|      | 6.677 mg/kg dwt (Sediment)             |
|      | 66.77 mg/kg dwt (Fresh water sediment) |

- **Additional information:** *The lists that were valid during the compilation were used as basis.*

· **8.2 Exposure controls**

- **Appropriate engineering controls**

*No further data; see item 7.*

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures**

*Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes and skin.*

- **Hand protection**

*Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

- **Material of gloves**

*After use of gloves apply skin-cleaning agents and skin cosmetics.  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from*

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 5)

manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Safety glasses  
Tightly sealed safety glasses.

· **Body protection:**

Protective work clothing.

#### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Colour:**

Pigmented

· **Smell:**

Characteristic

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

>200 °C (9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700)

· **Flash point:**

>93 °C

· **Ignition temperature:**

184 °C

· **pH**

Not applicable.

· **Viscosity:**

· **dynamic at 20 °C:**

9000 mPas

· **Solubility**

· **Water:**

Not miscible or difficult to mix

· **Steam pressure at 20 °C:**

0.1 hPa

· **Density and/or relative density**

· **Density at 20 °C**

2.2 g/cm<sup>3</sup>

· **9.2 Other information**

· **Appearance:**

· **Form:**

Fluid

· **Important information on protection of health and environment, and on safety.**

· **Self-inflammability:**

Product is not selfigniting.

· **Explosive properties:**

Product is not explosive.

· **Information with regard to physical hazard classes**

· **Explosives**

Void

· **Flammable gases**

Void

· **Aerosols**

Void

· **Oxidising gases**

Void

· **Gases under pressure**

Void

· **Flammable liquids**

Void

(Contd. on page 7)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 6)

- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | >2000 mg/kg (rat)    |
| Dermal | LD50 | >2000 mg/kg (rabbit) |

**1675-54-3 epoxide derivates**

|        |      |                      |
|--------|------|----------------------|
| Dermal | LD50 | 23000 mg/kg (rabbit) |
|--------|------|----------------------|

**Polyol epoxy hybrid**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | >2000 mg/kg (rat)    |
| Dermal | LD50 | >2000 mg/kg (rabbit) |

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/12

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

Trade name **MC-DUR 1900 - Komponente A**

(Contd. of page 7)

**16096-31-4 1,6-hexene-diglycidylether**

Oral LD50 &gt;8500 mg/kg (rat)

Dermal LD50 &gt;4900 mg/kg (rat)

**13463-67-7 titanium dioxide**

Oral LD50 &gt;10000 mg/kg (rat)

Dermal LD50 &gt;10000 mg/kg (rabbit)

Inhalative LC50/4 h &gt;6.8 mg/l (rat)

**68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs**

Oral LD50 17100 mg/kg (rat)

**38640-62-9 Diisopropyl-naphthalin-Isomere**

Oral LD50 &gt;4000 mg/kg (rat)

Dermal LD50 &gt;4000 mg/kg (rat)

Inhalative LC50 OECD 403 &gt;5.6 mg/l (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties**

541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

List II

540-97-6 Dodecamethylcyclohexasiloxane (D6)

List II

556-67-2 octamethylcyclotetrasiloxane

List II, III

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****9003-36-5 2,2'-[methylenebis(p-phenyleneoxymethylene)]bisoxirane polymers and homologues, molecular weight < 700**

LC50/96h &gt;100 mg/l (Daphnia magna)

EC50/96h &gt;100 mg/l (Leucidus idus)

**1675-54-3 epoxide derivates**

IC50 &gt;42.6 mg/l (Bak)

LC50/96h 2 mg/l (Oncorhynchus mykiss)

EC50/48h 1.8 mg/l (Daphnia magna)

(Contd. on page 9)

GB





BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 8)

|   |   |
|---|---|
| ErC50/72h   | 11 mg/l (Selenastrum capricornutum)                                 |
| <b>Polyol epoxy hybrid</b>                                      |   |
| LC50/96h  | 67 mg/l (Leucidus idus)   |
| EC50/48h  | 90 mg/l (Daphnia magna)   |
| <b>16096-31-4 1,6-hexene-diglycidylether</b>                    |   |
| LC50/96h  | 30 mg/l (Leucidus idus)   |
| EC50/48h  | 47 mg/l (Daphnia magna)   |
| <b>68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs</b> |   |
| EbC50/72h   | 843 mg/l (Pseudokirchneriella subcapitata)                          |
| LC50/96h  | >5000 mg/l (Oncorhynchus mykiss)<br>1800 mg/l (Lepomis macrochirus) |
| EC50  | >100 mg/l (BEL)   |
| NOEC  | 500 mg/l (Pseudokirchneriella subcapitata)                          |
| <b>38640-62-9 Diisopropyl-naphthalin-Isomere</b>                |   |
| EC50/72h  | 0.15 mg/l (algae)   |
| LC50/48h  | 1.7 mg/l (Daphnia magna)  |
| EC50/48h  | 0.16 mg/l (Daphnia magna)   |

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water bodies or sewage system.  
Danger to drinking water if even small quantities leak into soil.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

Trade name MC-DUR 1900 - Komponente A

(Contd. of page 9)

· **Uncleaned packagings:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

#### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3082

· **14.2 UN proper shipping name**

· **ADR, IATA**

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S. (epoxide derivates)

· **IMDG**

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S. (epoxide derivates),  
MARINE POLLUTANT

· **14.3 Transport hazard class(es)**

· **ADR**

· **Class**

9 (M6) Miscellaneous dangerous substances and articles.

· **Label**

9

· **IMDG, IATA**

· **Class**

9 Miscellaneous dangerous substances and articles.

· **Label**

9

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

Product contains environmentally hazardous substances: epoxide derivates

· **Marine pollutant:**

Yes

· **Special marking (ADR):**

Symbol (fish and tree)

· **Special marking (IATA):**

Symbol (fish and tree)

Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Kemler Number:**

90

· **EMS Number:**

F-A,S-F

· **Stowage Category**

A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

(Contd. on page 11)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 10)

|                                   |   |
|-----------------------------------|---|
| ·                                 | Maximum net quantity per outer packaging: 1000 ml                                       |
| · <b>Transport category</b>       | 3   |
| · <b>Tunnel restriction code</b>  | (-)   |
| <hr/>                             |   |
| · <b>IMDG</b>                     |   |
| · <b>Limited quantities (LQ)</b>  | 5L  |
| · <b>Excepted quantities (EQ)</b> | Code: E1  |
|                                   | Maximum net quantity per inner packaging: 30 ml   |
|                                   | Maximum net quantity per outer packaging: 1000 ml                                       |
| · <b>UN "Model Regulation":</b>   | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATES), 9, III |

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
  - H304 May be fatal if swallowed and enters airways.
  - H315 Causes skin irritation.
  - H317 May cause an allergic skin reaction.
  - H319 Causes serious eye irritation.
  - H335 May cause respiratory irritation.
  - H351 Suspected of causing cancer.
  - H411 Toxic to aquatic life with long lasting effects.
  - H412 Harmful to aquatic life with long lasting effects.
  - EUH205 Contains epoxy constituents. May produce an allergic reaction.
- **Department issuing data specification sheet:** Environment protection department.

(Contd. on page 12)



BE SURE. BUILD SURE.

Page 12/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.12.2022

Version number 20 (replaces version 19)

Revision: 23.12.2022

**Trade name MC-DUR 1900 - Komponente A**

(Contd. of page 11)

- Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Carc. 2: Carcinogenicity – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- \* Data compared to the previous version altered.**

GB