

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** **MC-DUR 2095 M - Komponente A**

· **Article number:** 1776

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Coating compound/ Surface coating/ paint

· **1.3 Details of the supplier of the safety data sheet**

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard-determining**

**components of labelling:**

2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one  
formaldehyde

· **Hazard statements**

H317 May cause an allergic skin reaction.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

GB

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

#### · Description:

Mixture consisting of the following components.

#### · Dangerous components:

CAS: 7664-41-7 EINECS: 231-635-3	ammonia, anhydrous Acute Tox. 3, H331; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302; Flam. Gas 2, H221; Press. Gas (Comp.), H280	<0.25%
CAS: 50-00-0 EINECS: 200-001-8	formaldehyde Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % Skin Sens. 1; H317: C ≥ 0.2 % STOT SE 3; H335: C ≥ 5 %	<0.1%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limits: Skin Sens. 1; H317: C ≥ 0.05 % Aquatic Acute 1; H400: C ≥ 1 %	<0.05%
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 2, H411; Skin Sens. 1A, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.0015-<0.025%
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

#### · Additional information

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

#### · General information

No special measures required.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 2)

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** The product is not skin irritating.
- **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous materials are released.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Components with critical values that require monitoring at the workplace:

###### 7664-41-7 ammonia, anhydrous

WEL	Short-term value: 25 mg/m <sup>3</sup> , 35 ppm
	Long-term value: 18 mg/m <sup>3</sup> , 25 ppm

###### 50-00-0 formaldehyde

WEL	Short-term value: 2.5 mg/m <sup>3</sup> , 2 ppm
	Long-term value: 2.5 mg/m <sup>3</sup> , 2 ppm
	Carc

Additional information: The lists that were valid during the compilation were used as basis.

#### 8.2 Exposure controls

##### Appropriate engineering controls

No further data; see item 7.

##### Individual protection measures, such as personal protective equipment

##### General protective and hygienic measures

Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.

##### Breathing equipment:

Not required.

##### Hand protection

Not required.

##### Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

##### Penetration time of glove material

-

##### Eye/face protection

Safety glasses

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

##### Colour:

Colourless

##### Smell:

Characteristic

##### Melting point/freezing point:

Not determined

##### Boiling point or initial boiling point and boiling range

100 °C (7732-18-5 water, distilled, conductivity or of similar purity)

##### Flash point:

Not applicable

##### pH

7-8

##### Viscosity:

##### dynamic at 20 °C:

800 mPas

##### Solubility

##### Water:

Fully miscible

##### Steam pressure at 20 °C:

23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)

##### Density and/or relative density

##### Density at 20 °C

1.08 g/cm<sup>3</sup>

#### 9.2 Other information

##### Appearance:

##### Form:

Fluid

##### Important information on protection of health and environment, and on safety.

##### Self-inflammability:

Product is not selfigniting.

(Contd. on page 5)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 4)

· **Explosive properties:** Product is not explosive.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**7664-41-7 ammonia, anhydrous**

Oral	LD50	350 mg/kg (rat)
Inhalative	LC50/4 h	2000 mg/l (rat)

**50-00-0 formaldehyde**

Oral	LD50	>200 mg/kg (rat)
Dermal	LD50	300 mg/kg (rat)

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral	LD50	1020 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 5)

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral LD50 1020 mg/kg (rat)

Dermal LD50 &gt;2000 mg/kg (rat)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

Oral LD50 50-300 mg/kg (rat)

**55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

Oral LD50 49.6-75 mg/kg (rat)

Dermal LD50 87.12 mg/kg (rabbit)

Inhalative LC50/4 h 0.171 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

· **12.1 Toxicity**· **Aquatic toxicity:****2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC50/72h 0.067 mg/l (Pseudokirchneriella subcapitata)

0.11 mg/l (Selenastrum capricornutum)

LC50/96h 1.6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.1 mg/l (Daphnia magna)

**2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC50/72h 0.067 mg/l (Pseudokirchneriella subcapitata)

0.11 mg/l (Selenastrum capricornutum)

LC50/96h 1.6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.1 mg/l (Daphnia magna)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.68 mg/l (Daphnies)

**55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)**

LC50/24h 0.19 mg/l (fish)

EC50/72h 0.027 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 0.19 mg/l (Oncorhynchus mykiss)

LC50/48h 0.28 mg/l (fish)

EC50/48h 0.16 mg/l (Daphnia magna)

NOEC 0.02 mg/l (Oncorhynchus mykiss)

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 6)

	0.00049 mg/l (Ske)
	0.1 mg/l (Daphnia magna)
· <b>12.2 Persistence and degradability</b>	No further relevant information available.
· <b>12.3 Bioaccumulative potential</b>	No further relevant information available.
· <b>12.4 Mobility in soil</b>	No further relevant information available.
· <b>12.5 Results of PBT and vPvB assessment</b>	
· <b>PBT:</b>	Not applicable.
· <b>vPvB:</b>	Not applicable.
· <b>12.6 Endocrine disrupting properties</b>	The product does not contain substances with endocrine disrupting properties.
· <b>12.7 Other adverse effects</b>	
· <b>Additional ecological information:</b>	
· <b>General notes:</b>	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**                      *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
  
- **Uncleaned packagings:**
- **Recommendation:**                      *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*

### SECTION 14: Transport information

· <b>14.1 UN number or ID number</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.2 UN proper shipping name</b>	Void
· <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>14.4 Packing group</b>	Void
· <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

GB

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

Trade name MC-DUR 2095 M - Komponente A

(Contd. of page 7)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** *No further relevant information available.*
- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### SECTION 16: Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**
  - H221 Flammable gas.*
  - H280 Contains gas under pressure; may explode if heated.*
  - H301 Toxic if swallowed.*
  - H302 Harmful if swallowed.*
  - H310 Fatal in contact with skin.*
  - H311 Toxic in contact with skin.*
  - H314 Causes severe skin burns and eye damage.*
  - H315 Causes skin irritation.*
  - H317 May cause an allergic skin reaction.*
  - H318 Causes serious eye damage.*
  - H330 Fatal if inhaled.*
  - H331 Toxic if inhaled.*
  - H335 May cause respiratory irritation.*
  - H341 Suspected of causing genetic defects.*
  - H350 May cause cancer.*
  - H400 Very toxic to aquatic life.*
  - H410 Very toxic to aquatic life with long lasting effects.*
  - H411 Toxic to aquatic life with long lasting effects.*
- **Department issuing data specification sheet:** *Environment protection department.*
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*
  - ICAO: International Civil Aviation Organisation*
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*
  - IMDG: International Maritime Code for Dangerous Goods*
  - IATA: International Air Transport Association*
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals*
  - EINECS: European Inventory of Existing Commercial Chemical Substances*
  - ELINCS: European List of Notified Chemical Substances*
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
  - LC50: Lethal concentration, 50 percent*
  - LD50: Lethal dose, 50 percent*
  - PBT: Persistent, Bioaccumulative and Toxic*
  - vPvB: very Persistent and very Bioaccumulative*
  - Flam. Gas 2: Flammable gases – Category 2*
  - Press. Gas (Comp.): Gases under pressure – Compressed gas*
  - Acute Tox. 4: Acute toxicity – Category 4*
  - Acute Tox. 2: Acute toxicity – Category 2*
  - Acute Tox. 3: Acute toxicity – Category 3*
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B*
  - Skin Corr. 1C: Skin corrosion/irritation – Category 1C*
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2*
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
  - Skin Sens. 1: Skin sensitisation – Category 1*
  - Skin Sens. 1A: Skin sensitisation – Category 1A*
  - Muta. 2: Germ cell mutagenicity – Category 2*
  - Carc. 1B: Carcinogenicity – Category 1B*

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 26.12.2022

Version number 20 (replaces version 19)

Revision: 26.12.2022

**Trade name MC-DUR 2095 M - Komponente A**

(Contd. of page 8)

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

· **\* Data compared to the  
previous version altered.**

GB