



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **MC-DUR PowerCoat 200 - Komponente C**

CAS Number: 1305-62-0

EC number: 215-137-3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Application of the substance / the mixture

Coating

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

Informing department: msds@mc-bauchemie.de

#### 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The substance is classified and labelled according to the GB CLP regulation.

#### Hazard pictograms



GHS05 GHS07

#### Signal word

Danger

#### Hazard-determining components of labelling:

calcium dihydroxide

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

Page 2/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name **MC-DUR PowerCoat 200 - Komponente C**

(Contd. of page 1)

- **Hazard statements**
  - H315 Causes skin irritation.
  - H318 Causes serious eye damage.
  - H335 May cause respiratory irritation.
- **Precautionary statements**
  - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
  - P321 Specific treatment (see on this label).
  - P362+P364 Take off contaminated clothing and wash it before reuse.
  - P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. Designation:** 1305-62-0 calcium dihydroxide
- **Identification number(s):**
- **EC number:** 215-137-3
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation** Supply fresh air.
- **After skin contact** The product is not skin irritating.
- **After eye contact** Seek medical treatment.  
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing** Rinse out mouth and then drink plenty of water.  
Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

GB

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name MC-DUR PowerCoat 200 - Komponente C

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Collect mechanically.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Prevent formation of dust.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 11
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name MC-DUR PowerCoat 200 - Komponente C

(Contd. of page 3)

#### SECTION 8: Exposure controls/personal protection

##### · 8.1 Control parameters

· **Components with critical values that require monitoring at the workplace:**

##### 1305-62-0 calcium dihydroxide

WEL	Short-term value: 4* mg/m <sup>3</sup> Long-term value: 5 1* mg/m <sup>3</sup> *resprable fraction
-----	--

##### · DNELs

##### 1305-62-0 calcium dihydroxide

Inhalative	DNEL	1 mg/m <sup>3</sup> (ArL)
------------	------	---------------------------

##### · PNECs

##### 1305-62-0 calcium dihydroxide

PNEC	3 mg/l (BEL)
	0.32 mg/l (Mew)
	0.49 mg/l (Suw)
PNEC	1080 mg/kg dwt (Bod)

· **Additional information:** The lists that were valid during the compilation were used as basis.

##### · 8.2 Exposure controls

· **Appropriate engineering controls**

No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Wash hands during breaks and at the end of the work.  
Avoid contact with the eyes.

· **Breathing equipment:**

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· **Hand protection**

Protective gloves.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

After use of gloves apply skin-cleaning agents and skin cosmetics.  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Strong gloves

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**

Safety glasses  
Tightly sealed safety glasses.

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name MC-DUR PowerCoat 200 - Komponente C

· **Body protection:** Protective work clothing.

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

· Colour:	Not determined.
· Smell:	Odourless
· Odour threshold:	Not determined.
· Melting point/freezing point:	2 °C
· Boiling point or initial boiling point and boiling range	2,230 °C (14808-60-7 Quartz (SiO <sub>2</sub> ))
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Decomposition temperature:	Not determined.
· pH	Not applicable.
· Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
· Solubility	
· Water at 20 °C:	1.7 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Steam pressure at 20 °C:	0 hPa
· Density and/or relative density	
· Density at 20 °C	2.24 g/cm <sup>3</sup>
· Relative density	Not determined.
· Settled apparent density	400 kg/m <sup>3</sup>
· Vapour density	Not applicable.

#### · 9.2 Other information

· Appearance:	
· Form:	Dustlike
· Important information on protection of health and environment, and on safety.	
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Molecular weight	74.09 g/mol
· Change in condition	
· Evaporation rate	Not applicable.

(Contd. on page 6)

GB



BE SURE. BUILD SURE.

Page 6/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name MC-DUR PowerCoat 200 - Komponente C

(Contd. of page 5)

### · Information with regard to physical hazard classes

· Explosives	Void
	Void
· Flammable gases	Void
	Void
· Aerosols	Void
	Void
· Oxidising gases	Void
	Void
· Gases under pressure	Void
	Void
· Flammable liquids	Void
	Void
· Flammable solids	Void
	Void
· Self-reactive substances and mixtures	Void
	Void
· Pyrophoric liquids	Void
	Void
· Pyrophoric solids	Void
	Void
· Self-heating substances and mixtures	Void
	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
	Void
· Oxidising liquids	Void
	Void
· Oxidising solids	Void
	Void
· Organic peroxides	Void
	Void
· Corrosive to metals	Void
	Void
· Desensitised explosives	Void
	Void

## SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)

GB



BE SURE. BUILD SURE.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name MC-DUR PowerCoat 200 - Komponente C

(Contd. of page 6)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

**1305-62-0 calcium dihydroxide**

Oral LD50 7340 mg/kg (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **STOT-single exposure** May cause respiratory irritation.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

Substance is not listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

Trade name MC-DUR PowerCoat 200 - Komponente C

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- |  |                 |
|--|-----------------|
| · 14.1 UN number or ID number<br>· ADR, IMDG, IATA                     | Void            |
| · 14.2 UN proper shipping name<br>· ADR, IMDG, IATA                    | Void            |
| · 14.3 Transport hazard class(es)<br>· ADR, ADN, IMDG, IATA<br>· Class | Void            |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                              | Void            |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                   | No              |
| · 14.6 Special precautions for user                                    | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments         | Not applicable. |
| · UN "Model Regulation":   | Void            |

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Directive 2012/18/EU
  - Named dangerous substances - ANNEX I
  - 15.2 Chemical safety assessment:
- None of the ingredients is listed.
- A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

- **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

GB





BE SURE. BUILD SURE.

Page 9/9

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 04.03.2023

Version number 19 (replaces version 18)

Revision: 04.03.2023

**Trade name MC-DUR PowerCoat 200 - Komponente C**

(Contd. of page 8)

*ICAO: International Civil Aviation Organisation*

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (UK REACH)*

*PNEC: Predicted No-Effect Concentration (UK REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

**\* Data compared to the  
previous version altered.**

GB