



BE SURE. BUILD SURE.

Page 1/8

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name** **MC-Estrifan Color**  
· **UFI:** DJXG-H0FM-K00C-0H50

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Coating compound/ Surface coating/ paint

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565  
Abteilung Produktsicherheit

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

Void

· **Hazard pictograms**

Void

· **Signal word**

Void

· **Hazard statements**

Void

· **Additional information:**

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
Safety data sheet available on request.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

Trade name MC-Estrifan Color

· **vPvB:** Not applicable.

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture of the substances listed below with harmless additions.

#### · **Dangerous components:**

CAS: 111-76-2	2-butoxyethanol	<1.5%
EINECS: 203-905-0	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4,	
Reg.nr.: 01-2119475108-36	H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** The product is not skin irritating.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** In case of persistent symptoms consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

#### · 5.1 Extinguishing media

· **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters** No special measures required.

· **Protective equipment:** No special measures required.

GB

(Contd. on page 3)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

Trade name MC-Estrifan Color

(Contd. of page 2)

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**      *Not required.*
- **6.2 Environmental precautions:**      *No special measures required.*
- **6.3 Methods and material for containment and cleaning up:**      *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*
- **6.4 Reference to other sections**      *No dangerous materials are released.*

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**      *No special measures required.*
- **Information about protection against explosions and fires:**      *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**      *No special requirements.*
- **Information about storage in one common storage facility:**      *Not required.*
- **Further information about storage conditions:**      *None.*
- **7.3 Specific end use(s)**      *No further relevant information available.*

**SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical systems:**      *No further data; see item 7.*

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:**

**111-76-2 2-butoxyethanol**

WEL	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm
	Sk, BMGV

(Contd. on page 4)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

Trade name MC-Estrifan Color

(Contd. of page 3)

· **DNELs**

**111-76-2 2-butoxyethanol**

Oral	DNEL	3.2 mg/kg bw/Tag (ArL)
Dermal	DNEL	75 mg/kg bw/day (ArL)
Inhalative	DNEL	98 mg/m <sup>3</sup> (ArL)

· **Ingredients with biological limit values:**

**111-76-2 2-butoxyethanol**

BMGV	240 mmol/mol creatinine
	Medium: urine
	Sampling time: post shift
	Parameter: butoxyacetic acid

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Breathing equipment:**

Not required.

· **Protection of hands:**

Not required.

· **Material of gloves**

-

· **Penetration time of glove material**

-

· **Eye protection:**

Safety glasses

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	According to product specification
Smell:	Characteristic

· **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	100 °C

· **Flash point:** Not applicable

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Steam pressure at 20 °C:** 23 hPa

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

Trade name MC-Estrifan Color

(Contd. of page 4)

· <b>Density at 20 °C</b>	1.02 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with Water:</b>	Soluble
· <b>9.2 Other information</b>	No further relevant information available.

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

#### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**111-76-2 2-butoxyethanol**

Oral	LD50	1,414 mg/kg (Meerschweinchen) 1,300 mg/kg (rat)
	NOAEL	>100 mg/kg (Danio rerio) 100 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (Meerschweinchen)
Inhalative	LCL0	>3.1 mg/l (Meerschweinchen)
	LC50/4 h	2-20 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

Trade name MC-Estrifan Color

(Contd. of page 5)

· **Aspiration hazard** Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

##### · 12.1 Toxicity

##### · Aquatic toxicity:

##### 111-76-2 2-butoxyethanol

EC50/72h	1,840 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	1,474 mg/l (Oncorhynchus mykiss)
EC50/48h	1,550 mg/l (Daphnia magna)
NOEC	286 mg/l (Pseudokirchneriella subcapitata)
	100 mg/l (Daphnia magna)
EC0	700 mg/l (Pseudomonas putida)

##### · 12.2 Persistence and degradability

No further relevant information available.

##### · 12.3 Bioaccumulative potential

No further relevant information available.

##### · 12.4 Mobility in soil

No further relevant information available.

##### · Additional ecological information:

##### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

##### · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

#### SECTION 13: Disposal considerations

##### · 13.1 Waste treatment methods

##### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

##### · Uncleaned packagings:

##### · Recommendation:

Disposal must be made according to official regulations.

#### SECTION 14: Transport information

##### · 14.1 UN-Number

##### · ADR, ADN, IMDG, IATA

Void

##### · 14.2 UN proper shipping name

##### · ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

Trade name MC-Estrifan Color

(Contd. of page 6)

· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

#### SECTION 15: Regulatory information

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases** H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.

· **Department issuing data specification sheet:** Environment protection department.

· **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/8

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 06.03.2020

Version number 3

Revision: 06.03.2020

**Trade name MC-Estrifan Color**

(Contd. of page 7)

*DNEL: Derived No-Effect Level (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

**\* Data compared to the  
previous version altered.**

GB