

Page 1/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name MC-Fast RC

· Article number: 417

 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Regulated set cement

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

1.4 Emergency telephone

number:

msds@mc-bauchemie.de

Abteilung Produktsicherheit Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05 GHS07

· **Signal word** Danger

(Contd. on page 2)



Page 2/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

#### Trade name MC-Fast RC

(Contd. of page 1)

· Hazard-determining

components of labelling: Portland cement (low chromate)

calcium oxide

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:		
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	50-70%
CAS: 1305-78-8 EINECS: 215-138-9	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%
CAS: 1317-65-3 EINECS: 207-439-9	Calcium carbonate substance with a Community workplace exposure limit	<2.5%
CAS: 497-19-8 EINECS: 207-838-8	Sodium carbonate Eye Irrit. 2, H319	<2.5%
CAS: 554-13-2 EINECS: 209-062-5 Reg.nr.: 01-2119516034-53- 0000	Lithium carbonate Acute Tox. 4, H302; Eye Irrit. 2, H319	<0.5%
• Additional information For the wording of the listed hazard phrases refer to section 16.		on 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information For all first aid measures: observe self-protection and consult a

doctor!

(Contd. on page 3)



Page 3/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

#### Trade name MC-Fast RC

(Contd. of page 2)

· After inhalation Remove people from the dusty area.

· After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water.

• After eye contact Rinse for 10 minutes under running water with the eyelids open.

Always consult an ophthalmologist!

• After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Collect mechanically.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Avoid dust formation! Avoid spraying the ready-to-use cementitious

product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and

after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Store bags tightly closed; protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

(Contd. on page 4)



Page 4/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

#### Trade name MC-Fast RC

(Contd. of page 3)

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2;

7

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about

storage conditions:

Store in a dry and frost-free place.

· Storage class

13

## SECTION 8: Exposure controls/personal protection

8.1 Control	l parameters
-------------	--------------

· Components with critical values that	it require monitoring at the workplace:
CAS: 65007 45 4 Dentland compant /	avy abyomatal

CAS: 65997-15-1 Portland cement (low chromate)

WEL Long-term value: 10\* 4\*\* mg/m³
\*inhalable dust \*\*respirable dust

CAS: 1305-78-8 calcium oxide

WEL Short-term value: 4\* mg/m³

Long-term value: 2 1\* mg/m3

\*respirable fraction

CAS: 1317-65-3 Calcium carbonate

WEL Long-term value: 10\* 4\*\* mg/m³

\*inhalable dust; \*\*respirable

#### · DNELs

### CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL 1 mg/m³ (ArL)
CAS: 1305-78-8 calcium oxide

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 1317-65-3 Calcium carbonate

Oral DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m³ (ArL)

CAS: 497-19-8 Sodium carbonate

Inhalative DNEL 10 mg/m³ (ArL)

#### PNECs

#### CAS: 1305-78-8 calcium oxide

PNEC 2.27 mg/l (BEL) 0.24 mg/l (Mew)

(Contd. on page 5)



Page 5/10

## Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

#### Trade name MC-Fast RC

(Contd. of page 4)

0.37 mg/l (Freshwater) PNEC 817.4 mg/kg dwt (Bod)

CAS: 1317-65-3 Calcium carbonate PNEC 100 mg/l (Sewage Treatment Plant)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store food, eat, drink, sniff or smoke in the work area!

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing! Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

after every break.

· Breathing equipment: For work with higher dust loads particle filter class P2

Check protective gloves prior to each use for their proper condition. · Hand protection

Nitrile impregnated cotton gloves. · Material of gloves

· Penetration time of glove

material The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection Safety glasses

· Body protection: Protective work clothing.

· Skin protection Use greasy skin protection ointment for all uncovered parts of the

body!

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Colour: · Smell: Odourless Melting point/freezing point: Not determined

Boiling point or initial boiling point and

2230 °C (CAS: 14808-60-7 Quartz sand) boiling range

· Flash point: Not applicable Not applicable. · pH

· Viscosity:

Not applicable. · Kinematic viscosity · dynamic: Not applicable. · Solubility

· Water: Unsoluble

(Contd. on page 6)



Page 6/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

#### Trade name MC-Fast RC

(Contd. of page 5)

· Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz sand)

Density and/or relative density

Density at 20 °C 2.98 g/cm<sup>3</sup>

· 9.2 Other information

· Appearance:

· Form: Powder

Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives
· Flammable gases
· Aerosols
· Oxidising gases
· Cases under pressure
· Flammable liquids
· Flammable solids

Void

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures

Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void
Void
Void

### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

GB



Page 7/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

Trade name MC-Fast RC

(Contd. of page 6)

SECTIO	N 11:	Toxicol	ogical	info	ormati	ion

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values that are relevant for classification:		
CAS: 659	CAS: 65997-15-1 Portland cement (low chromate)		
Dermal	LD50	2000 mg/kg (rabbit)	
Inhalative	LC50/4 h	5 mg/l (rat)	
CAS: 130	CAS: 1305-78-8 calcium oxide		
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2500 mg/kg (rabbit)	
CAS: 131	CAS: 1317-65-3 Calcium carbonate		
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
CAS: 497	CAS: 497-19-8 Sodium carbonate		
Oral	LD50	2800 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
Inhalative	LC50/4 h	2.3 mg/l (rat)	
CAS: 554	CAS: 554-13-2 Lithium carbonate		
Oral	LD50	525 mg/kg (rat)	
	NOAEL	19.23 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rat)	
	NOAEL	64.3 mg/kg (rat)	
Inhalative	LC50/4 h	>2 mg/l (rat)	

· Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.
 Serious eye damage/irritation Causes serious eye damage.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 554-13-2 Lithium carbonate

- GB

List III



Page 8/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

Trade name MC-Fast RC

(Contd. of page 7)

	ity	
Aquatic to	xicity:	
CAS: 1305-	-78-8 calcium oxide	
EC50/72h	184.57 mg/l (algae)	
LC50/96h	50.6 mg/l (Fis)	
	158 mg/l (Mew)	
EC50/48h	49.1 mg/l (Freshwater)	
NOEC	32 mg/l (Mew)	
	48 mg/l (algae)	
CAS: 1317-	-65-3 Calcium carbonate	
EC50/72h	>14 mg/l (Desmodesmus subspicatus)	
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)	
LC50/48h	>1000 mg/l (Daphnia magna)	
EC50/48h	>1000 mg/l (Daphnia magna)	
CAS: 497-1	19-8 Sodium carbonate	
EC50/48h	h   265 mg/l (Daphnia magna)	
EC50/96h	300 mg/l (Lepomis macrochirus)	
CAS: 554-1	13-2 Lithium carbonate	
LC50/96h	30.3 mg/l (Oncorhynchus mykiss)	
EC50	278 mg/l (BEL)	
EC50/48h	33 mg/l (Daphnia magna)	
NOEC	15.25 mg/l (Danio rerio)	
	50 mg/l (Desmodesmus subspicatus)	
	19.1 mg/l (Oncorhynchus mykiss)	

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.

· 12.6 Endocrine disrupting

**properties** For information on endocrine disrupting properties see section 11.

(Contd. on page 9)



Page 9/10

# Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

Trade name MC-Fast RC

(Contd. of page 8)

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	<b>g to</b> Not applicable.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 10)



Page 10/10

## Safety data sheet according to UK REACH

Printing date 12.04.2025 Version number 35 (replaces version 34) Revision: 12.04.2025

#### Trade name MC-Fast RC

(Contd. of page 9)

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H302 Harmful if swallowed. · Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Department issuing data

specification sheet: Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* \* Data compared to the previous version altered.