

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 24 (replaces version 23)

Revision: 18.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

[.] Trade name	MC-Fast ST
 Article number: 1.2 Relevant identified uses of the substance or mixture 	679
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Regulated set cement
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
 Informing department: 1.4 Emergency telephone 	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Danger

Signal word

(Contd. on page 2)



Page 2/9

	according to 1907/2	2006/EC, Article 31	
Printing date 18.02.2024	Version number 24 (i	replaces version 23)	Revision: 18.02.2024
Trade name MC-Fast ST			
			(Contd. of page 1
· Hazard-determining			
components of labelling		nt	
	calcium oxide		
	Fly ash Portland		
 Hazard statements 	H315 Causes s		
		erious eye damage. se respiratory irritation.	
· Precautionary statemer	•		t/fume/gas/mist/vapours
		spray.	
	P305+P351+P3	1 2	cautiously with water fo
		several minutes. Re	emove contact lenses, i
		present and easy to a	
	P310		DISON CENTER/doctor.
	P321	Specific treatment (se	
	P362+P364		ted clothing and wash i
	P403+P233	before reuse.	tod place. Keep containe
	F403+P233	tightly closed.	ated place. Keep containe
· 2.3 Other hazards		lightly clobed.	
Results of PBT and vPv	'B assessment		
· PBT:	Not applicable.		
· vPvB:	Not applicable.		

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture consisting of the following components.

· Dangerous compor	nents:	
	Portland cement	30-60%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-78-8	calcium oxide	<i>≥</i> 3-<10%
EINECS: 215-138-9	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3	Fly ash Portland cement	<i>≥</i> 3-<5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
· Additional informat	ion For the wording of the listed hazard phrases refer to sec	tion 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

 After inhalation After skin contact 	Supply fresh air. Instantly wash with water and soap and rinse thoroughly.
· After eye contact	Rinse opened eye for several minutes under running water. Seek medical treatment.
 After swallowing 	Rinse out mouth and then drink plenty of water.
_	(Contd. on page 3)
	GB



Printing date 18.02.2024

Version number 24 (replaces version 23)

Revision: 18.02.2024

(Contd. of page 2)

Page 3/9

Trade name MC-Fast ST

	Seek medical treatment.	9)
SECTION 5: Firefighting	measures	
 5.1 Extinguishing media Suitable extinguishing agents 5.2 Special hazards arising from the substance or 	s Use fire fighting measures that suit the environment.	
mixture	No further relevant information available.	
 5.3 Advice for firefighters Protective equipment: 	No special measures required.	
SECTION 6: Accidental r	elease measures	
• 6.1 Personal precautions, protective equipment and		
emergency procedures · 6.2 Environmental	Not required.	
precautions: · 6.3 Methods and material for	No special measures required.	
containment and cleaning up 6.4 Reference to other	: Collect mechanically.	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipmer See Section 13 for information on disposal.	nt.
SECTION 7: Handling an	d storage	
· 7.1 Precautions for safe		
handling	Prevent formation of dust.	
 Information about protection against explosions and fires: 	No special measures required.	

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
 Information about storage in one common storage facility: Not required.
 Further information about storage conditions: Keep container tightly sealed.
 Storage class 13

(Contd. on page 4)

GB



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024

Version number 24 (replaces version 23)

Revision: 18.02.2024

(Contd. of page 3)

Trade name MC-Fast ST

SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Components with critical values that require monitoring at the workplace: CAS: 65997-15-1 Portland cement WEL Long-term value: 10* 4** mg/m3 *inhalable dust **respirable dust CAS: 1305-78-8 calcium oxide WEL Short-term value: 4* mg/m³ Long-term value: 2 1* mg/m³ *respirable fraction DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) CAS: 1305-78-8 calcium oxide Inhalative DNEL 1 mg/m³ (ArL) · PNECs CAS: 1305-78-8 calcium oxide PNEC 2.27 mg/l (BEL) 0.24 mg/l (Mew) 0.37 mg/l (Freshwater) PNEC 817.4 mg/kg dwt (Bod) The lists that were valid during the compilation were used as basis. · Additional information: · 8.2 Exposure controls · Appropriate engineering No further data: see section 7. controls Individual protection measures, such as personal protective equipment · General protective and hygienic measures Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. In case of brief exposure or low pollution or when application is · Breathing equipment: performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. · Hand protection Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics. Material of gloves Strong gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of (Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024	Version number 24 (replaces version 23)	Revision: 18.02.2024
Trade name MC-Fast ST		
		(Contd. of page 4)
	several substances, the resistance of the calculated in advance and has therefore application.	
 Penetration time of global 	ove	
material	The exact breakthrough time must be obtained from the prote- glove manufacturer and must be observed.	
 Eye/face protection 	Tightly sealed safety glasses.	
Body protection:	Protective work clothing.	

SECTION 9: Physical and chemical properties

General Information		
Colour:	Grey	
Smell:	Odourless	
• Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	Not determined	
	Not applicable	
Flash point:	Not applicable	
pH	Not applicable.	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility	.,	
Water:	Unsoluble	
Steam pressure:	Not applicable.	
Density and/or relative density	.,	
Density at 20 °C	3.04 g/cm³	
9.2 Other information		
Appearance: Form:	Powder	
Important information on protection of hea		
and environment, and on safety.	Dreduct is not colficerities	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haza classes	ard	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
		(Contd. on page



Printing date 18.02.2024

Version number 24 (replaces version 23)

Revision: 18.02.2024

Trade name MC-Fast ST

		(Contd. of page 5)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
• Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability	No further relevant information available.
 Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous 	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

CAS [,] 659	97-15-1 Pc	ortland cen	nent
	LD50	2000 mg/k	
		5 mg/l (rat)	
		cium oxide	
Oral	LD50	>2000 mg/	/kg (rat)
Dermal	LD50	>2500 mg/	
 Skin corre Serious e Germ cell Carcinoge Reproduce STOT-sin STOT-rep Aspiration 	ye damag mutagen enicity stive toxic gle expos eated exp	e/irritation icity ity ure	Causes skin irritation. Causes serious eye damage. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. May cause respiratory irritation. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Contd. on page 7

Page 6/9



Printing date 18.02.2024

Version number 24 (replaces version 23)

Revision: 18.02.2024

(Contd. of page 6)

Page 7/9

Trade name MC-Fast ST

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information	SECTION	42. Easle		
	SECTION	12: ECOIO	QICal III	ormation

· 12.1 Toxicity · Aquatic toxicity: CA EC

CAS: 1305	5-78-8 calcium oxide	9
EC50/72h	184.57 mg/l (algae)	
LC50/96h	50.6 mg/l (Fis)	
	158 mg/l (Mew)	
EC50/48h	49.1 mg/l (Freshwat	er)
NOEC	32 mg/l (Mew)	
	48 mg/l (algae)	
12.2 Persi	stence and	
degradabi		No further relevant information available.
	ccumulative	
potential		No further relevant information available.
 12.4 Mobility in soil 		No further relevant information available.

- · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable.
- Not applicable. · vPvB: · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

- · Additional ecological information: · General notes:
 - Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

 13.1 Waste treatment method Recommendation 	Is Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
	GB (Contd. on page 8)

(Contd. on page 8)



Printing date 18.02.2024

Version number 24 (replaces version 23)

Revision: 18.02.2024

Trade name MC-Fast ST

(Contd. of page 7)

Page 8/9

SECTION 14: Transport informa	tion	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord IMO instruments	ing to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precurs	ors
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precur	sors
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Page 9/9

Printing date 18.02.2024 Ve	rsion number 24 (replaces version 23)	Revision: 18.02.2024
Trade name MC-Fast ST		
		(Contd. of page 8
· Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
· Department issuing data		
specification sheet:	Environment protection department.	
• Abbreviations and acronym	S: RID: Règlement international concernant le dangereuses par chemin de fer (Regulations Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des route (European Agreement Concerning the Inte Goods by Road) IMDG: International Maritime Code for Dangerous IATA: International Air Transport Association GHS: Globally Harmonised System of Classification ElINECS: European Inventory of Existing Comment ELINCS: European List of Notified Chemical Subs CAS: Chemical Abstracts Service (division of the ADNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REAC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – C	Concerning the Internationals marchandises dangereuses pa rnational Carriage of Dangerou Goods on and Labelling of Chemicals cial Chemical Substances tances American Chemical Society) ACH)

Safety data sheet ccording to 1907/2006/EC, Article 3⁻

GB -