

Page 1/10

## Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name MC-Flex 2098 - Komponente A

· Article number: 1100

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Polyurethane lacquer

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

msds@mc-bauchemie.de

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard-determining

components of labelling: Reaction mass of Decanedioic acid, bis(1,2,2,6,6-pentamethyl-4-

piperidinyl) ester and decanedioic acid,(1,2,2,6,6-pentamethyl-4-

piperidinyl) methyl ester

(Contd. on page 2)



Page 2/10

# Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 1)

· **Hazard statements** H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information: EUH211 Warning! Hazardous respirable droplets may be formed

when sprayed. Do not breathe spray or mist.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· **Description:** Resin mixture.

Mixture consisting of the following components.

Dangerous components:		
CAS: 67762-90-7	Hydrophobes Siliziumdioxid, synthetisch, amorph	<5%
	Acute Tox. 4, H302	
CAS: 13463-67-7	Titanium Dioxide	≥1-<3%
EINECS: 236-675-5	Carc. 2, H351	
EC number: 904-153-2	Reaktionsmasse aus 2-Ethylpropan-1,3-diol und 5-	<2.5%
	Ethyl-1,3-dioxan-5-methanol und	
	Propylidyntrimethanol	
	Repr. 2, H361fd; Eye Irrit. 2, H319	
EC number: 915-687-0	Reaction mass of Decanedioic acid, bis(1,2,2,6,6-	<i>≥</i> 0.25-<0.5%
Reg.nr.: 01-2119491304-40- XXXX	pentamethyl-4-piperidinyl) ester and decanedioic	
	acid,(1,2,2,6,6-pentamethyl-4-piperidinyl) methyl	
	ester	
	Repr. 2, H361; Aquatic Acute 1, H400; Aquatic	
	Chronic 1, H410; Skin Sens. 1A, H317	

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information Remove, decontaminate and dispose of soiled, soaked clothing

and shoes immediately.

After inhalation Remove person to fresh air, keep warm, allow to rest; if breathing

is difficult, seek medical attention.

(Contd. on page 3)



Page 3/10

## Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

#### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 2)

· After skin contact In case of contact with skin, preferably wash with polyethylene

glycol-based cleaner or clean with plenty of warm water and soap.

Consult a doctor in case of skin reactions.

· After eye contact Rinse the eyes with open eyelids for a sufficiently long time (at

least 10 minutes) with water that is as lukewarm as possible.

Consult an ophthalmologist.

· After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

 4.2 Most important symptoms and effects, both acute and

delayed

Information for the doctor: The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.

4.3 Indication of any immediate medical attention

and special treatment needed No information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

· **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

· 6.2 Environmental precautions:

No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Collect mechanically.

· 6.4 Reference to other

**sections** No dangerous materials are released.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure sufficient air exchange and/or extraction in the work areas.

Air extraction is required for spray application.

For solid products: Avoid dust formation and dust deposits.

(Contd. on page 4)



Page 4/10

## Safety data sheet according to UK REACH

Revision: 15.09.2024 Printing date 15.09.2024 Version number 34 (replaces version 33)

### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 3)

Air limit values mentioned in section 8 must be monitored.

At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being

exceeded. The air must be moved away from people.

For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours.

Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing immediately.

· 7.2 Conditions for safe storage, including any incompatibilities

Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance

reasons can be found in our technical data sheet.

Storage

· Requirements to be met by storerooms and containers:

Store only in the original container.

· Further information about

storage conditions: None. · Storage class 10

7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace. The lists that were valid during the compilation were used as basis.

· Additional information: · 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from food, drink and animal feed. Remove soiled, soaked clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

· Breathing equipment: Respiratory protection required at insufficiently ventilated

> workplaces and when working with splashes. Fresh air masks or combination filters A2-P2 (EN529) are recommended for short-

term work.

(Contd. on page 5)



Page 5/10

## Safety data sheet according to UK REACH

Printing date 15.09.2024

· Hand protection

Version number 34 (replaces version 33)

#### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 4)

Revision: 15.09.2024

If applicable, further recommendations for respiratory protection can be found in the appendix.

In case of hypersensitivity of the respiratory tract (asthma, chronic bronchitis), handling of the product is not recommended.

Suitable materials for protective gloves; EN 374:

Butyl rubber, nitrile rubber, chloroprene rubber (neoprene).

Note: suitable materials that provide sufficient protection for industrial cleaning with aprotic polar solvents (according to IUPAC definition): butyl rubber.

In case of prolonged or frequently repeated contact, a glove with a protection class of 5 or higher is recommended (breakthrough time greater than 240 minutes according to EN374). For short-term contact, a glove with a protection class of 3 or higher is recommended (breakthrough time greater than 60 minutes according to EN374).

The thickness of the material is not the only criterion for the level of protection of a glove against a chemical substance. The protective effect also depends to a large extent on the type of glove material. Depending on the type and material, the thickness must be more than 0.35 mm to ensure adequate protection in the event of prolonged and frequent contact. Exceptions to this rule are multilayer gloves, which guarantee sufficient protection even with a thickness of less than 0.35 mm during prolonged wear. Other glove materials with a thickness of less than 0.35 mm only provide sufficient protection for short periods of wear.

For solvent-free products:

Example:

Polychloroprene - CR: thickness ≥0.5mm; breakthrough time >480min.

Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time >480min.

Butyl rubber - IIR: thickness  $\ge 0.5$ mm; breakthrough time  $\ge 480$ min. Fluoro rubber - FKM: thickness  $\ge 0.4$ mm; breakthrough time >480min.

Recommendation: Dispose of contaminated gloves.

· Material of gloves

Polychloroprene - CR Nitrile rubber - NBR Butyl rubber - IIR Fluoro rubber - FKM

· Penetration time of glove material

Polychloroprene - CR: thickness  $\geq 0.5$ mm; breakthrough time  $\geq 480$ min.

⊵્રમoonnin. Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time

Mithe rubber - NBR. thickness ≥0.35mm, breakthrough time ≥480min.

Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min. Fluoro rubber - FKM: Thickness ≥0.4mm; Breakthrough time >480min.

· Eye/face protection

Safety goggles with side protection in accordance with EN 166.

(Contd. on page 6)

- GB



Page 6/10

## Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

#### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 5)

· **Body protection:** Use chemical-resistant protective clothing.

In case of hypersensitivity of the skin, handling the product is not

recommended.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Grey

· Smell: Characteristic
· Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range Not determined

Not applicable

Void

Flash point: 201 °C

· **pH** Not determined.

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

Solubility

· Water: Not miscible or difficult to mix

· Steam pressure: Not determined.

· Density and/or relative density

Density Not determined

· 9.2 Other information

· Appearance:

Form: Pasty

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

Void Explosives · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void Void · Pyrophoric liquids Void · Pyrophoric solids Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water

(Contd. on page 7)



Page 7/10

## Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 6)

· Oxidising liquids	Void
· Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
CAS: 67762-90-7 Hydrophobes Siliziumdioxid, synthetisch, amorph			
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
CAS: 13463-67-7 Titanium Dioxide			
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>10000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>6.8 mg/l (rat)	

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

\*\*Reproductive toxicity

\*\*STOT-single exposure

\*\*STOT-repeated exposure

\*\*Aspiration hazard

\*\*May cause an allergic skill reaction.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

### Endocrine disrupting properties

CAS: 541-02-6 2,2,4,4,6,6,8,8,10,10-decamethylcyclopentasiloxane

List II

(Contd. on page 8)



Page 8/10

# Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

Trade name MC-Flex 2098 - Komponente A

(Contd. of page 7)

CAS: 556-67-2 octamethylcyclotetrasiloxane

List II; III

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 67762-90-7 Hydrophobes Siliziumdioxid, synthetisch, amorph

Sensitisation EL50 10000 mg/l (Daphnien)

LC50/96h >10000 mg/l (Brachydanio rerio)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

• 12.5 Results of PBT and vPvB assessment
• PBT:
• vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

## SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

(Contd. on page 9)



Page 9/10

# Safety data sheet according to UK REACH

Printing date 15.09.2024 Version number 34 (replaces version 33) Revision: 15.09.2024

### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· **ADR, IMDG, IATA** Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

**IMO instruments** Not applicable.

· UN "Model Regulation": Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

**substance or mixture**No further relevant information available.

· Poisons Act

Regulated explosives precursors

CAS: 7664-38-2 phosphoric acid 30%

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 10)



Page 10/10

## Safety data sheet according to UK REACH

Printing date 15.09.2024

Version number 34 (replaces version 33)

### Trade name MC-Flex 2098 - Komponente A

(Contd. of page 9)

Revision: 15.09.2024

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing data

specification sheet:

Environment protection department.

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Carc. 2: Carcinogenicity – Category 2

Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

\* Data compared to the previous version altered.

GE