

Page 1/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

· Hazard pictograms

· Signal word

Version number 21 (replaces version 20)

Revision: 02.03.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	MC-Montan Shot Seal
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture</li> </ul>	3163
and uses advised against Application of the substance	No further relevant information available. e
/ the mixture	Thickener pulps
<sup>.</sup> 1.3 Details of the supplier of	<sup>r</sup> the safety data sheet
· Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards id	entification
2.1 Classification of the sub	
-	Regulation (EC) No 1272/2008
Skin Irrit. 2 H315 Causes sk	
Eye Dam. 1 H318 Causes se	erious eye damage.
Skin Sens. 1 H317 May cause	e an allergic skin reaction.
2.2 Label elements	
Labelling according to	29 The product is classified and labelled apparding to the CP CL

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

GHS07

regulation.

GHS05

Danger

(Contd. on page 2)



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

Page 2/9

#### Trade name MC-Montan Shot Seal

		(Contd. of page 1)
Hazard-determining		
components of labelling:	Calcium sulfoalu	uminate clinker
	Portland cemen	t
Hazard statements	H315 Causes sl	kin irritation.
	H318 Causes se	erious eye damage.
	H317 May caus	e an allergic skin reaction.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	
vPvB:	Not applicable.	

#### Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures	
· Description:	,

Mixture consisting of the following components.

<ul> <li>Dangerous componer</li> </ul>	its:	
EC number: 934-133-9	Calcium sulfoaluminate clinker Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	<i>≥</i> 3-<10%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	<i>≥</i> 3-<5%
· Additional information	For the wording of the listed hazard phrases refer to sec	tion 16.

# SECTION 4: First aid measures

· 4.1	Descript	ion of	first	aid	measures	

<ul> <li>After inhalation</li> </ul>	Supply fresh air.	
<ul> <li>After skin contact</li> </ul>	Instantly wash with water and soap and rinse thoroughly.	
<ul> <li>After eye contact</li> </ul>	Rinse opened eye for several minutes under running water.	
	Seek medical treatment.	
<ul> <li>After swallowing</li> </ul>	Rinse out mouth and then drink plenty of water.	
•	Seek medical treatment.	
		CD

(Contd. on page 3)



Page 3/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

Trade name MC-Montan Shot Seal

(Contd. of page 2)

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising
- from the substance or
- mixture
- 5.3 Advice for firefighters
- · Protective equipment:
- No special measures required.

No further relevant information available.

#### **SECTION 6: Accidental release measures**

<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental</li> </ul>	Not required.
precautions: • 6.3 Methods and material for containment and cleaning up	No special measures required. : Collect mechanically.
<ul> <li>6.4 Reference to other sections</li> </ul>	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

<ul> <li>7.1 Precautions for safe handling</li> <li>Information about protection</li> </ul>	Prevent formation of dust.	
against explosions and fires:	No special measures required.	
<ul> <li>7.2 Conditions for safe storag</li> <li>Storage</li> <li>Requirements to be met by</li> </ul>	e, including any incompatibilities	
storerooms and containers: Information about storage in	No special requirements.	
one common storage facility: • Further information about	Not required.	
storage conditions:	Keep container tightly sealed.	
· Storage class	13	GB
		(Contd. on page 4)



Page 4/9

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

#### Trade name MC-Montan Shot Seal

(Contd. of page 3)

SECTION 0. Exposure	controls/personal protection
8.1 Control parameters	
Components with critical v	values that require monitoring at the workplace:
CAS: 65997-15-1 Portland	
WEL Long-term value: 10* 4	1** mg/m³
*inhalable dust **respi	rable dust
DNELs	
CAS: 65997-15-1 Portland	cement
Inhalative DNEL 1 mg/m³ (/	ArL)
Additional information:	The lists that were valid during the compilation were used as ba
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
	sures, such as personal protective equipment
General protective and hygienic measures	Keen away from foodstuffer beyerages and food
nygienic measures	Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
Breathing equipment:	If the limit value is exceeded, respiratory protection with part
2. cating equipment.	filter P2 (white) is required.
	In case of brief exposure or low pollution or when application
	performed at confined area with adequate mechanical ventilation
	meeting local authority requirements, use breathing fi
	apparatus. In case of intensive or longer exposure use breath
	apparatus that is independent of circulating air.
Hand protection	Protective gloves.
	Selection of the glove material on consideration of the penetral
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmeti
Material of gloves	Strong gloves
	The selection of the suitable gloves does not only depend on
	material, but also on further marks of quality and varies fi
	manufacturer to manufacturer. As the product is a preparation
	several substances, the resistance of the glove material can not
	calculated in advance and has therefore to be checked prior to
Donotration time of alors	application.
Penetration time of glove material	The exact breakthrough time must be obtained from the protec
material	glove manufacturer and must be observed.
Eye/face protection	Not required.
Body protection:	Protective work clothing.
Body protection.	

(Contd. on page 5)



Page 5/9

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

Trade name MC-Montan Shot Seal

(Contd. of page 4)

9.1 Information on basic physical and che General Information	micai properties
Colour:	Grey
Smell:	Recognisable
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	····
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))
Flash point:	Not applicable
рН .	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Partly soluble
Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))
Density and/or relative density	
Density at 20 °C	2 g/cm³
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of hea	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	Void
flammable gases in contact with water	Void
Oxidising liquids	Void Void
Oxidising solids Organic perovides	Vola Void
Organic peroxides Corrosive to metals	Void
CULLOSIVE LU ILLELAIS	VUIU



Page 6/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

(Contd. of page 5)

#### Trade name MC-Montan Shot Seal

Desensitised explosives

Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.

- · Acute toxicity
- · LD/LC50 values that are relevant for classification:
- CAS: 65997-15-1 Portland cement
- Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat)
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction. Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity · Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · STOT-repeated exposure · Aspiration hazard Based on available data, the classification criteria are not met. · 11.2 Information on other hazards · Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- · 12.2 Persistence and degradability

No further relevant information available.

No further relevant information available.

(Contd. on page 7)

GB



Page 7/9

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

#### Trade name MC-Montan Shot Seal

	(Contd. of page 6)
· 12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
· 12.5 Results of PBT and vP	vB assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
<sup>•</sup> 12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting properties.
<sup>.</sup> 12.7 Other adverse effects	
· Additional ecological inform	nation:
General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### **SECTION 13: Disposal considerations**

<ul> <li>13.1 Waste treatment method</li> <li>Recommendation</li> </ul>	ods Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
<ul> <li>Uncleaned packagings:</li> <li>Recommendation:</li> </ul>	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

# SECTION 14: Transport information · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Void

· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	<b>ing to</b> Not applicable.	

(Contd. on page 8)

GB



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Void

Revision: 02.03.2024

(Contd. of page 7)

#### Trade name MC-Montan Shot Seal

· UN "Model Regulation":

SECTION 15: Regulatory information · 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture No further relevant information available. · Poisons Act · Regulated explosives precursors None of the ingredients is listed. · Regulated poisons None of the ingredients is listed. · Reportable explosives precursors None of the ingredients is listed. · Reportable poisons None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
<ul> <li>Department issuing data specification sheet:</li> <li>Abbreviations and acronyms:</li> </ul>	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
	LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent (Contd. on page 9)

# Page 8/9

GB



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 02.03.2024

Version number 21 (replaces version 20)

Revision: 02.03.2024

#### Trade name MC-Montan Shot Seal

(Contd. of page 8)

GB

Page 9/9

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 \* Data compared to the previous version altered.