

Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Page 1/9

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-PowerFlow Perma
Article number: 1.2 Relevant identified uses of the substance or mixture	3140
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

· Hazard-determining

components of labelling:

Hazard statements
 Precautionary statements

2-Octyl-2H-isothiazol-3-on

H317 May cause an allergic skin reaction.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/9

## Safety data sheet according to UK REACH

Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Trade name MC-PowerFlow Perma

		(Contd. of page 1
	P280	Wear protective gloves.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P333+P313	If skin irritation or rash occurs: Get medical advice attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<ul> <li>Additional information:</li> <li>2.3 Other hazards</li> </ul>	Contains bio	ocidal products: 2-Octyl-2H-isothiazol-3-on
· Results of PBT and vPvB a	issessment	
· PBT:	Not applicat	ole.
· vPvB:	Not applicat	

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures · Description:

Mixture consisting of the following components.	
---	--

CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 ( $M$ =100); Aquatic Chronic 1, H410 ( $M$ =100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C $\geq$ 0.0015 %	

## SECTION 4: First aid measures

• 4.1 Description of first aid	measures
General information	For all first aid measures: observe self-protection and consult a doctor!
<ul> <li>After inhalation</li> </ul>	Take the person out into the fresh air.
· After skin contact	Remove contaminated clothing immediately. Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.

(Contd. on page 3)



Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Trade name MC-PowerFlow Perma

(Contd. of page 2)

Page 3/9

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
   Protective equipment:

No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
   6.2 Environmental precautions: Dilute with much water.
   6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - 6.4 Reference to other sections

No dangerous materials are released.

## SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle. · 7.2 Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and containers: Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
- Information about storage in one common storage facility: Combined storage bans apply from a total storage quantity of 200 kg.

(Contd. on page 4)



Page 4/9

## Safety data sheet according to UK REACH

Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

### Trade name MC-PowerFlow Perma

	(Contd. of page 3)
	Do not store together with substances of the following LGK: 1; 5.1A: 5.2: 6.2: 7
	5.1A, 5.2, 6.2, 1
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
<ul> <li>Further information about</li> </ul>	
storage conditions:	None.

storage conditions: • Storage class

12

## SECTION 8: Exposure controls/personal protection

<ul> <li>8.1 Control parameters</li> <li>Components with critical values that require monitoring at the workplace:</li> </ul>	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· Additional information:	The lists that were valid during the compilation were used as basis.
	No further data; see section 7. es, such as personal protective equipment
General protective and	- · · · · · · · · · · · · · · · · · · ·
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
	Avoid contact with eyes, skin and clothing! Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream). Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!
· Breathing equipment:	If the limit value is exceeded: Combination filter A-P2 (brown/white).
· Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number). When wearing protective gloves, cotton undergloves are recommended.
· Material of gloves	see "Hand protection"
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
<ul> <li>Eye/face protection</li> </ul>	Gauze goggles
Body protection:	Alkali-resistant protective clothing
· Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

(Contd. on page 5)



Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Trade name MC-PowerFlow Perma

(Contd. of page 4)

Page 5/9

9.1 Information on basic physical and che General Information	mical properties	
Colour:	Light brown	
Smell:	Characteristic	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	100 °C (CAS: 7732-18-5 Water)	
Flash point:	Not applicable	
pH at 20 °C	4.9	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)	
Density and/or relative density		
Density at 20 °C	1.05 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit	Void	
flammable gases in contact with water	Void	
Oxidising liquids Oxidising solids	Void	
Oxidising solids Organic peroxides	Void Void	
Corrosive to metals	Void Void	
	VOIU	



Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

(Contd. of page 5)

Trade name MC-PowerFlow Perma

Desensitised explosives

Void

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available. 10.2 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50	values tha	at are relevant for classification:	
CAS: 265	30-20-1 2-	Octyl-2H-isothiazol-3-on	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
Respirato sensitisat Germ cell Carcinogo Reproduc STOT-sin STOT-rep Aspiration 11.2 Infor	tion I mutagen enicity ctive toxic gle expos peated exp n hazard	May cause an allergic skin reaction.icityBased on available data, the classification criteria are not met.Based on available data, the classification criteria are not met.ityBased on available data, the classification criteria are not met.ureBased on available data, the classification criteria are not met.	
Endocrin	e disruptii	ng properties	
None of th	e ingredie	nts is listed.	

(Contd. on page 7)

Page 6/9



Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Trade name MC-PowerFlow Perma

(Contd. of page 6)

Page 7/9

12.1 Toxicity Aquatic toxicity:	
<u> </u>	
CAS: 26530-20-1 2-Octy	
EC50/48h 0.42 mg/l (Da	phnien)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupti	
properties	The product does not contain substances with endocrine disruptin
	properties.
12.7 Other adverse effe	
Additional ecological in	
General notes:	Do not allow undiluted product or large quantities of it to read
	ground water, water bodies or sewage system.

<ul> <li>13.1 Waste treatment methor</li> <li>Recommendation</li> </ul>	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
<ul> <li>Uncleaned packagings:</li> <li>Recommendation:</li> <li>Recommended cleaning</li> </ul>	Disposal must be made according to official regulations.
agent:	Water, if necessary with cleaning agent.

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	



Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Trade name MC-PowerFlow Perma

	(Contd. of page 7)
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordin IMO instruments</li> </ul>	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

<ul> <li>15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</li> <li>Poisons Act</li> </ul>	No further relevant information available.
· Regulated explosives precurs	sors
None of the ingredients is listed	
· Regulated poisons	
None of the ingredients is listed	
· Reportable explosives precur	rsors
None of the ingredients is listed	
· Reportable poisons	
None of the ingredients is listed	
<ul> <li>15.2 Chemical safety assessment:</li> </ul>	A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H301	Toxic if swallowed.
	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H330	Fatal if inhaled.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
		(Contd. on page 9)

Page 8/9

GB



Printing date 15.04.2025

Version number 33 (replaces version 32)

Revision: 15.04.2025

Page 9/9

### Trade name MC-PowerFlow Perma

	(Contd. of page EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
	RID: Règlement international concernant le transport des marchandis
	dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Dangero Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazar Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqua hazard – Category 1
* Data compared to the previous version altered.	

GB -