

Page 1/9

Safety data sheet according to UK REACH

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

unuertaking	
1.1 Product identifier	
 Trade name 1.2 Relevant identified uses o Sector of Use 	<u>MC-RIM PW 111</u> f the substance or mixture and uses advised against SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 Application of the substance / the mixture 	Mineral coating
 1.3 Details of the supplier of the supplier. Manufacturer/Supplier: 	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

[•] 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word

Danger

 Hazard-determining components of labelling:

Portland cement (low chromate) Flue dust, portland cement

(Contd. on page 2)

⁻ GB



Page 2/9

Safety data sheet according to UK REACH

Printing date 15.04.2025	Version number 29 (replaces version 28)	Revision: 15.04.2025

Trade name MC-RIM PW 111

		(Contd. of page 1)
[.] Hazard statements	H315 Causes skir	irritation.
	H318 Causes seri	ious eve damage
		respiratory irritation.
		· ·
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P305+P351+P338	B IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	, , , , , , , , , , , , , , , , , , , ,
		Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
2.3 Other hazards		• /
Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	

vPvB: Not applicable.

SECTION 3: Com	position/information of	on inaredients

- · 3.2 Mixtures
- · Description:

Mixture consisting of the following components.

· Dangerous components:		
	cement (low chromate)	<i>≥</i> 20- <i>≤</i> 30%
EINECS: 266-043-4 Eye Dam	. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3 Flue dust	, portland cement	≥1-<1.5%
EINECS: 270-659-9 Eye Dam	. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
Additional information	For the wording of the listed hazard phrases refer to se	ction 16.

SECTION 4: First aid measures

• 4.1 Description of first aid	d measures
[.] General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

(Contd. on page 3)



Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-RIM PW 111

(Contd. of page 2)

Page 3/9

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising
- from the substance or mixture
- 5.3 Advice for firefighters
- Protective equipment:
- No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
 6.2 Environmental precautions: No special measures required.
 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.
- SECTION 7: Handling and storage
- 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by storerooms and containers:	Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2; 7
	(Contd. on page 4)



Page 4/9

Safety data sheet according to UK REACH

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-RIM PW 111

(Contd. of page 3) Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C

 Further information about storage conditions:
 Storage class

Store in a dry and frost-free place.

SECTION 8: Exposure controls/personal protection

11

Components with critical v	alues that require monitoring at the workplace:
CAS: 65997-15-1 Portland of	cement (low chromate)
WEL Long-term value: 10* 4	** mg/m³
*inhalable dust **respir	able dust
DNELs	
CAS: 65997-15-1 Portland of	cement (low chromate)
Inhalative DNEL 1 mg/m ³ (A	ArL)
Additional information:	The lists that were valid during the compilation were used as basi
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
	ures, such as personal protective equipment
General protective and	
hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area!
	Avoid contact with eyes and skin!
	Clean hands thoroughly at the end of work and before breaks!
	Use skin care products after work (moisturising cream).
	Change and clean heavily soiled clothing!
	Change clothes at the end of work!
	Apply greasy skin protection ointment before starting work an after every break.
Breathing equipment:	For work with higher dust loads particle filter class P2
Hand protection	Check protective gloves prior to each use for their proper condition
Material of gloves	Nitrile impregnated cotton gloves.
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protecti
	glove manufacturer and must be observed.
Eye/face protection	Safety glasses
Body protection:	Protective work clothing.
Skin protection	Use greasy skin protection ointment for all uncovered parts of the

(Contd. on page 5)

GB



Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-RIM PW 111

(Contd. of page 4)

Page 5/9

Od Information on basis strates is the	
9.1 Information on basic physical and cher	nical properties
General Information Physical state	Solid.
Colour:	Grey
Smell:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	Not determined
boiling range	2230 °C (CAS: 14808-60-7 Quartz sand)
Flammability	Not determined.
Lower and upper explosion limit	Not determined.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not applicable Not determined.
pH	Mixture reacts violently with water.
	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Soluble
Partition coefficient n-octanol/water (log	Colubic
value)	Not determined.
Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz sand)
Density and/or relative density	
Density at 20 °C	2.7 g/cm³
Relative density	Not determined.
Settled apparent density	1 kg/m^3
Vapour density	Not applicable.
• •	
9.2 Other information	
Appearance: Form:	Powder
Important information on protection of hea	
and environment, and on safety.	11(11
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical haza classes	ard
Explosives	Void
Flammable gases	Void
Aerosols	Void

(Contd. on page 6)

- GB -



Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Page 6/9

Trade name MC-RIM PW 111

		(Contd. of page 5
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

	IN 10- St	ability and	<i>reactivity</i>
SLUNO		αρπιν απα	

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available. stable
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement (low chromate)

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

Primary irritant effect:

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- STOT-single exposure May cause respiratory irritation.

(Contd. on page 7)

GB -



Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

(Contd. of page 6)

Trade name MC-RIM PW 111

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available. · 12.2 Persistence and No further relevant information available. degradability · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. · 12.7 Other adverse effects · Additional ecological information: · General notes: Do not allow undiluted product or large quantities of it to reach

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment metho • Recommendation	ods Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

SECTION 14: Transport information		
Void		
Void		

Page 7/9



Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Page 8/9

Trade name MC-RIM PW 111

		(Contd. of page 7
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
[.] Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- **Regulated explosives precursors** None of the ingredients is listed.
- · Regulated poisons
- None of the ingredients is listed.
- · Reportable explosives precursors

None of the ingredients is listed.

- · Reportable poisons
- None of the ingredients is listed.
- · Directive 2012/18/EU · Named dangerous
- substances ANNEX I
- 15.2 Chemical safety assessment:

None of the ingredients is listed.

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information		
· · · · · · · · · · · · · · · · · · ·	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
• Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)	
	(Contd. on page 9)	



Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Page 9/9

Trade name MC-RIM PW 111

	(Contd. of page 8
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses pa
	route (European Agreement Concerning the International Carriage of Dangerou
	Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (UK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
• * Data compared to the	
previous version altered.	