

Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Page 1/9

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

4.4. Due due 4 ide u fifie u	
· 1.1 Product identifier	
<ul> <li>Trade name</li> <li>1.2 Relevant identified uses of the substance or mixture</li> </ul>	<u>MC-TechniFlow 101</u>
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
<sup>.</sup> 1.3 Details of the supplier of t	he safety data sheet
· Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms
- GHS07

· Signal word

Warning

- Hazard-determining components of labelling:
- Hazard statements
   Precautionary statements

2-Octyl-2H-isothiazol-3-on H317 May cause an allergic skin reaction. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. (Contd. on page 2)

page ∠) —— GB



Page 2/9

## Safety data sheet according to UK REACH

Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Trade name MC-TechniFlow 101

	P280	(Contd. of page 1) Wear protective gloves.
		Take off contaminated clothing and wash it before
	P333+P313	reuse. 3 If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<ul> <li>Additional information:</li> <li>2.3 Other hazards</li> </ul>	Contains bi	ocidal products: 2-Octyl-2H-isothiazol-3-on
<ul> <li>Results of PBT and vPvB a</li> </ul>	ssessment	
· PBT:	Not applica	ble.
· vPvB:	Not applica	ble.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures · Description:

Mixture consisting of the following components.	
---	--

<ul> <li>Dangerous comport</li> </ul>	nents:	
	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 ( $M$ =100); Aquatic Chronic 1, H410 ( $M$ =100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C $\geq$ 0.0015 %	
· Additional informa	tion For the wording of the listed hazard phrases re	efer to section 16.

### SECTION 4: First aid measures

• 4.1 Description of first aid	d measures
General information	For all first aid measures: observe self-protection and consult a doctor!
<ul> <li>After inhalation</li> </ul>	Take the person out into the fresh air.
· After skin contact	Remove contaminated clothing immediately. Hold affected areas under cold running water for at least 15
	minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.
	GB

(Contd. on page 3)



Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Trade name MC-TechniFlow 101

(Contd. of page 2)

Page 3/9

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
   Protective equipment:

No special measures required.

#### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures Not required.
 6.2 Environmental precautions: Dilute with much water.
 6.3 Methods and material for

**6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 6.4 Reference to other sections

No dangerous materials are released.

#### SECTION 7: Handling and storage

 • 7.1 Precautions for safe handling
 Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open.

Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by	
storerooms and containers:	Avoid splashing.
	Avoid dust development with powder products.
	Limit the storage quantity at the workplace to one shift requirement.
	Do not leave containers open.
	Provide washing facilities in the work area.
	Provide an eye shower or eyewash bottle.
<ul> <li>Information about storage in</li> </ul>	
one common storage facility:	Combined storage bans apply from a total storage quantity of 200 kg.

GB



Page 4/9

### Safety data sheet according to UK REACH

Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Trade name MC-TechniFlow 101

(Contd. of page 3) Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C

- Further information about storage conditions:
- Storage class

None. 12

### SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters • Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· Additional information:	The lists that were valid during the compilation were used as basis.
	No further data; see section 7. es, such as personal protective equipment
· General protective and	Do not store any foodstuffe or out drink anyther areas in the
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
	Avoid contact with eyes, skin and clothing!
	Clean hands thoroughly after work and before cleaning!
	Use skin care products after work (moisturising cream).
	Change wet/uncleaned clothing immediately, place in water and
	only use again after cleaning!
<ul> <li>Breathing equipment:</li> </ul>	If the limit value is exceeded:
	Combination filter A-P2 (brown/white).
· Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).
	When wearing protective gloves, cotton undergloves are recommended.
<ul> <li>Material of gloves</li> </ul>	see "Hand protection"
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
• Eye/face protection	Gauze goggles
Body protection:	Alkali-resistant protective clothing
Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

(Contd. on page 5)



Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Trade name MC-TechniFlow 101

(Contd. of page 4)

Page 5/9

9.1 Information on basic physical and cher	mical properties	
General Information		
Colour:	Brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and		
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	5	
Viscosity:	Ũ	
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility	100 111 83	
Water:	Fully miscible	
	23 hPa	
Steam pressure at 20 °C: Density and/or relative density	23 11Fa	
Density and/or relative density	$1.02  a/am^3$	
Density at 20 °C	1.02 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
	•	
Information with regard to physical haza	ard	
classes	Void	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Organic peroxides		

- GB



Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

(Contd. of page 5)

Trade name MC-TechniFlow 101

Desensitised explosives

Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available. 10.2 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50	values tha	t are relevant for classification:	
CAS: 265	30-20-1 2-	Octyl-2H-isothiazol-3-on	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
Respirato sensitisat Germ cell Carcinogo Reproduc STOT-sin STOT-rep Aspiration 11.2 Infor	tion I mutagen enicity ctive toxic gle expos peated exp n hazard	May cause an allergic skin reaction.icityBased on available data, the classification criteria are not met.Based on available data, the classification criteria are not met.ityBased on available data, the classification criteria are not met.ureBased on available data, the classification criteria are not met.	
		ng properties	
		nts is listed.	
	-		

(Contd. on page 7)

Page 6/9



Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Trade name MC-TechniFlow 101

(Contd. of page 6)

Page 7/9

· 12.1 Toxicity · Aquatic toxicity:	
, ,	1 24 isothiozol 2 on
CAS: 26530-20-1 2-Octy	
EC50/48h 0.42 mg/l (Dap	onnien)
12.2 Persistence and	
degradability	No further relevant information available.
<sup>.</sup> 12.3 Bioaccumulative	
potential	No further relevant information available.
<sup>.</sup> 12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and	l vPvB assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
<sup>.</sup> 12.6 Endocrine disrupti	ng
properties	The product does not contain substances with endocrine disruptin properties.
12.7 Other adverse effect	
· Additional ecological in	
· General notes:	Do not allow undiluted product or large quantities of it to reac
General notes.	ground water, water bodies or sewage system.

<ul> <li>13.1 Waste treatment metho</li> <li>Recommendation</li> </ul>	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
<ul> <li>Uncleaned packagings:</li> <li>Recommendation:</li> <li>Recommended cleaning</li> </ul>	Disposal must be made according to official regulations.
agent:	Water, if necessary with cleaning agent.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	



Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Trade name MC-TechniFlow 101

	(Contd. of page 7)
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

OFOTION	45.0		
SECTION	15: Rea	ulatorv i	nformation

<ul> <li>15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</li> <li>Poisons Act</li> </ul>	No further relevant information available.
Regulated explosives precurs	ors
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precurs	sors
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
<ul> <li>15.2 Chemical safety assessment:</li> </ul>	A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

, , ,		5 5
· Relevant phrases	H301	Toxic if swallowed.
•	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H330	Fatal if inhaled.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
		(Contd. on page 9)
		GB

Page 8/9



Printing date 30.03.2025

Version number 19 (replaces version 18)

Revision: 30.03.2025

Page 9/9

Trade name MC-TechniFlow 101

	(Contd. of page EUH071 Corrosive to the respiratory tract.
· Department issuing data	
specification sheet:	Environment protection department.
Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the Internatio Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Danger Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazar
	Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqua hazard – Category 1
<ul> <li>* Data compared to the previous version altered.</li> </ul>	

GB -