

Page 1/10

Safety data sheet according to UK REACH

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-TechniFlow 11
Article number: 1.2 Relevant identified uses of the substance or mixture	2717
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



- [.] Signal word
- Hazard-determining components of labelling:

· Hazard statements

2-Octyl-2H-isothiazol-3-on triisobutyl phosphate H317 May cause an allergic skin reaction.

(Contd. on page 2)

GB



Page 2/10

Safety data sheet according to UK REACH

	accordin	g to on the norm	
Printing date 14.04.2025	Version number	34 (replaces version 33)	Revision: 14.04.2025
Trade name MC-TechniFlow	11		
			(Contd. of page 1)
 Precautionary statements 	s P261	Avoid breathing dust/fume/g	as/mist/vapours/spray.
-	P280	Wear protective gloves.	
	P362+P364	4 Take off contaminated clo reuse.	thing and wash it before
	P333+P31	3 If skin irritation or rash oco attention.	curs: Get medical advice/
	P321	Specific treatment (see on th	his label).
	P501	Dispose of contents/contents/contents/contents/contents/	ainer in accordance with
 Additional information: 2.3 Other hazards 	Contains bi	iocidal products: 2-Octyl-2H-is	sothiazol-3-on

· Results of PBT and vPvB assessment

· PBT: · vPvB:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

	-	
•	Dangerous	component

CAS: 126-71-6	triisobutyl phosphate	<i>≥</i> 0.1-<0.5%
EINECS: 204-798-3	Skin Sens. 1, H317	
	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid	measures
• 4.1 Description of first ai	d measures
General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Take the person out into the fresh air.
· After skin contact	Remove contaminated clothing immediately.
	Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or
	use eye rinsing solution. Always consult an ophthalmologist!
	(Contd. on page 3



Page 3/10

GB

Safety data sheet

	according to UK REACH	
Printing date 14.04.2025	Version number 34 (replaces version 33)	Revision: 14.04.2025
Trade name MC-TechniFlo	w 11	
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.	(Contd. of page 2)
SECTION 5: Firefig	yhting measures	
	agents CO2, extinguishing powder or water j water jet or alcohol-resistant foam.	iet. Fight larger fires with
 5.2 Special hazards an from the substance or mixture 5.3 Advice for firefight 	. No further relevant information available.	
Protective equipment:		

SECTION 6: Accidental release measures

	6.1 Personal precautions, protective equipment and	
	emergency procedures	Not required.
	6.2 Environmental	
	precautions:	Dilute with much water.
•	6.3 Methods and material for	
	containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
	6.4 Reference to other	
	sections	No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for saf	
handling	Avoid splashing.
	Avoid dust development with powder products.
	Limit the storage quantity at the workplace to one shift requirement.
	Do not leave containers open.
	Provide washing facilities in the work area.
	Provide an eye shower or eyewash bottle.
. 7.2 Conditions for sofe	storage including any incompatibilities
 7.2 Conditions for safe Storage 	e storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle. (Contd. on page 4)



Page 4/10

Safety data sheet according to UK REACH

Printing date 14.04.2025Version number 34 (replaces version 33)Revision: 14.04.2025

Trade name MC-TechniFlow 11

	(Contd. of page 3)
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200
	kg. Do not store together with substances of the following LGK: 1; 5.1A: 5.2: 6.2: 7
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
 Further information about storage conditions: 	None.
· Storage class	12

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 126-71-6 triisobutyl phosphateOralDNEL2.13 mg/kg bw/Tag (ArL)DermalDNEL4.25 mg/kg bw/day (ArL)InhalativeDNEL50 mg/m³ (ArL)

· PNECs

CAS: 126-71-6 triisobutyl phosphate

PNEC 3.72 mg/l (Kla)

0.0011 mg/l (Mew)

- 0.011 mg/l (Freshwater)
- PNEC 0.308 mg/kg dwt (Bod)

0.158 mg/kg dwt (Sediment)

1.58 mg/kg dwt (Fresh water sediment)

· Additional information:

- · 8.2 Exposure controls
- Appropriate engineering controls

No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
 Avoid contact with eyes, skin and clothing!
 Clean hands thoroughly after work and before cleaning!
 Use skin care products after work (moisturising cream).
 Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!

The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

GB



Page 5/10

Safety data sheet according to UK REACH

	J	
Printing date 14.04.2025	Version number 34 (replaces version 33)	Revision: 14.04.2025
Trade name MC-TechniFlow	v 11	
		(Contd. of page 4)
• Breathing equipment:	If the limit value is exceeded: Combination filter A-P2 (brown/white).	
• Hand protection	Gloves made of: Natural latex, polychloro (Category 3 chemical protective gloves mark with four-digit test number). When wearing protective gloves, o recommended.	, recognisable by the CE
 Material of gloves Penetration time of gloves 	see "Hand protection" ve	
material	The exact breakthrough time must be ob glove manufacturer and must be observe	
 Eye/face protection Body protection: Skin protection 	Gauze goggles Alkali-resistant protective clothing Use greasy skin protection ointment for body!	all uncovered parts of the

9.1 Information on basic physical and	chemical properties	
General Information		
Colour:	Brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point an	nd	
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	4.64	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 ĥPa	
Density and/or relative density		
Density at 20 °C	1.15 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection o		
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
	· ·	
Information with regard to physical	hazard	
classes		
Explosives	Void	
Flammable gases	Void	



Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Page 6/10

Trade name MC-TechniFlow 11

		(Contd. of page
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity		
· 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition /	No further relevant information available.	
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.	
reactions	No dangerous reactions known	
 10.4 Conditions to avoid 	No further relevant information available.	
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.	
decomposition products:	No dangerous decomposition products known	

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50	values ti	hat are relevant for classification:
CAS: 12	6-71-6 trii	isobutyl phosphate
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
CAS: 26	530-20-1	2-Octyl-2H-isothiazol-3-on
Oral	LD50	125 mg/kg (ATE)
		500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)
		(Contd. on page

- GB



Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Page 7/10

Trade name MC-TechniFlow 11

	(Contd. of page 6	
Inhalative LC50/4 h 0.27 mg	/I (ATE)	
0.6 mg/l	(rat)	
Primary irritant effect:		
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
[.] Respiratory or skin		
sensitisation	May cause an allergic skin reaction.	
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
· Carcinogenicity	Based on available data, the classification criteria are not met.	
· Reproductive toxicity	Based on available data, the classification criteria are not met.	
· STOT-single exposure	Based on available data, the classification criteria are not met.	
· STOT-repeated exposure	Based on available data, the classification criteria are not met.	
· Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2 Information on other ha	azards	
· Endocrine disrupting prope	rties	
None of the incredients is liste	he	

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

	,			
· Aquatic to	•			
CAS: 126	-71-6 triisobutyl pho	osphate		
EC50/24h	EC50/24h 10-100 mg/l (Daphnia magna)			
EC50/72h	10-100 mg/l (Scenedesmus subspicatus)			
LC50/96h	>100 mg/l (Oncorhynchus mykiss)			
	10-100 mg/l (Leucidus idus)			
EC50	>100 mg/l (Pseudomonas putida)			
NOEC	37 mg/l (BEL)			
CAS: 265	30-20-1 2-Octyl-2H-i	sothiazol-3-on		
EC50/48h	0.42 mg/l (Daphnier)		
· 12.2 Pers	istence and			
degradab		No further relevant information available.		
	ccumulative			
potential		No further relevant information available.		
· 12.4 Mobi		No further relevant information available.		
· 12.5 Resu	ilts of PBT and vPvB			
· PBT:		Not applicable.		
· vPvB:		Not applicable.		
· 12.6 Endo	ocrine disrupting			
properties	S	The product does not contain substances with endocrine disrupting		
		properties.		
· 12.7 Othe	r adverse effects			
· Additiona	l ecological informa	ation:		
· General n		Do not allow product to reach ground water, water bodies or sewage system.		
		(Contd. on page 8)		

GB



Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Page 8/10

Trade name MC-TechniFlow 11

(Contd. of page 7) Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- Recommendation
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings:
 Recommendation:
 Disposal must be made according to official regulations.
- Recommended cleaning agent:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user 	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 9)

GB



Page 9/10

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

Poisons Act		(Contd. of page
Regulated explosives p	recursors	
None of the ingredients is	listed.	
Regulated poisons		
None of the ingredients is	listed.	
Reportable explosives p	orecursors	
None of the ingredients is	listed.	
Reportable poisons		
None of the ingredients is	listed.	
15.2 Chemical safety assessment:	A Chem	nical Safety Assessment has not been carried out.
	our present kn	owledge. However, they shall not constitute a guarantee t
any analifia product fact	ires and shall n	ot establish a legally valid contractual relationship.
Relevant phrases	H301	Toxic if swallowed.

EUH071 Corrosive to the respiratory tract.

· Department issuing data specification sheet: Environment protection department. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1

GB



Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

(Contd. of page 9)

Page 10/10

Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

 * Data compared to the previous version altered.

GB