



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Muraplast FK 20

· **Article number:** 267

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Concrete/Mortar admixtures

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to**

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard-determining components of labelling:**

2-Octyl-2H-isothiazol-3-on

· **Hazard statements**

H317 May cause an allergic skin reaction.

· **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 1)

- P280 Wear protective gloves.
 - P362+P364 Take off contaminated clothing and wash it before reuse.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P321 Specific treatment (see on this label).
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Contains biocidal products: 2-Octyl-2H-isothiazol-3-on

· **Additional information:**

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:**

Not applicable.

· **vPvB:**

Not applicable.

SECTION 3: Composition/information on ingredients

- **3.1 Substances** Naphthalinsulfonsäurepolykondensat in wäßriger Lösung.
- **CAS No. Designation:** Void
- **Identification number(s):** Void
- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 26530-20-1 EINECS: 247-761-7	2-Octyl-2H-isothiazol-3-on Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.0015-<0.0025%
--------------------------------------	---	------------------

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** For all first aid measures: observe self-protection and consult a doctor!
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Remove contaminated clothing immediately.
Hold affected areas under cold running water for at least 15 minutes.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!

(Contd. on page 3)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

· **After swallowing**

*Drink plenty of water in small sips.
Do not induce vomiting.*

(Contd. of page 2)

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Void

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:**

No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Not required.

· **6.2 Environmental precautions:**

Dilute with much water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

No dangerous materials are released.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Avoid splashing.

Avoid dust development with powder products.

Limit the storage quantity at the workplace to one shift requirement.

Do not leave containers open.

Provide washing facilities in the work area.

Provide an eye shower or eyewash bottle.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:**

Avoid splashing.

Avoid dust development with powder products.

Limit the storage quantity at the workplace to one shift requirement.

Do not leave containers open.

Provide washing facilities in the work area.

Provide an eye shower or eyewash bottle.

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/9

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 3)

- **Information about storage in one common storage facility:** Combined storage bans apply from a total storage quantity of 200 kg.
Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7
Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
- **Further information about storage conditions:** None.
- **Storage class** 12

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
Avoid contact with eyes, skin and clothing!
Clean hands thoroughly after work and before cleaning!
Use skin care products after work (moisturising cream).
Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!
- **Breathing equipment:** If the limit value is exceeded:
Combination filter A-P2 (brown/white).
- **Hand protection** Gloves made of: Natural latex, polychloroprene, nitrile rubber.
(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).
When wearing protective gloves, cotton undergloves are recommended.
- **Material of gloves** see "Hand protection"
- **Penetration time of glove material** The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
- **Eye/face protection** Gauze goggles
- **Body protection:** Alkali-resistant protective clothing

(Contd. on page 5)

GB



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

· Skin protection

Use greasy skin protection ointment for all uncovered parts of the body!

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- **Colour:** Brown
- **Smell:** Characteristic
- **Melting point/freezing point:** Not determined
Not applicable
- **Boiling point or initial boiling point and boiling range** 100 °C (CAS: 9084-06-4 Naphthalene sulfonic acid, polymer with formaldehyde, sodium salt)
- **Flash point:** Not applicable
- **pH at 20 °C** 8
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **dynamic at 20 °C:** <100 mPas
- **Solubility**
- **Water:** Fully miscible
- **Steam pressure at 20 °C:** 23 hPa (CAS: 7732-18-5 Water)
- **Density and/or relative density**
- **Density at 20 °C** 1.1 g/cm³

· 9.2 Other information

- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.

· Information with regard to physical hazard classes

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 5)

- Oxidising liquids Void
- Oxidising solids Void
- Organic peroxides Void
- Corrosive to metals Void
- Desensitised explosives Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

Oral	LD50	125 mg/kg (ATE) 500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE) >2000 mg/kg (rat)
Inhalative	LC50/4 h	0.27 mg/l (ATE) 0.6 mg/l (rat)

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 6)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

EC50/48h 0.42 mg/l (Daphnien)

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

Not applicable.

· **vPvB:**

Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

· **Recommended cleaning agent:**

Water, if necessary with cleaning agent.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

(Contd. on page 8)



BE SURE. BUILD SURE.

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 7)

· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture** *No further relevant information available.*
 · **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/9

Safety data sheet according to UK REACH

Printing date 12.04.2025

Version number 32 (replaces version 31)

Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 8)

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**

Environment protection department.

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

GB