

Page 1/11

## Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Muraplast FK 63.17
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance</li> </ul>	1185 No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
<ul> <li>1.3 Details of the supplier of t</li> <li>Manufacturer/Supplier:</li> </ul>	he safety data sheet         MC-Bauchemie Müller GmbH & Co. KG         Am Kruppwald 1-8         D-46238 Bottrop         Tel.: +49(0)2041-101-0         Fax.: +49(0)2041-101-400         E-Mail: info@mc-bauchemie.de         MC-Bauchemie AG         Hagackerstr. 10         CH-8953 Dietikon         Tel.: +44-7400510         Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR)
numbel.	Tel.: +1 872 5888271 (MCR)

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:

2-Octyl-2H-isothiazol-3-on 1,2-benzisothiazol-3(2H)-one Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1)

(Contd. on page 2)

GB



Page 2/11

# Safety data sheet according to UK REACH

rinting date 13.04.2025	Version number 40 (replaces version 39)	Revision: 13.04.2025
rade name Muraplast FK 63.	.17	
		(Contd. of page 1
• Hazard statements	H317 May cause an allergic skin reaction.	
· Precautionary statements	P280 Wear protective gloves.	
	P362+P364 Take off contaminated clot reuse.	hing and wash it before
	P333+P313 If skin irritation or rash occu attention.	urs: Get medical advice
	P321 Specific treatment (see on thi	is label).
	P501 Dispose of contents/contai local/regional/national/interna	iner in accordance witl
· Additional information:	Contains biocidal products: 1,2-benzisoth 2H-isothiazol-3-on, Mixture of: 5-chloro-2 one and 2-methyl-2H-isothiazol-3-one (3:2	2-methyl-2H-isothiazol-3
<sup>.</sup> 2.3 Other hazards	2	,
<ul> <li>Results of PBT and vPvB</li> </ul>	assessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	
SECTION 3: Compos	ition/information on ingredients	
· 3.2 Mixtures		
· Description:	Mixture consisting of the following compo	nents.
· Dangerous components:		
CAS 2634-33-5 12	2-benzisothiazol-3(2H)-one	<0.025%

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	<0.025%
		(Contd. on page 3)



Printing date 13.04.2025 Version number

Version number 40 (replaces version 39)

Revision: 13.04.2025

Page 3/11

Trade name Muraplast FK 63.17

		(Contd. of page 2)
CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400	
	( <i>M</i> =100); Aquatic Chronic 1, H410 ( <i>M</i> =100); Skin	
	Sens. 1A, H317, EUH071	
	ATE: LD50 oral: 125 mg/kg	
	LD50 dermal: 311 mg/kg	
	LC50/4 h inhalative: 0.27 mg/l	
	Specific concentration limit:	
	Skin Sens. 1A; H317: C≥ 0.0015 %	
CAS: 55965-84-9 EC number: 911-418-6	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<i>≥</i> 0.00025-<0.0015%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318;	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1,	
	H410 (M=100); Skin Sens. 1A, H317, EUH071	
	Specific concentration limits:	
	Skin Corr. 1C; H314: C≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C $\geq$ 0.0015 %	
L	$0.0010.10, 10.11.0 \ge 0.0010.70$	

SECTION 4: F	irst aid measures

· 4.1 Description of first aid measures

· General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Take the person out into the fresh air.
<ul> <li>After skin contact</li> </ul>	Remove contaminated clothing immediately.
	Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.

#### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising

from the substance or mixture

No further relevant information available.

(Contd. on page 4)

<sup>-</sup> GB



Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

Trade name Muraplast FK 63.17

• 5.3 Advice for firefighters • Protective equipment:

No special measures required.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	Dilute with much water.
• 6.3 Methods and material for	
containment and cleaning up	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe	
handling	Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
<ul> <li>7.2 Conditions for safe storag</li> <li>Storage</li> </ul>	e, including any incompatibilities
<sup>·</sup> Requirements to be met by	
storerooms and containers:	Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
<ul> <li>Information about storage in</li> </ul>	
one common storage facility:	Combined storage bans apply from a total storage quantity of 200 kg.
	<i>Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7</i>
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
• Further information about	
storage conditions:	None. (Contd. on page 5)
	(Contra. on page 3)



(Contd. of page 3)

GB

Page 4/11



Revision: 13.04.2025

(Contd. of page 4)

Page 5/11

Printing date 13.04.2025

Version number 40 (replaces version 39)

12

1101011.10.01.202

Trade name Muraplast FK 63.17

Storage class

SECTION 8: Exposure co	ontrols/personal protection
8.1 Control parameters Components with critical values that require	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
<ul> <li>Additional information:</li> </ul>	The lists that were valid during the compilation were used as basis.
8.2 Exposure controls Appropriate engineering	
controls	No further data; see section 7.
	es, such as personal protective equipment
General protective and	
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
	Avoid contact with eyes, skin and clothing!
	Clean hands thoroughly after work and before cleaning!
	Use skin care products after work (moisturising cream). Change wet/uncleaned clothing immediately, place in water and
Proothing oguinmont,	only use again after cleaning! If the limit value is exceeded:
· Breathing equipment:	Combination filter A-P2 (brown/white).
· Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).
	When wearing protective gloves, cotton undergloves are recommended.
<ul> <li>Material of gloves</li> </ul>	see "Hand protection"
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
<ul> <li>Eye/face protection</li> </ul>	Gauze goggles
<ul> <li>Body protection:</li> </ul>	Alkali-resistant protective clothing
· Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

#### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and General Information	d chemical properties		
Colour:	Brown		
Smell:	Characteristic		
Melting point/freezing point: Not determined			

(Contd. on page 6)

<sup>-</sup> GB -



Safety data sheet

#### according to UK REACH

Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

Page 6/11

Trade name Muraplast FK 63.17

		(Contd. of page
Boiling point or initial boiling point and		
boiling range	100 °C (CAS: 7732-18-5 Water)	
Flash point:	Not applicable	
· pH at 20 °C	5	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)	
Density and/or relative density		
· Density at 20 °C	1.03 g/cm³	
9.2 Other information		
· Appearance:		
· Form:	Fluid	
<ul> <li>Important information on protection of heat</li> </ul>	alth	
and environment, and on safety.		
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
<ul> <li>Information with regard to physical haza classes</li> </ul>		
- Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
<sup>.</sup> Gases under pressure	Void	
· Gases under pressure · Flammable liquids	Void Void	
· Gases under pressure · Flammable liquids · Flammable solids	Void Void Void	
<ul> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> </ul>	Void Void Void Void	
<ul> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> </ul>	Void Void Void Void Void	
<ul> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> </ul>	Void Void Void Void Void Void	
<ul> <li>Gases under pressure</li> <li>Flammable liquids</li> <li>Flammable solids</li> <li>Self-reactive substances and mixtures</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> </ul>	Void Void Void Void Void	
Gases under pressure     Flammable liquids     Flammable solids     Self-reactive substances and mixtures     Pyrophoric liquids     Pyrophoric solids     Self-heating substances and mixtures     Substances and mixtures, which emit	Void Void Void Void Void Void	
Gases under pressure     Flammable liquids     Flammable solids     Self-reactive substances and mixtures     Pyrophoric liquids     Pyrophoric solids     Self-heating substances and mixtures     Substances and mixtures, which emit     flammable gases in contact with water	Void Void Void Void Void Void Void	
Gases under pressure     Flammable liquids     Flammable solids     Self-reactive substances and mixtures     Pyrophoric liquids     Pyrophoric solids     Self-heating substances and mixtures     Substances and mixtures, which emit     flammable gases in contact with water     Oxidising liquids	Void Void Void Void Void Void Void Void	
Gases under pressure     Flammable liquids     Flammable solids     Self-reactive substances and mixtures     Pyrophoric liquids     Pyrophoric solids     Self-heating substances and mixtures     Substances and mixtures, which emit     flammable gases in contact with water     Oxidising liquids     Oxidising solids	Void Void Void Void Void Void Void Void	
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void Void Void Void Void	
Gases under pressure     Flammable liquids     Flammable solids     Self-reactive substances and mixtures     Pyrophoric liquids     Pyrophoric solids     Self-heating substances and mixtures     Substances and mixtures, which emit     flammable gases in contact with water     Oxidising liquids     Oxidising solids	Void Void Void Void Void Void Void Void	

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No further relevant information available.

No decomposition if used according to specifications.

(Contd. on page 7)

GB



Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

Page 7/11

Trade name Muraplast FK 63.17

STOT-repeated exposure

11.2 Information on other hazards
 Endocrine disrupting properties
 None of the ingredients is listed.

· Aspiration hazard

10 3 Poss	ibility of I	hazardous		(Contd. of page 6)
reactions	-	iazaiuous	No dangerous reactions known	
• 10.4 Conditions to avoid • 10.5 Incompatible materials: • 10.6 Hazardous		avoid	No further relevant information available.	
			No further relevant information available.	
decompo	sition pro	ducts:	No dangerous decomposition products known	
SECTIO	N 11: To	oxicologi	cal information	
11.1 Infor Acute tox		hazard cl	asses as defined in Regulation (EC) No 1272 Based on available data, the classification crite	
LD/LC50	values tha	at are relev	ant for classification:	
CAS: 263	4-33-5 1,2	-benzisoth	iazol-3(2H)-one	
Oral	LD50	1020 mg/k	g (rat)	
Dermal	LD50	>2000 mg	/kg (rat)	
CAS: 265	30-20-1 2-	Octyl-2H-is	sothiazol-3-on	
Oral	LD50	- 125 mg/kg	(ATE)	
		500 mg/kg	(rat)	
Dermal	LD50	311 mg/kg	. ,	
			>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l		
		0.6 mg/l (r		
CAS: 559	65-84-9 M		5-chloro-2-methyl-2H-isothiazol-3-one a	nd 2-methvl-2H-
		othiazol-3-		
Oral	LD50	49.6-75 m	g/kg (rat)	
Dermal	LD50	87.12 mg/	87.12 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.171 mg/l (rat)		
Primary in				
	osion/irrit		Based on available data, the classification crite	eria are not met.
Respirato				
sensitisat		ioitu	May cause an allergic skin reaction.	vria ara nat mat
Germ cell Carcinog		icity	Based on available data, the classification crite Based on available data, the classification crite	
	ctive toxic	itv	Based on available data, the classification crite	
STOT-single exposure			Based on available data, the classification crite	

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

GB

(Contd. on page 8)



Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

Trade name Muraplast FK 63.17

(Contd. of page 7)

Page 8/11

12.1 Toxic Aquatic to	-		
-	-	othiazol-3(2H)-one	
	-	idokirchneriella subcapitata)	
2030/7211	- ·	. ,	
1 C 50/06h	0.11 mg/l (Selenastrum capricornutum) 1.6 mg/l (Oncorhynchus mykiss)		
	1.1 mg/l (Daphnia magna)		
	30-20-1 2-Octyl-2H-isothiazol-3-on		
	0.42 mg/l (Daphr		
	• • •	of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H	
CA3. 3390		l-3-one (3:1)	
LC50/24h	0.19 mg/l (fish)		
EC50/72h	0.027 mg/l (Pseudokirchneriella subcapitata)		
LC50/96h	0.19 mg/l (Oncorhynchus mykiss)		
	0.28 mg/l (fish)		
	0.16 mg/l (Daphnia magna)		
NOEC	0.02 mg/l (Oncorhynchus mykiss)		
	0.00049 mg/l (Ske)		
	0.1 mg/l (Daphnia magna)		
	stence and		
degradability		No further relevant information available.	
12.3 Bioaccumulative potential		No further relevant information available.	
12.4 Mobility in soil		No further relevant information available.	
12.5 Resu	Its of PBT and v	PvB assessment	
PBT:		Not applicable.	
vPvB:		Not applicable.	
12.6 Endocrine disrupting properties		The product does not contain substances with endocrine disrupt	
		properties.	
	r adverse effects		
	l ecological info		
General n	Ules:	Do not allow undiluted product or large quantities of it to rea ground water, water bodies or sewage system.	

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

GB



Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

(Contd. of page 8)

Page 9/11

Trade name Muraplast FK 63.17

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

 Recommended cleaning agent:

Water, if necessary with cleaning agent.

#### **SECTION 14: Transport information**

Void			
Void			
Void			
Void			
No			
Not applicable.			
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.			
Not dangerous according to the above specifications.			
Void			

#### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture No further relevant information available.
 Poisons Act
 Regulated explosives precursors None of the ingredients is listed.
 Regulated poisons None of the ingredients is listed.
 Reportable explosives precursors None of the ingredients is listed.
 (Contd. on page 10)

GB



Printing date 13.04.2025

Version number 40 (replaces version 39)

Revision: 13.04.2025

Trade name Muraplast FK 63.17

(Contd. of page 9)

Page 10/11

· Reportable poisons

None of the ingredients is listed.

 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	<ul> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H310 Fatal in contact with skin.</li> <li>H311 Toxic in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H330 Fatal if inhaled.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>EUH071 Corrosive to the respiratory tract.</li> </ul>
<ul> <li>Department issuing data specification sheet:</li> <li>Abbreviations and acronyms:</li> </ul>	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Ski

- GB



Revision: 13.04.2025

Page 11/11

GB

Printing date 13.04.2025

Version number 40 (replaces version 39)

Trade name Muraplast FK 63.17

(Contd. of page 10) Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

 \* Data compared to the previous version altered.