

Page 1/11

Safety data sheet according to UK REACH

Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	Muraplast FK 63.30
Article number: 1.2 Relevant identified uses of the substance or mixture	162
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
1.3 Details of the supplier of the Manufacturer/Supplier:	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:

2-Octyl-2H-isothiazol-3-on 1,2-benzisothiazol-3(2H)-one Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1)

(Contd. on page 2)

GB



Page 2/11

Safety data sheet according to UK REACH

Printing date 11.04.2025Version number 43 (replaces version 42)Revision: 11.04.2025

Trade name Muraplast FK 63.30

	(Contd. of page 1)
· Hazard statements	H317 May cause an allergic skin reaction.
· Precautionary statements	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
2	P280 Wear protective gloves.
	P362+P364 Take off contaminated clothing and wash it before
	reuse.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P321 Specific treatment (see on this label).
	P501 Dispose of contents/container in accordance with
	local/regional/national/international regulations.
· Additional information:	Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-Octyl-
	2H-isothiazol-3-on, Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-
	one and 2-methyl-2H-isothiazol-3-one (3:1)
[.] 2.3 Other hazards	
· Results of PBT and vPvB as	ssessment

· PBT:

· vPvB:

- Not applicable.
- Not applicable.

SECTION 3: Composition/information on ingredients • 3.2 Mixtures • Description: Mixture consisting of the following components. • Dangerous components: Mixture consisting of the following components. • CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one ≥0.025-<0.05%</td> FINECS: 220-120-9 Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic ≥0.025-<0.05%</td> Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 % (Contd. on page 3)



Page 3/11

Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

Trade name Muraplast FK 63.30

		(Contd. of page 2)
CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.	
	2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400	
	(M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071	
	ATE: LD50 oral: 125 mg/kg	
	LD50 dermal: 311 mg/kg	
	LC50/4 h inhalative: 0.27 mg/l	
	Specific concentration limit:	
	Skin Sens. 1A; H317: C≥ 0.0015 %	
CAS: 55965-84-9 EC number: 911-418-6	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	≥0.00025-<0.0015%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318;	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1,	
	H410 (M=100); Skin Sens. 1A, H317, EUH071	
	Specific concentration limits:	
	Skin Corr. 1C; H314: C≥ 0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

SECTION 4: First aid measures	
	_

· 4.1 Description of first aid measures

· General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Take the person out into the fresh air.
 After skin contact 	Remove contaminated clothing immediately.
	Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising

from the substance or mixture

No further relevant information available.

(Contd. on page 4)

GB



Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

Trade name Muraplast FK 63.30

• 5.3 Advice for firefighters • Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	Dilute with much water.
 6.3 Methods and material for 	
containment and cleaning up.	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

SECTION 7: Handling and storage

Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
e, including any incompatibilities
Avoid splashing. Avoid dust development with powder products.
Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.
<i>Combined storage bans apply from a total storage quantity of 200 kg.</i>
Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7
Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
Nana
None. (Contd. on page 5)

(Contd. of page 3)

Page 4/11

GB



Version number 43 (replaces version 42)

12

Revision: 11.04.2025

Page 5/11

(Contd. of page 4)

Trade name Muraplast FK 63.30

Storage class

Printing date 11.04.2025

SECTION 8: Exposure co	ontrols/personal protection
 8.1 Control parameters Components with critical values that require 	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 Additional information: 	The lists that were valid during the compilation were used as basis.
· 8.2 Exposure controls	
· Appropriate engineering	
controls	No further data; see section 7.
	es, such as personal protective equipment
General protective and	- . .
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in the
	work area!
	Avoid contact with eyes, skin and clothing! Clean hands thoroughly after work and before cleaning!
	Use skin care products after work (moisturising cream).
	Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!
· Breathing equipment:	If the limit value is exceeded:
Dicuting equipment.	Combination filter A-P2 (brown/white).
· Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the CE
	mark with four-digit test number).
	When wearing protective gloves, cotton undergloves are recommended.
· Material of gloves	see "Hand protection"
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Eye/face protection 	Gauze goggles
Body protection:	Alkali-resistant protective clothing
· Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and General Information 	d chemical properties
· Colour:	Brown
Smell:	Characteristic
• Melting point/freezing point:	<0 °C

(Contd. on page 6)

— GB ·



Page 6/11

Safety data sheet according to UK REACH

Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

Trade name Muraplast FK 63.30

		(Contd. of page
Boiling point or initial boiling point and		
boiling range	100 °C (CAS: 7732-18-5 Water)	
Flash point:	Not applicable	
pH at 20 °C	5	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	750 mPas	
Solubility		
Water:	Fully miscible	
• Steam pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)	
 Density and/or relative density 		
Density at 20 °C	1.06 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
 Important information on protection of heat 	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
Information with regard to physical haza classes		
Explosives	Void	
	Void	
Flammable gases	Void	
Aerosols	Void	
Aerosols Oxidising gases	Void Void	
Aerosols Oxidising gases Gases under pressure	Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures	Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void Void Void Void Void	
Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No further relevant information available.

No decomposition if used according to specifications.

(Contd. on page 7)

GB



Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

Page 7/11

Trade name Muraplast FK 63.30

STOT-repeated exposure

11.2 Information on other hazards · Endocrine disrupting properties None of the ingredients is listed.

· Aspiration hazard

				(Contd. of page 6
	ibility of l	hazardous	N / / /	
reactions	1:1: 1-	ovo id	No dangerous reactions known	
10.4 Cond 10.5 Incor			No further relevant information available No further relevant information available	
10.5 mcor	•	nalenais.		ne.
decompo		ducts:	No dangerous decomposition products	s known
SECTIO	N 11: To	oxicologi	cal information	
		hazard cl	asses as defined in Regulation (EC)	
Acute tox	-		Based on available data, the classifica	ation criteria are not met.
LD/LC50	values tha	at are relev	ant for classification:	
CAS: 2634	4-33-5 1,2	-benzisoth	azol-3(2H)-one	
Oral	LD50	1020 mg/l	g (rat)	
Dermal	LD50	>2000 mg	kg (rat)	
CAS: 265	30-20-1 2-	Octyl-2H-i	othiazol-3-on	
Oral	LD50	125 mg/kg	(ATE)	
		500 mg/kg	(rat)	
Dermal	LD50	311 mg/kg		
		>2000 mg	. ,	
Inhalative	I C50/4 h	0.27 mg/l		
in in an a construction of	2000,	0.6 mg/l (r		
CAS: 550	65_81_0 M			3-one and 2-mothyl-2H
040.000		othiazol-3-		s-one and z-methyl-zh
Oral	LD50	49.6-75 m		
Dermal	LD50	87.12 mg/		
Inhalative	I C50/4 h	0.171 mg/l (rat)		
Primary in		-	(,,	
Skin corre			Based on available data, the classifica	ation criteria are not met.
Respirato			,,,,,	
sensitisat			May cause an allergic skin reaction.	
Germ cell		icity	Based on available data, the classifica	
Carcinoge			Based on available data, the classifica	
Reproduc			Based on available data, the classifica	
STOT-sing	gle expos	ure	Based on available data, the classifica	ation criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

(Contd. on page 8)

GB



Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

Trade name Muraplast FK 63.30

(Contd. of page 7)

Page 8/11

12.1 Toxic	-		
Aquatic to	•		
		sothiazol-3(2H)-one	
EC50/72h	- .	udokirchneriella subcapitata)	
	0.11 mg/l (Selenastrum capricornutum)		
	1.6 mg/l (Oncorl		
	1.1 mg/l (Daphnia magna)		
	•	2H-isothiazol-3-on	
	0.42 mg/l (Daph	,	
CAS: 5590		of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2l ol-3-one (3:1)	
LC50/24h	0.19 mg/l (fish)		
EC50/72h	0.027 mg/l (Pse	udokirchneriella subcapitata)	
LC50/96h	0.19 mg/l (Onco	rhynchus mykiss)	
LC50/48h	0.28 mg/l (fish)		
EC50/48h	0.16 mg/l (Daphnia magna)		
NOEC	0.02 mg/l (Onco	rhynchus mykiss)	
	0.00049 mg/l (Ske)		
	0.1 mg/l (Daphn	ia magna)	
degradab		No further relevant information available.	
	cumulative		
potential	lity in soil	No further relevant information available. No further relevant information available.	
12.4 Mobi		PvB assessment	
PBT:		Not applicable.	
vPvB:		Not applicable.	
	crine disrupting		
properties		The product does not contain substances with endocrine disrupt properties.	
	r adverse effect		
Additiona General n	l ecological info		
General n	otes:	Do not allow undiluted product or large quantities of it to rea ground water, water bodies or sewage system.	

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

GB



Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

(Contd. of page 8)

Page 9/11

Trade name Muraplast FK 63.30

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

 Recommended cleaning agent:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

Void	
Void	
Void	
Void	
No	
Not applicable.	
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
Not dangerous according to the above specifications.	
Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture No further relevant information available.
 Poisons Act
 Regulated explosives precursors None of the ingredients is listed.
 Regulated poisons None of the ingredients is listed.
 Reportable explosives precursors None of the ingredients is listed.
 (Contd. on page 10)

- GB



Printing date 11.04.2025

Version number 43 (replaces version 42)

Revision: 11.04.2025

Trade name Muraplast FK 63.30

(Contd. of page 9)

Page 10/11

· Reportable poisons

None of the ingredients is listed.

 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases	H301 Toxic if swallowed.
	H302 Harmful if swallowed.
	H310 Fatal in contact with skin.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H330 Fatal if inhaled.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises
	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par
	route (European Agreement Concerning the International Carriage of Dangerous
	Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 4: Acute toxicity – Category 4
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
	Skin Correston/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	(Contd. on page 11)

- GB



Revision: 11.04.2025

Page 11/11

GB

Printing date 11.04.2025

Version number 43 (replaces version 42)

Trade name Muraplast FK 63.30

(Contd. of page 10) Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

 * Data compared to the previous version altered.