

Page 1/9

Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 28 (replaces version 27)

Revision: 13.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

undertaking	
· 1.1 Product identifier	
 Trade name 1.2 Relevant identified uses of sector of Use 	<u>Nafufill GTS HS</u> of the substance or mixture and uses advised against SU22 Professional uses: Public domain (administration education, entertainment, services, craftsmen)
 Application of the substance / the mixture 	Gunned mortar
• 1.3 Details of the supplier of a • Manufacturer/Supplier:	<i>the safety data sheet</i> <i>MC-Bauchemie Müller GmbH & Co. KG</i> <i>Am Kruppwald 1-8</i> <i>D-46238 Bottrop</i> <i>Tel.: +49(0)2041-101-0</i> <i>Fax.: +49(0)2041-101-400</i> <i>E-Mail: info@mc-bauchemie.de</i> <i>MC-Bauchemie AG</i> <i>Hagackerstr. 10</i> <i>CH-8953 Dietikon</i> <i>Tel.: +44-7400510</i> <i>Fax : +44-7400533</i>
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Danger

- · Signal word
- Hazard-determining components of labelling:
- · Hazard statements

Portland cement (low chromate) Flue dust, portland cement H315 Causes skin irritation. H318 Causes serious eye damage.

(Contd. on page 2)



Page 2/9

Safety data sheet according to UK REACH

Printing date 13.04.2025 Version number 28 (replaces version 27)

Revision: 13.04.2025

Trade name Nafufill GTS HS

· Precautionary statements	P280	(Contd. of page 1 Wear protective gloves / eye protection / face protection.
	P305+P351+P338	BIF IN EYES: Rinse cautiously with water fo several minutes. Remove contact lenses, i present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash i before reuse.
	P332+P313	If skin irritation occurs: Get medical advice attention.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
vPvR·	Not applicable	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture consisting of the following components.

· Dangerous components:		
CAS: 65997-15-1 Portlar	nd cement (low chromate)	<i>≥</i> 10-<20%
EINECS: 266-043-4 Eye Da	am. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3 Flue d	ust, portland cement	≥1-<1.5%
EINECS: 270-659-9 Eye Da	am. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
 Additional information 	For the wording of the listed hazard phrases refer to se	ction 16.

SECTION 4: First aid measures

• 4.1 Description of first aid	l measures
General information	For all first aid measures: observe self-protection and consult a doctor!
 After inhalation 	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)

[–] GB



Printing date 13.04.2025

Version number 28 (replaces version 27)

Revision: 13.04.2025

(Contd. of page 2)

Page 3/9

Trade name Nafufill GTS HS

 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

· 5.3 Advice for firefighters

- · Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures · 6.2 Environmental precautions:

Not required.

- No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. · 6.4 Reference to other sections
 - See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling	Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!
[•] 7.2 Conditions for safe storag	e, including any incompatibilities
· Storage	
[.] Requirements to be met by	
storerooms and containers:	Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
· Information about storage in	
one common storage facility:	Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2;
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
Further information about	
storage conditions:	Store in a dry and frost-free place. (Contd. on page 4)



Version number 28 (replaces version 27)

11

Revision: 13.04.2025

(Contd. of page 3)

Page 4/9

Trade name Nafufill GTS HS

Storage class

Printing date 13.04.2025

8.1 Control parameters	
Components with critical v	values that require monitoring at the workplace:
CAS: 65997-15-1 Portland	cement (low chromate)
WEL Long-term value: 10* 4	
*inhalable dust **respi	rable dust
DNELs	
CAS: 65997-15-1 Portland	cement (low chromate)
Inhalative DNEL 1 mg/m ³ (/	ArL)
Additional information:	The lists that were valid during the compilation were used as basi
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
Individual protection meas	sures, such as personal protective equipment
General protective and	
hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area!
	Avoid contact with eyes and skin!
	Clean hands thoroughly at the end of work and before breaks!
	Use skin care products after work (moisturising cream).
	Change and clean heavily soiled clothing!
	Change clothes at the end of work!
	Apply greasy skin protection ointment before starting work an
	after every break.
Breathing equipment:	For work with higher dust loads particle filter class P2
Hand protection	Check protective gloves prior to each use for their proper conditio
Material of gloves	Nitrile impregnated cotton gloves.
Penetration time of glove	The second has a lither whether a second has a hits be set for an the second second
Penetration time of glove	
Penetration time of glove material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
Penetration time of glove material Eye/face protection	glove manufacturer and must be observed. Safety glasses
Penetration time of glove material Eye/face protection Body protection: Skin protection	glove manufacturer and must be observed.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physic	al and chemical properties	
General Information		
· Colour:	Grey	
· Smell:	Odourless	
· Odour threshold:	Not determined.	



Printing date 13.04.2025

Version number 28 (replaces version 27)

Revision: 13.04.2025

Page 5/9

Trade name Nafufill GTS HS

	(Contd. of page	
<i>Melting point/freezing point: Boiling point or initial boiling point and</i>	Not determined	
boiling range	2230 °C (CAS: 14808-60-7 Quartz sand)	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Decomposition temperature:	Not determined.	
рН	Not applicable.	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Unsoluble	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz sand)	
Density and/or relative density		
Density	Not determined	
Relative density	Not determined Not determined.	
Vapour density	Not applicable.	
· ·		
9.2 Other information		
Appearance:		
Form:	Powder	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical haza	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
	Void	
flammable gases in contact with water		
flammable gases in contact with water Oxidising liquids	Void	

GB



Printing date 13.04.2025

Version number 28 (replaces version 27)

Void

Void

Void

Void

Revision: 13.04.2025

(Contd. of page 5)

Page 6/9

Trade name Nafufill GTS HS

- Oxidising solids
- · Organic peroxides
- Corrosive to metals
- · Desensitised explosives

SECTION 10: Stability and reactivity

· 10.1 Reactivity

reactions

· 10.2 Chemical stability

· 10.4 Conditions to avoid

· 10.5 Incompatible materials:

No further relevant information available.

 Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
 10.3 Possibility of hazardous

- No dangerous reactions known
- No further relevant information available. No further relevant information available.
- No further relevant information available.

10.6 Hazardous
 decomposition products: No data

No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 Acute toxicity Based on available data, the classification criteria are not met.
 LD/LC50 values that are relevant for classification:

- CAS: 65997-15-1 Portland cement (low chromate)
 - Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

• Primary irritant effect:

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met. • **Aspiration hazard** Based on available data, the classification criteria are not met.
- Aspiration hazard Bas • 11.2 Information on other hazards
- · Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

No further relevant information available.

(Contd. on page 7)

GB



Printing date 13.04.2025

Version number 28 (replaces version 27)

Revision: 13.04.2025

Page 7/9

Trade name Nafufill GTS HS

	(Contd. of page 6)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvB	assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	
properties	For information on endocrine disrupting properties see section 11.
12.7 Other adverse effects	
Additional ecological informa	tion:
General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:
 Recommendation:

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according IMO instruments 	ng to Not applicable.	
		(Contd. on page 8)

- GB



Printing date 13.04.2025

Version number 28 (replaces version 27)

Revision: 13.04.2025

(Contd. of page 7)

Trade name Nafufill GTS HS

· UN "Model Regulation":

Void

 SECTION 15: Regulatory information

 • 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 • Poisons Act

 • Regulated explosives precursors

 None of the ingredients is listed.

 • Regulated poisons

 None of the ingredients is listed.

• Reportable explosives precursors None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

 Directive 2012/18/EU
 Named dangerous substances - ANNEX I
 None of the ingredients is listed.
 15.2 Chemical safety assessment:
 A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information		
· Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. on page 9)	

Page 8/9



Printing date 13.04.2025

Version number 28 (replaces version 27)

Revision: 13.04.2025

Trade name Nafufill GTS HS

• * Data compared to the previous version altered.

(Contd. of page 8)

GB

Page 9/9