

Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	Nafufill KM 110
Article number: 1.2 Relevant identified uses of the substance or mixture	853
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Ready-mixed mortar Concrete surfacer
1.3 Details of the supplier of the	
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
 Skin Irrit. 2 H315 Causes skin irritation.
 Eye Dam. 1 H318 Causes serious eye damage.
 STOT SE 3 H335 May cause respiratory irritation.
 2.2 Label elements

• *Label elements* • *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

(Contd. on page 2)

GB



Page 2/9

Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Trade name Nafufill KM 110

		(Contd. of page 1)
· Hazard-determining		
components of labelling:	Portland cemen	it (low chromate)
· Hazard statements	H315 Causes s	kin irritation.
	H318 Causes s	erious eye damage.
	H335 May caus	e respiratory irritation.
· Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
 2.3 Other hazards Results of PBT and vPvB as 	sessment	0, 2
· PBT: · vPvB:	Not applicable. Not applicable.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:	Mixture consisting of the following components.		
· Dangerous compo	nents:		
CAS: 65997-15-1 EINECS: 266-043-4	1 Portland cement (low chromate) 30-60 ¹³⁻⁴ Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335		
CAS: 1317-65-3 EINECS: 207-439-9	1317-65-3Calcium carbonate<3%S: 207-439-9substance with a Community workplace exposure limit<3%		
· Additional informa	tion For the wording of the listed hazard phrases refer to sec	tion 16.	

SECTION 4: First aid measures

 4.1 Description of first aid General information 	For all first aid measures: observe self-protection and consult a
· After inhalation	doctor! Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and
Aller Skill Contact	water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
	(Contd. on page 3)
	GB



Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Page 3/9

Trade name Nafufill KM 110

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters

No further relevant information available.

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
 6.3 Methods and material for 	
containment and cleaning up	: Collect mechanically.
· 6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage

 Requirements to be met by storerooms and containers: Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 (Contd. on pers.4)

(Contd. on page 4)

GB



Page 4/9

Safety data sheet according to UK REACH

 Printing date 12.04.2025
 Version number 40 (replaces version 39)
 Revision: 12.04.2025

 Trade name Nafufill KM 110
 (Contd. of page 3)

· Information about storage in	(Contd. of page 3)
	<i>Combined storage bans apply from a total storage quantity of 200 kg.</i>
	Do not store together with substances of the following LGK: 1; 6.2;
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
 Further information about storage conditions: Storage class 	Store in a dry and frost-free place. 13

SECTION 8: Exposure controls/personal protection

8.1 Contro	l parameters
------------	--------------

Components with critical val	ues that require monitoring at the workplace:			
CAS: 65997-15-1 Portland ce	ment (low chromate)			
WEL Long-term value: 10* 4** mg/m ³				
*inhalable dust **respiral				
CAS: 1317-65-3 Calcium carb				
WEL Long-term value: 10* 4**				
*inhalable dust; **respira	Die			
·DNELs				
CAS: 65997-15-1 Portland ce				
Inhalative DNEL 1 mg/m³ (ArL	,			
CAS: 1317-65-3 Calcium carb				
Oral DNEL 6.1 mg/kg bv	,			
Inhalative DNEL 10 mg/m³ (A	rL)			
· PNECs				
CAS: 1317-65-3 Calcium carb	oonate			
PNEC 100 mg/l (Sewage Trea	tment Plant)			
• Additional information:	The lists that were valid during the compilation were used as basis.			
· 8.2 Exposure controls				
Appropriate engineering				
	controls No further data; see section 7.			
· Individual protection measur · General protective and	res, such as personal protective equipment			
hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area!			
	Avoid contact with eyes and skin!			
	Clean hands thoroughly at the end of work and before breaks!			
	Use skin care products after work (moisturising cream).			
	Change and clean heavily soiled clothing!			
	Change clothes at the end of work!			
	Apply greasy skin protection ointment before starting work and after every break.			
 Breathing equipment: 	For work with higher dust loads particle filter class P2			
	(Contd. on page 5)			



Page 5/9

GB

Safety data sheet according to UK REACH

Revision: 12.04.2025 Printing date 12.04.2025 Version number 40 (replaces version 39) Trade name Nafufill KM 110 (Contd of page 4)

 Hand protection Material of gloves Penetration time of glove 	Check protective gloves prior to each use for their proper condition. Nitrile impregnated cotton gloves.
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Eye/face protection 	Safety glasses
Body protection:	Protective work clothing.
Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Colour: Grev · Smell: Odourless • *Melting point/freezing point:* Not determined · Boiling point or initial boiling point and boiling range 2230 °C (CAS: 14808-60-7 Quartz sand) · Flash point: Not applicable · pH at 20 °C 11 · Viscosity: · Kinematic viscosity Not applicable. · dynamic: Not applicable. · Solubility · Water: Unsoluble · Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz sand) Density and/or relative density · Density at 20 °C 2.72 g/cm3 · 9.2 Other information · Appearance: · Form: Powder · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties: · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void Void · Aerosols Void · Oxidising gases Void · Gases under pressure Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void (Contd. on page 6)



Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Trade name Nafufill KM 110

		(Contd. of page 5)
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity · 10.2 Chemical stability	No further relevant information available.
 Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous 	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:					
CAS: 65997-15-1 Portland cement (low chromate)					
Dermal	LD50	2000 mg/k	2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	5 mg/l (rat)			
CAS: 1317-65-3 Calcium carbonate					
Oral	LD50	>2000 mg/	>2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)			
 Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Causes serious eye damage. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. May cause respiratory irritation. STOT-repeated exposure Based on available data, the classification criteria are not met. (Contd. on page 7) 					

Page 6/9

GB



(Contd. of page 6)

List II

Page 7/9

Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Trade name Nafufill KM 110

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus)

LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna)

EC50/48h >1000 mg/l (Daphnia magna)

5 1 1 1 1 1	
12.2 Persistence and	
degradability	No further relevant information available.
 12.3 Bioaccumulative 	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvI	B assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
 12.6 Endocrine disrupting 	
properties	For information on endocrine disrupting properties see section 11.
12.7 Other adverse effects	
· Additional ecological informa	ation:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:
 • Recommendation: Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)



Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Page 8/9

Trade name Nafufill KM 110

		(Contd. of page 7
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture • Poisons Act	No further relevant information available.
Regulated explosives precurs	sors
None of the ingredients is listed	
· Regulated poisons	
None of the ingredients is listed	
· Reportable explosives precu	sors
None of the ingredients is listed	
· Reportable poisons	
None of the ingredients is listed	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

(Contd. on page 9)

GB



Printing date 12.04.2025

Version number 40 (replaces version 39)

Revision: 12.04.2025

Page 9/9

Trade name Nafufill KM 110

Department issuing data	
specification sheet:	Environment protection department.
Abbreviations and acronyms:	
previous version altered.	