

Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

 1.1 Product identifier Trade name 1.2 Relevant identified uses of the substance or mixture 	Nafufill KM 110 HS	
and uses advised against Application of the substance	No further relevant information available.	
/ the mixture	Fixing mortar /Compo	
· 1.3 Details of the supplier of the safety data sheet		
• Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533	
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)	

SECTION 2: Hazards identification

[•] 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

[•] 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word

Danger

 Hazard-determining components of labelling:

Portland cement (low chromate) Flue dust, portland cement

(Contd. on page 2)

⁻ GB



Page 2/9

Safety data sheet according to UK REACH

Printing date 15.04.2025 Version number 28 (replaces version 27)

Revision: 15.04.2025

Trade name Nafufill KM 110 HS

		(Contd. of page 1)
Hazard statements	H315 Causes skir	n irritation.
	H318 Causes seri	ious eve damage.
		respiratory irritation.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/
r recautionary statements	1 201	spray.
	P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
		•
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
		before reuse.
	P403+P233	Store in a well-ventilated place. Keep container
		tightly closed.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	

· vPvB:	Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture consisting of the following components.

· Dangerous comport	nents:	
CAS: 65997-15-1	Portland cement (low chromate)	30-60%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1317-65-3	Calcium carbonate	<3%
EINECS: 207-439-9	substance with a Community workplace exposure limit	
	Flue dust, portland cement	≥1-<2.5%
EINECS: 270-659-9	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
· Additional information	tion For the wording of the listed hazard phrases refer to see	ction 16.

SECTION 4: First aid measures

General information	For all first aid measures: observe self-protection and consult a doctor!
After inhalation	Remove people from the dusty area.
After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
	(Contd. on page 3)



Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

Page 3/9

Trade name Nafufill KM 110 HS

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters

No further relevant information available.

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
· 6.3 Methods and material for	
containment and cleaning up	: Collect mechanically.
• 6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

- · 7.2 Conditions for safe storage, including any incompatibilities
- [.] Storage

 Requirements to be met by storerooms and containers: Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 (Contd. on pers.4)

(Contd. on page 4)

GB



Page 4/9

Safety data sheet according to UK REACH

Printing date 15.04.2025 Version number 28 (replaces version 27)

Revision: 15.04.2025

Trade name Nafufill KM 110 HS

. Information about stars as in	(Contd. of page 3)
Information about storage in	Combined storage here early from a total storage supplity of 200
one common storage facility.	Combined storage bans apply from a total storage quantity of 200
	kg. Do not store together with substances of the following LGK: 1; 6.2; 7
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
 Further information about 	
storage conditions: • Storage class	Store in a dry and frost-free place. 13

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

CAS: 65997-15-1 Portland cement (low chromate) WEL Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust	
*inhalable dust **respirable dust	
CAS: 1317-65-3 Calcium carbonate	
WEL Long-term value: 10* 4** mg/m ³ *inhalable dust; **respirable	
· DNELs	
CAS: 65997-15-1 Portland cement (low chromate)	
Inhalative DNEL 1 mg/m ³ (ArL)	
CAS: 1317-65-3 Calcium carbonate	
Oral DNEL 6.1 mg/kg bw/Tag (ArL)	
Inhalative DNEL 10 mg/m³ (ArL)	
·PNECs	
CAS: 1317-65-3 Calcium carbonate	
PNEC 100 mg/l (Sewage Treatment Plant)	
• Additional information: The lists that were valid during the compilation were used as	s basis.
· 8.2 Exposure controls	
Appropriate engineering	
controls No further data; see section 7.	
 Individual protection measures, such as personal protective equipment General protective and 	
hygienic measures Do not store food, eat, drink, sniff or smoke in the work area	1
Avoid contact with eyes and skin!	•
Clean hands thoroughly at the end of work and before break	s!
Use skin care products after work (moisturising cream).	
Change and clean heavily soiled clothing!	
Change clothes at the end of work!	
Apply greasy skin protection ointment before starting wo after every break.	ork and
Breathing equipment: For work with higher dust loads particle filter class P2	
(Contd. or	n page 5) GB



Page 5/9

Safety data sheet according to UK REACH

Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

Trade name Nafufill KM 110 HS

 Hand protection Material of gloves Penetration time of glove 	(Contd. of page 4) Check protective gloves prior to each use for their proper condition. Nitrile impregnated cotton gloves.
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Eye/face protection 	Safety glasses
Body protection:	Protective work clothing.
Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and cher	mical properties
· General Information	
· Colour:	Grey
· Smell:	neutral
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	2230 °C (CAS: 14808-60-7 Quartz sand)
Flash point:	Not applicable
pH	Not applicable.
Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
· Solubility	
· Water:	Unsoluble
· Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz sand)
· Density and/or relative density	
· Density at 20 °C	2.72 g/cm ³
•	g,
9.2 Other information	
· Appearance:	
Form:	Powder
Important information on protection of hea	aith
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Information with regard to physical haz	ard
classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
	(Contd. on page 6



Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

Trade name Nafufill KM 110 HS

		(Contd. of page 5)
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:						
CAS: 65997-15-1 Portland cement (low chromate)						
Dermal	LD50	2000 mg/kg (rabbit)				
Inhalative	LC50/4 h	5 mg/l (rat)				
CAS: 131	7-65-3 Cal	cium carbo	onate			
Oral	LD50	>2000 mg/kg (rat)				
Dermal	LD50	>2000 mg/kg (rat)				
Primary irritant effect: Skin corrosion/irritation Serious eye damage/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard		ation e/irritation icity ity ure	Causes skin irritation. Causes serious eye damage. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. May cause respiratory irritation. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Cont. on page 7)			

Page 6/9

GB



Page 7/9

Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

(Contd. of page 6)

List II

Trade name Nafufill KM 110 HS

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 1317-65-3 Calcium carbonate

- EC50/72h >14 mg/l (Desmodesmus subspicatus)
- LC50/96h >10000 mg/l (Oncorhynchus mykiss)
- LC50/48h >1000 mg/l (Daphnia magna)
- EC50/48h >1000 mg/l (Daphnia magna)
- · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting For information on endocrine disrupting properties see section 11. properties 12.7 Other adverse effects · Additional ecological information: · General notes:
 - Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings: • Recommendation: Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)

GB



Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

Page 8/9

Trade name Nafufill KM 110 HS

		(Contd. of page 7
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.
Regulated explosives precurs	sors
None of the ingredients is listed	
· Regulated poisons	
None of the ingredients is listed	
· Reportable explosives precur	sors
None of the ingredients is listed	
· Reportable poisons	
None of the ingredients is listed	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

(Contd. on page 9)

GB



Printing date 15.04.2025

Version number 28 (replaces version 27)

Revision: 15.04.2025

Page 9/9

Trade name Nafufill KM 110 HS

	(Contd. of page
· Department issuing data	
specification sheet:	Environment protection department.
 Abbreviations and acronyms: Abbreviations and acronyms: * Data compared to the previous version altered. 	