



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Oxal SPM

· **Article number:** 1039

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Mineral coating

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05 GHS07

· **Signal word**

Danger

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

## Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Oxal SPM**

(Contd. of page 1)

- **Hazard-determining components of labelling:** *Portland cement (low chromate)  
Flue dust, portland cement*
- **Hazard statements** *H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.*
- **Precautionary statements**
  - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.*
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
  - P310 Immediately call a POISON CENTER/doctor.*
  - P321 Specific treatment (see on this label).*
  - P362+P364 Take off contaminated clothing and wash it before reuse.*
  - P403+P233 Store in a well-ventilated place. Keep container tightly closed.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** *Mixture consisting of the following components.*

· **Dangerous components:**

CAS: 65997-15-1 EINECS: 266-043-4	<i>Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335</i>	<i>≥20-≤30%</i>
CAS: 68475-76-3 EINECS: 270-659-9	<i>Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335</i>	<i>≥1-&lt;1.5%</i>
CAS: 554-13-2 EINECS: 209-062-5 Reg.nr.: 01-2119516034-53-0000	<i>Lithium carbonate Acute Tox. 4, H302; Eye Irrit. 2, H319</i>	<i>&lt;0.5%</i>

- **Additional information** *For the wording of the listed hazard phrases refer to section 16.*

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** *For all first aid measures: observe self-protection and consult a doctor!*
- **After inhalation** *Remove people from the dusty area.*

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/9

## Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Oxal SPM

- (Contd. of page 2)
- **After skin contact** Remove heavily soiled clothing. Clean with plenty of soap and water.
  - **After eye contact** Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
  - **After swallowing** Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Collect mechanically.
- **6.4 Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!
  - **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage**
  - **Requirements to be met by storerooms and containers:** Store bags tightly closed; protect from moisture and water!  
Store containers tightly closed in a well-ventilated and well-lit room.  
Access only for specialised personnel.  
Do not store in break rooms, recreation rooms or sanitary facilities
- (Contd. on page 4)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Oxal SPM

(Contd. of page 3)

or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.

- **Information about storage in one common storage facility:** Combined storage bans apply from a total storage quantity of 200 kg.  
Do not store together with substances of the following LGK: 1; 6.2; 7  
Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
- **Further information about storage conditions:** Store in a dry and frost-free place.
- **Storage class** 13

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

· **Components with critical values that require monitoring at the workplace:**

**CAS: 65997-15-1 Portland cement (low chromate)**

WEL	Long-term value: 10* 4** mg/m <sup>3</sup>
	*inhalable dust **respirable dust

### · DNELs

**CAS: 65997-15-1 Portland cement (low chromate)**

Inhalative	DNEL	1 mg/m <sup>3</sup> (ArL)
------------	------	---------------------------

· **Additional information:** The lists that were valid during the compilation were used as basis.

### · 8.2 Exposure controls

· **Appropriate engineering controls**

No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Do not store food, eat, drink, sniff or smoke in the work area!  
 Avoid contact with eyes and skin!  
 Clean hands thoroughly at the end of work and before breaks!  
 Use skin care products after work (moisturising cream).  
 Change and clean heavily soiled clothing!  
 Change clothes at the end of work!  
 Apply greasy skin protection ointment before starting work and after every break.

· **Breathing equipment:**

For work with higher dust loads particle filter class P2

· **Hand protection**

Check protective gloves prior to each use for their proper condition.

· **Material of gloves**

Nitrile impregnated cotton gloves.

· **Penetration time of glove material**

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

· **Eye/face protection**

Safety glasses

· **Body protection:**

Protective work clothing.

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Oxal SPM

· **Skin protection**

Use greasy skin protection ointment for all uncovered parts of the body!

(Contd. of page 4)

#### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

- **Colour:** Grey
- **Smell:** Odourless
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** Not determined
- **Flash point:** Not applicable
- **pH** Not applicable.
- **Viscosity:**
- **Kinematic viscosity** Not applicable.
- **dynamic:** Not applicable.
- **Solubility**
- **Water:** Insoluble
- **Steam pressure:** Not applicable.
- **Density and/or relative density**
- **Density** Not determined

· **9.2 Other information**

- **Appearance:**
- **Form:** Powder
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.

· **Information with regard to physical hazard classes**

- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Oxal SPM

(Contd. of page 5)

- Oxidising solids Void
- Organic peroxides Void
- Corrosive to metals Void
- Desensitised explosives Void

#### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

#### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

**CAS: 65997-15-1 Portland cement (low chromate)**

Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)

**CAS: 554-13-2 Lithium carbonate**

Oral	LD50	525 mg/kg (rat)
	NOAEL	19.23 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rat)
	NOAEL	64.3 mg/kg (rat)
Inhalative	LC50/4 h	>2 mg/l (rat)

- Primary irritant effect:
- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Oxal SPM

(Contd. of page 6)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

CAS: 554-13-2	Lithium carbonate	List III
CAS: 128-37-0	2,6-Di-tert-butyl-p-cresol	List II

## SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 554-13-2 Lithium carbonate**

LC50/96h	30.3 mg/l (Oncorhynchus mykiss)
EC50	278 mg/l (BEL)
EC50/48h	33 mg/l (Daphnia magna)
NOEC	15.25 mg/l (Danio rerio)
	50 mg/l (Desmodesmus subspicatus)
	19.1 mg/l (Oncorhynchus mykiss)
	20 mg/l (Daphnia magna)
ErC50/72h	>400 mg/l (Desmodesmus subspicatus)

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

Not applicable.

· **vPvB:**

Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Oxal SPM

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

#### SECTION 14: Transport information

- **14.1 UN number or ID number**  
· **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**  
· **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**  
· **ADR, ADN, IMDG, IATA**  
· **Class** Void
- **14.4 Packing group**  
· **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**  
· **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Void

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture** No further relevant information available.
- **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

CAS: 1310-58-3 Potassium hydroxide

17% of total caustic alkalinity

(Contd. on page 9)





BE SURE. BUILD SURE.

Page 9/9

## Safety data sheet according to UK REACH

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Oxal SPM**

(Contd. of page 8)

**· 15.2 Chemical safety assessment:**

*A Chemical Safety Assessment has not been carried out.*

### SECTION 16: Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**· Relevant phrases**

*H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.*

**· Department issuing data specification sheet:**

*Environment protection department.*

**· Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

**· \* Data compared to the previous version altered.**

GB