

Page 1/9

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	ombran MHP-SP 3000
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance</li> </ul>	3588 No further relevant information available.
/ the mixture	Coating material
• 1.3 Details of the supplier of • Manufacturer/Supplier:	the safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	entification
• 2.1 Classification of the subs • Classification according to R Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se Skin Sens 1 H317 May cause	Regulation (EC) No 1272/2008 in irritation. rious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

- · Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



Danger

Signal word

(Contd. on page 2)

GB



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

Page 2/9

#### Trade name ombran MHP-SP 3000

		(Contd. of page 1)
Hazard-determining		
components of labelling:	Portland cemen	nt
	Calcium sulfoal	luminate clinker
	Fly ash Portland	d cement
Hazard statements	H315 Causes s	kin irritation.
	H318 Causes s	erious eye damage.
	H317 May caus	se an allergic skin reaction.
	H335 May caus	se respiratory irritation.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours.
-		spray.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water fo
		several minutes. Remove contact lenses, i
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash i
		before reuse.
	P403+P233	Store in a well-ventilated place. Keep contained
		tightly closed.
2.3 Other hazards		
Results of PBT and vPvB as		
PBT:	Not applicable.	
vPvB:	Not applicable.	

#### SECTION 3: Composition/information on ingredients

• 3.2 Mixtures • Description:

Mixture consisting of the following components.

· Dangerous components:		
CAS: 65997-15-1	Portland cement	≥20-≤30%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	-
CAS: 68475-76-3	Fly ash Portland cement	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	-
EC number: 934-133-9	Calcium sulfoaluminate clinker	≥1-<1.5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	-
Additional information For the wording of the listed hazard phrases refer to section 16.		

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

After inhalation
 After skin contact
 After eye contact
 After eye contact
 In case of unconsciousness bring patient into stable side position for transport.
 Instantly wash with water and soap and rinse thoroughly.
 Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

GB



Page 3/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

#### Trade name ombran MHP-SP 3000

· After swallowing

In case of persistent symptoms consult doctor.

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

No further relevant information available.

- 5.2 Special hazards arising from the substance or mixture
   5.3 Advice for firefighters
  - fighters
- Protective equipment:
- No special measures required.

### **SECTION 6: Accidental release measures**

<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental</li> </ul>	Not required.
<ul> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for containment and cleaning up.</li> </ul>	No special measures required. Ensure adequate ventilation.
· 6.4 Reference to other	,
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

# SECTION 7: Handling and storage

<ul> <li>7.1 Precautions for safe handling</li> <li>Information about protection against explosions and fires:</li> </ul>	Prevent formation of dust. No special measures required.
<ul> <li>Storage</li> <li>Requirements to be met by</li> </ul>	ne, including any incompatibilities No special requirements. Not required. Keep container tightly sealed. 13

(Contd. on page 4)

GB



Page 4/9

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

(Contd. of page 3)

Trade name ombran MHP-SP 3000

8.1 Control parameters Components with critical v	alues that require monitoring at the workplace:
CAS: 65997-15-1 Portland of	
WEL Long-term value: 10* 4	
*inhalable dust **respir	
DNELs	
CAS: 65997-15-1 Portland (	cement
Inhalative DNEL 1 mg/m <sup>3</sup> (A	NrL)
Additional information:	The lists that were valid during the compilation were used as ba
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
	ures, such as personal protective equipment
General protective and	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the skin.
	Avoid contact with the eyes and skin.
Breathing equipment:	In case of brief exposure or low pollution or when application
• • •	performed at confined area with adequate mechanical ventila
	meeting local authority requirements, use breathing f
	apparatus. In case of intensive or longer exposure use breat
	apparatus that is independent of circulating air.
Hand protection	Protective gloves.
	Selection of the glove material on consideration of the penetra
	times, rates of diffusion and the degradation
	After use of gloves apply skin-cleaning agents and skin cosmet
Material of gloves	The selection of the suitable gloves does not only depend or
material of gioves	material, but also on further marks of quality and varies
	manufacturer to manufacturer. As the product is a preparation
	several substances, the resistance of the glove material can no
	calculated in advance and has therefore to be checked prior to
Ponotration time of along	application.
Penetration time of glove	The event breakthrough time must be obtained from the syste
material	The exact breakthrough time must be obtained from the protect
	glove manufacturer and must be observed.
Eye/face protection Body protection:	Not required. Protective work clothing.

(Contd. on page 5)



Page 5/9

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 4)

9.1 Information on basic physical and che	mical properties
General Information Colour:	Light grov
Colour: Smell:	Light grey
	Odourless Not determined
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	2020 °C (CAS: 11808 60 7 Ouert- (SiO2))
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))
Flash point:	Not applicable
pH at 20 °C	11.4
Viscosity:	Nataraliashla
Kinematic viscosity	Not applicable.
dynamic: Solubility	Not applicable.
Solubility	Porthy missible
	Partly miscible
Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))
Density and/or relative density	Natidatorminad
Density	Not determined
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of hea	alth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void



Page 6/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

(Contd. of page 5)

#### Trade name ombran MHP-SP 3000

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available. 10.2 Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available. · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification: CAS: 65997-15-1 Portland cement Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat) · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye damage. · Respiratory or skin sensitisation May cause an allergic skin reaction. Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity · Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure May cause respiratory irritation. Based on available data, the classification criteria are not met. · STOT-repeated exposure · Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards · Endocrine disrupting properties CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol List II

### SECTION 12: Ecological information

- · 12.1 Toxicity · Aquatic toxicity:
- No further relevant information available.
- 12.2 Persistence and degradability

No further relevant information available.

(Contd. on page 7)

GB



Page 7/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

#### Trade name ombran MHP-SP 3000

	(Contd. of page 6)
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvB	assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	
properties , c	For information on endocrine disrupting properties see section 11.
12.7 Other adverse effects	
Additional ecological informa	tion:
General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Additional ecological information	Do not allow undiluted product or large quantities of it to rea

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accord IMO instruments</li> </ul>	ling to Not applicable.	
· UN "Model Regulation":	Void	

(Contd. on page 8)



Page 8/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

Trade name ombran MHP-SP 3000

(Contd. of page 7)

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precurs	sors
None of the ingredients is listed	
Regulated poisons	
None of the ingredients is listed	l.
Reportable explosives precu	rsors
None of the ingredients is listed	l.
Reportable poisons	
None of the ingredients is listed	1

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
<ul> <li>Department issuing data specification sheet:</li> </ul>	Environment protection department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1
	(Contd. on page 9)



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 26.05.2024

Version number 24 (replaces version 23)

Revision: 26.05.2024

Page 9/9

#### Trade name ombran MHP-SP 3000

(Contd. of page 8) • \* Data compared to the previous version altered. GB-(Contd. of page 8) STOT SE 3: Specific target organ toxicity (single exposure) – Category 3