Sustainability Product Sheet





MC-DUR 111 eco

Water-based, epoxy resin dispersion

Testings / Approvals/ Sustainability properties

- GISCODE RE05
- · phtalate free, tin free, cementless
- VOC content according to EU regulation 2004/42 (Decopaint-Directive): RL2004/42/EG All/j (140 g/l)
 ≤ 140 g/l VOC

INGREDIENTS / EMISSIONS

biocides	not included (not part of the recipe)			
CFC free	yes			
formaldehyde content	< 10 μg/m3 nach 72 h (DIN EN ISO 16000-9)			
halogenated hydrocarbons	not included (not part of the recipe)			
HCFC free	yes			
semi-volatile organic compounds (SVOC)	< 100 μg/m3 nach 72 h (DIN EN ISO 16000-9 bzw. DIN EN 16402)			
Emicode	product group 1			
		μg/m³		
	TVOC after 3 days	≤ 750		
	tvoc after 28 days	≤ 60		
	TSVOC after 28 days	≤ 40		
	R-value based on AgBB-NIK values after 28 days	≤ 1		
	Sum of non-assessable VOCs	≤ 40		
	formaldehyde after 3 days	≤ 50		
	Acetaldehyd after 3 days	≤ 50		
	total of form- and aetaldehyde			
	Sum of volatile K1A/K1B substances after 3 days	≤ 10		
	Any volatile K1A/K1B substance, after 28 days	≤1		

BUILDING CERTIFICATIONS

- registration code: LA9MUU
- Suitability according to the criteria matrix of the DGNB criterion ENV1.2 "Risks for the local environment"

Version 2023

			(Quality	levels	;
No.	Location	Product type	1	2	3	4
24	EP-/PU primers (including screeds) and coatings for floor and wall surfaces (e. g. skirting	Industrial floorings, parking areas and underground garages (OS (surface protection) 8, 10, 11 among others) with the	/	/	/	~

						Quality	/ levels	5
	No.	Location	Product type		1	2	3	4
		boards) with special require- ments	exeption of markings (not regulated)					
						Quality	/ levels	3
	No.	Location	Product type		1	2	3	4
	23	EP-products for coating miner al surcaces: floors, ceilings and walls – including in syster structures with not special re- quirements	coatings – with the except of OS (surface protection)	ion	~	<u>/</u>	~	/
BNB	• Suita	ability according to Annex 1 of the	BNB criterion 1.1.6 "Risks for	the loca	al envi	ronmer	nt"	
Version 2015					Quali	ty leve	ls	
	No.	Location	Building product type	1	2	3	4	5
	19	Sealers (self-levelling coatings) for mineral substrates - except surface protection systems for multi-storey car parks, etc. (see item 20)	Epoxy resin coatings - also 1C and 2C system set-ups	~	~	~	~	~
					Quali	ty leve	ls	
	No.	Location	Building product type	1	2	3	4	5
	20a	Sealers and self-levelling coatings for industrial floors, parking areas (interior and exterior) and underground car parks incl. base coatings (OS 8 and 11), except of markings (not regulated).	Epoxy resin and PU coatings (also in combination) with special resistance require- ments for floor and wall sur- faces		~	~	~	~
LEED	Cate	gory Cri	teria					
LEED v.4.1 Material & Ressources			c2 (Environmental Product claration)	The pr	oduct	has a s	sample	EPD
		MR	of kr not c date		ccording to the current state knowledge, the product does of contain any REACH Candi- ate List substances of very gh concern (SVHC)			
	Indoo	r Environmental Quality EQ	EQc2 (Low-Emitting Materials) VOC Emissions F please see section Emissions and ou tion for building ce this Sustainability		ection nd our ing cer	n Ingredients/ r documenta- ertifications of		

Category	Criteria
Regional Materials	- Production site:
	DE-46238 Bottrop
	Distance production site - construction site < 800 km. If the product is used within a radiu of < 800 km from the production site it can contribute to achieving LEED points.

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

Product EPD is available.

Product specific epd available

Sample EPD is available

Declaration No

EPD-DBC-20220176-IBF1-EN

(Products based on epoxy-resin, group 3)

DISPOSAL

Product

See safety data sheet (section 13)

Packaging

Make sure single-use containers are completely empty.

Recycling concept

Kunststoffverpackung Interseroh 27638

DOCUMENTS FOR BUILDING CERTIFICATIONS

Documents available

Technical Data Sheet

Environmental Product Declaration (EPD)

Saftey data sheet

PRODUCT LABEL

Product and company specific label





Legal notice: The information given in this data sheet is based on our experience to the best of our knowledge, but is non-binding. They are to be adapted to the individual construction project, the intended use and the specific local exposition. The project conditions that deviate from the standard application must be checked in advance by the planner and require his individual approval. The technical advice provided by MC's technical experts does not replace the planning work on the history of the building. Assuming this, we are liable for the correctness of this information within the framework of our sales and delivery conditions. Recommendations from our employees that deviate from the information in our leaflets are only binding for us if they are confirmed in writing. In any case, the generally recognized rules of construction technology need to be respected. Due to innovations in the certification systems listed, the information provided may no longer correspond to the current certification principles. [3.1]