

Donnital Oil Ex

Cleaning agent for oil contamination



PRODUCT PROPERTIES

- Ready to use
- Easy handling
- Short interaction time
- Removable with water

AREAS OF APPLICATION

- For the removal of oil and grease from concrete, screed or plaster surfaces
- For the removal of oil and grease from concrete goods

APPLICATION ADVICE

General Information: In case of heavy contamination, Donnital Oil Ex can be used repeatedly without the need to roughen the substrate. The success of the cleaning process depends largely on the type and scale of contamination, as well as on the exposure period of the oils and/or greases on the substrate. It is possible that contamination which has penetrated deeper than 1 cm into the substrate cannot be completely removed, even with repeated use of Donnital Oil Ex.

Application: Donnital Oil Ex is poured onto the contaminated, dry surface and spread with brooms, brushes or scrubbers. If used on vertical surfaces, the product is applied with a brush. Make sure that Donnital Oil Ex does not dry out completely during the reaction period.

Then spray with water and scrub the contaminated area thoroughly with a scrubber or coarse scrubbing brush.

If Donnital Oil Ex is applied repeatedly, wait until the substrate has dried completely before applying each subsequent treatment.

For persistent contaminations we recommend neutralizing the treated area hydrothermically, i.e. with a hot-steam cleaner.

Further Information: Donnital Oil Ex can also be used to degrease smaller iron parts and metal tools. After sufficient impact and subsequent neutralization with water, the dry parts should be preserved with suitable preserving agents, like Intaktin.

Ensure good ventilation when working with Donnital Oil Ex, especially in enclosed spaces.

TECHNICAL VALUES & PRODUCT CHARACTERISTICS

Characteristic	Unit	Value	Comments
Consumption (flat)	ml/m ²	approx. 250	per working process and according to substrate condition
Exposure time	minutes	10 - 15	maximum
All technical values are laboratory results determined at 21°C ±2°C and 50% relative humidity.			
Delivery form	10 l canister		
Self-monitoring	EN ISO 9001		
Hazardous substance according to the Ordinance on Hazardous Substances	Ensure compliance with the DIN Safety Data Sheet!		
Storage	Can be stored in cool and dry conditions for at least 12 months in original unopened packs.		
Packaging disposal	Make sure single-use containers are completely empty.		

Safety instructions

Please note the safety information and advice given on the packaging labels and safety data sheets.

Note: The information contained in this data sheet is based on our experience and is correct to the best of our knowledge. It is, however, not binding. It will need to be adapted to the requirements of the individual structure, to the specific application and to non-standard local conditions. Application-specific conditions must be checked in advance by the planning engineer/specifier and, where different from the standard conditions indicated, will require individual approval. Technical advice provided by MC's specialist consultants does not replace the need for a planning review by the client or its agents in respect of the history of the building or structure. Subject to this prerequisite, we are liable for the correctness of this information within the framework of our terms and conditions of sale and delivery. Recommendations of our employees deviating from the information given in our data sheets are only binding for us if they are confirmed in writing. In all cases, the generally accepted rules and practices reflecting the current state of the art must be observed. The information given in this technical data sheet is valid for the product supplied by the country company listed in the footer. It should be noted that data in other countries may differ. The product data sheets valid for the relevant foreign country must be observed. The latest technical data sheet shall apply to the exclusion of previous, duly superseded versions; the date of issue in the footer must be observed. The latest version is available from us on request or may be downloaded from our website. [2300018622]